



Bicycle Tyre Range 2018

Get the grip

CONTINENTAL PASSION AND LOVE FOR CYCLING.

By investing continuously in our production sites and technologies, we keep on track in a rapidly changing market environment. Along with these investments, our higher production volume promises lasting growth and a high level of presence of our Premium and Performance lines.

In the City/Trekking segment, our all-encompassing NONSTOP Mobility concept takes full effect. With our 2018 production line, we finalised the restructuring of products according to the new standard. Clearly classified by area of use, it is now even easier to find the tyre perfectly matching your needs. With the market entry of the CONTACT Plus, we set an example for high-performing puncture protection with even better riding comfort.

Following the trend of individualisation and a high rate of identification, we proudly present the new Ultra Sport II as part of our racing tyre segment - available in a multitude of colors and sizes.

In the mountain bike segment, we are excited to show off our re-engineered King series. The new Mountain King with its new spaced lugs is the all-mountain tyre with subtle enduro qualities on the trail. With its re-worked sidewalls, the Tubeless Ready tyre sets a new standard, from mounting to the trail. Another novelty are our B+ sizes, which you can find with our core MTB models.

The sustainability of our ongoing investments in technology is proven by the success of the world best cyclists putting their trust in our tyres, for the World Cup or for touring, on the trail or on the road. Frequent victories impressively confirm: the greatest in the sport make their dreams come true with top products from Korbach.

We thank you, our partners, customers, athletes and cyclists, for your trust and for your support of our brand and our products. Together with you, we are looking forward to another exciting year.

Get the Grip!

Your *Continental-Team*

TECHNOLOGY MADE IN GERMANY



Continental, the only German manufacturer of tyres in Germany. "handmade in Germany" denotes that the tyres are produced in our Korbach plant, mostly by hand and with a high proportion of manual labour from tyre design to the final quality control. For you this means offering your customers tyres with German technology - a tradition since 1871. Products made in Korbach are marked with the respective symbol on the following pages.



With our unique tread compound, which is produced only in Germany, we have revolutionised the sport of cycling. With the legendary BlackChili Compound we have answered the eternal question of the best balance of grip and rolling resistance for cycling. Regular test wins confirm the measurable and noticeable advantages for the cyclist, established in the laboratory and on the road.

The latest polymers as well as specially developed carbon black particles and filler materials guarantee unique performance, be it on a road or a mountain bike, for time trialling or downhill.

In contrast to conventional silica compounds:

- › more mileage [+5%]
- › improved rolling resistance by 26% while grip is enhanced by 30% at the same time
- › consistent handling characteristics from the first to the last kilometre



The reference for puncture protection: Vectran™ is spun from liquid crystal-polymer. This way a thermoplastic, multiple-thread yarn is created. As a comparison: This partially crystalline fabric is more cut-resistant than aramide and its tensile strength is five-times higher than that of steel. A Vectran™ Breaker is lighter, more flexible and effective against cuts than a comparable nylon breaker. There is no detrimental effect on rolling resistance.



With the PolyX Breaker™ we introduce technological know-how from automotive manufacturing to the bicycle tyre sector. Polyester has been used successfully in car tyres for years and has proven its worth. The extremely resilient polyester fibre is woven finely as a cross mesh. This way a high density of fabric is achieved which not only makes our breaker more robust against foreign objects, but also makes it particularly puncture resistant.



Developed especially for the mountain bike sector, this additional puncture protection layer which completely encircles both tyre beads makes our carcasses robust and impervious against damage and penetration from foreign objects. For maximum effect we combine ProTection with BlackChili Compound. The result: versatile, low weight and an attractive design. In addition, tyres made using this technology can also be used as Tubeless Ready.



Uncompromising when it comes to a lightweight design and at the same time extraordinary puncture protection for mountain bike racing: our racing sport carcasses achieve this. The specific structure makes the difference. A particularly fine and high quality nylon fabric with an elaborate, protective rubber over layer and universal base are used. Together with our legendary BlackChili Compound it is the right combination for XC-Race, Marathon and Eliminator.



Andreu Lacondeguy

30-45

Mountain bike tyres

B+ tyres:
 Baron 2.6 Projekt
 Trail King 2.6 [not shown]
 Mountain King 2.6 [not shown]
 Cross King 2.6 [not shown]

Der Kaiser 2.5

Mud King 2.3/1.8

Der Baron 2.4 Projekt

Trail King 2.4/2.2



Der Baron 2.5

Der Kaiser 2.4 Projekt

Der Baron 2.6 Projekt

Mountain King 2.3



Race King 2.2/2.0

Double Fighter III 2.0/1.9/1.75

Town & Country 2.1/1.9

Vapor 2.1

Explorer 2.1/1.75



Cross King 2.3/2.2

Speed King 2.2

Traffic 2.1/1.9/1.75

Gravity 2.3

Vertical 2.3



6-13

Tubular tyres



Attack Comp & Force Comp Set

Grand Prix 4000 S II Tubular

Sprinter

Olympic II

Tempo II



Grand Prix TT

Grand Prix Supersonic

Grand Prix

Grand Sport Extra

Ultra Sport II



Hometrainer

Gatorskin

Speed King CX

CycloXKing

46-61

City/Trekking and E-Bike tyres



Top CONTACT Winter II Premium

CONTACT

CONTACT Plus City

CONTACT Speed

CONTACT Plus Travel



Speed RIDE

CONTACT Cruiser

RIDE Classic

AT RIDE

RIDE Cruiser

62-67

Tubes and accessories

76-77

Tech Support

68-75

Deutsche Technik in detail

78-82

New tyres

Continental tubular tyres

- › eleven out of twelve tyres produced in our Korbach plant are handmade
- › the tube is sewn directly onto the carcass with about 400 stitches
- › German technology from the tread compound mixture to completion
- › 100 % quality audit

Advantages

- › light: lower weight than a clincher tyre
- › fast: high speeds due to reduced rolling resistance
- › fit: can be used with high tyre pressures
- › safe: in the event of a puncture, the tyre will not slide off the rim
- › in action: perfect for competition. Ask the pros!

Alejandro Valverde
Team Movistar
Winner La Flèche
Wallonne 2017

PASSION AND PRECISION.

Only materials of the highest quality are used for making our tubular tyres. The individual elements are precisely combined and bonded. The most successful cyclists in the world put their faith in our work. Whether on the road or track, tubular tyres made by Continental have made their mark on competitions throughout the world.

Grand Tour	Tour	Race	Time Trial	Tuning	Track	Indoor	Page	Tubular tyres	Technology	26" x 19 mm	26" x 22 mm	28" x 19 mm	28" x 22 mm	28" x 23 mm	28" x 24 mm	28" x 25 mm	24" x 1	Segment
							8	Podium TT	Vectran [™]									
							8	Attack Comp & Force Comp Set	Vectran [™]									
							9	Competition	Vectran [™]									Premium
							9	Grand Prix 4000 S II Tubular	Vectran [™]									
							10	Sprinter Gatorskin	Safety [®] System									
							10	Sprinter	Safety [®] System									
							11	Giro										Performance
							12	Olympic II										
							12	Sonderklasse II										Premium
							13	Tempo II										
							13	Steher										

with BlackChili Compound



All tubular tyres come with removable 42 mm Presta valves.

Podium TT



Time Trials: for maximum acceleration in the race against the clock

- › high level competition tub, using an ultra-fast mini diamond profile, perfect for triathlon and time trial specialists
- › providing puncture protection at a low weight
- ! optimised for speed but with limited mileage

Attack Comp & Force Comp Set



The aerodynamic racing tubular set developed by professional racers

- › light and fast: developed especially for the demanding requirements of hard, fast racing action
- › outstanding puncture protection through Vectran™, excellent handling characteristics thanks to BlackChili Compound
- › perfection with its high performance, combining low rolling resistance, high agility and comfort



The ultimate in puncture protection. Incredibly tear resistant yet at an extremely low weight. Rolling resistance remains completely unaffected.



Article	Dimension*	Technology	Color/Sidewall/Bead	TPI*		g	PSI	PU
Podium TT								
0196181	28" x 19 mm	Vectran Breaker	black/black Skin	3/180		195	160-220	10
0196180	28" x 22 mm	Vectran Breaker	black/black Skin	3/180		225	160-170	10
0196243	28" x 25 mm	Vectran Breaker	black/black Skin	3/180		245	115-170	10
Attack Comp & Force Comp Set								
0100748	28" x 22/24 mm	Vectran Breaker	black/black Skin	3/180		500	115-170	5
Attack Comp								
0196231	28" x 22 mm	Vectran Breaker	black/black Skin	3/180		240	115-170	10
Force Comp								
0196232	28" x 24 mm	Vectran Breaker	black/black Skin	3/180		260	115-170	10

Competition



It's time to race the classic for competition - not just for professionals

- › robust all-rounder appearing at the sharp end in all the major cycle races around the world
- › a high-performance tread compound coupled with reliable puncture protection
- › agile and fast, adapts to the competition in all road conditions

Grand Prix 4000 S II Tubular



Our legendary clincher, available as tubular tyre: seamless manufacturing design with grip - speed and great handling as an enduring all-rounder

- › this all-rounder tubular tyre is particularly suited for those longer rides
- › it has outstanding puncture protection and a rubber compound which ensures good grip
- › special carcass design ensures a perfect fit on the rim



Ag2r La Mondiale Pro Cycling Team

Article	Dimension*	Technology	Color/Sidewall/Bead	TPI*		g	PSI	PU
Competition								
0196142	26" x 19 mm	Vectran Breaker	black/black Skin	3/180		215	145-170	10
0196141	26" x 22 mm	Vectran Breaker	black/black Skin	3/180		250	115-170	10
0196140	28" x 19 mm	Vectran Breaker	black/black Skin	3/180		230	145-170	10
0196138	28" x 22 mm	Vectran Breaker	black/black Skin	3/180		260	115-170	10
0196189	28" x 25 mm	Vectran Breaker	black/black Skin	3/180		280	115-170	10
Grand Prix 4000 S II Tubular								
0196241	28" x 22 mm	Vectran Breaker	black/black Skin	4/240		270	115-170	10

*TPI see page 71

All tubular tyres come with removable 42 mm Presta valves.

Sprinter Gatorskin

DuraSkin® Safety System



- The sprinter in the group, designed for extended rides and training
- › the roads of Flanders, Roubaix and San Remo are home to this tough tubular
 - › durable and puncture protected carcass, ready for hundreds of kilometres even on bad roads
 - › big volume ensures additional grip and improved rolling characteristics

Sprinter

BLACK CHILI Safety System



- If the aim is winning points then this nimble Sprinter is the right tyre for you
- › efficient tyres for criteriums or triathlon where the tyres' characteristics will shine through
 - › proven puncture protection through the SafetySystem Breaker
 - › neutral slick profile for a direct feel with the road. Full speed ahead!

Safety System

Puncture and cut-proof, but still light and flexible, the tyre adapts better to the terrain. Provides particularly comfortable handling characteristics.



Photo: Roberto Bettini

Giro



- For newcomers: the perfect companion for training and leisure rides
- › a reliable all-round tyre, high quality for newcomers with high aspirations
 - › outstanding rolling characteristics and robust qualities that will make them last for many miles
 - › high mileage and excellent value for money

Gluing correctly

Tubular tyres are glued directly onto the rim. Depending on whether it is made of carbon or aluminium the correct glue should be used.

This is how it's done:

- › clean rim of all old residual glue
- › inflate the tyre a little and fit onto the rim to pre-stretch
- › apply glue onto the rim in regular spots without the tyre on and spread with a suitable brush
- › then mount the slightly inflated tyre onto the rim again
- › start at the valve and pull the tyre onto the rim in both directions simultaneously
- › check that the tyre has been mounted evenly and inflate to the recommended pressure

More information and detailed videos on mounting tyres can be found at:
www.continental-tires.com/bicycle/service/videocenter
 > Tubular Tyres



Article	Dimension*	Technology	Color/Sidewall/Bead	TPI*	g	PSI	PU
Sprinter Gatorskin							
0196136	28" x 22 mm	SafetySystem Breaker	black/black DuraSkin	3/180	280	115-170	10
0196187	28" x 25 mm	SafetySystem Breaker	black/black DuraSkin	3/180	300	115-170	10
Sprinter							
0196150	26" x 22 mm	SafetySystem Breaker	black/black Skin	3/180	260	145-170	10
0196135	28" x 22 mm	SafetySystem Breaker	black/black Skin	3/180	275	115-170	10
0196244	28" x 25 mm	SafetySystem Breaker	black/black Skin	3/180	295	115-170	10
Giro							
0196017	28" x 22 mm	Performance	black/transparent Skin	2/160	300	115-145	25

* TPI see page 71

All tubular tyres come with removable 42 mm Presta valves.

Olympic II



World leader on the track: the specialist for an hour record attempt

- › specially developed tyres for track racing, their strengths in hard fought races on the wooden boards of the velodrome
- › excellent grip and super-fast rolling thanks to proprietary BlackChili Compound
- › manufactured with no compromise using the highest technological know-how. The aim: to break records.

Sonderklasse II



With its single minded design, the six day hero of the wooden boards

- › extremely light and fast handling tyres – made for endurance racing on the wooden boards
- › no compromise design: made with a particularly fine carcass and unique BlackChili Compound
- › a special slick profile for the highest speeds puts this tyre into a class of its own in our track racing range.

Miriam Welte & Kristina Vogel
Winner Team Sprint UCI World Track Championships Cali 2017

Tempo II



The velodrome all-rounder for all track disciplines

- › particularly light and fast racing tyre designed for the concrete and wooden surfaces of velodromes
- › no compromise design: made with a particularly fine carcass and unique BlackChili Compound
- › with a slightly roughened slick tread, a tyre for those starting out on their hunt for records

Steher



The old hand for the endurance athlete


- › a solid and efficient indoor racing tyre developed especially for endurance racing
- › exceptionally high durability through an abrasion-optimised rubber compound
- › designed for agility with specific widths for the front and rear wheels

Miriam Welte
German Champion "500 metre time trial" 2017

Kristina Vogel
UCI Track World Champion 2017

Article	Dimension"	Technology	Color/Sidewall/Bead	TPI*		g	PSI	PU
Olympic II								
0196186	28" x 19 mm	Track	black/black Skin	3/180		185	170-220	2
Sonderklasse II								
0196188	28" x 23 mm	Track	black/black Skin	3/180		220	160-170	10
Tempo II								
0196185	28" x 19 mm	Track	black/black Skin	3/180		180	160-220	10
0196184	28" x 22 mm	Track	black/black Skin	3/180		200	160-170	10
Steher								
0196000	24" x 25 mm	Track	black/black Skin	3/180		260	145-170	10
0196045	28" x 23 mm	Track	black/black Skin	3/180		250	160-170	10

*TPI see page 71



PASSION AND SUCCESS UNITE. REACHING GOALS ON CONTINENTAL!

Top performance requires total commitment from both rider and equipment. For that reason, the best cyclists in the world trust Continental again this year.

Whether it be the Tour de France or the Ironman World Championship. This year, the best athletes in the world rely on Continental bicycle tyres. We are proud to support them getting the best performance humanly possible out of our tyres and thus reaching their athletic goals.

[1] © TDWsport.com
[2] Pedro Glez
[3] Ingo Kutsche



On our Continental Road Cycling Facebook page you can find the latest videos of our race athletes in action, current news and inspiration for your next ride.





Puncture protection and mileage are the strengths of Hardshell-Protection. A wider PolyX Breaker™, the specialist against punctures, under the tread centre and shoulders provides for great reliability. The three-ply - each layer with 60 TPI - carcass covers the entire tyre and makes it a real bastion against urban detritus. The outer sidewalls of the tyre are reinforced with DuraSkin® fabric providing even more reliability due to the casing being so well protected. Hardshell tyres are the puncture-resistant flagship amongst racing tyres - produced exclusively in Germany.



The unassailed specialists for combining compound characteristics. Grip and rolling resistance are no longer adversaries. Outstanding handling characteristics from the first to the last kilometre.



Quality Hierarchy

Premium

- › our premium tyres - made for the highest performance
- › the latest technologies developed with the world's most successful athletes
- › handmade by experienced specialists in Korbach, Germany
- › the best materials for the highest quality and exceptional properties

Performance

- › Performance tyres for ambitious racers
- › sound materials and precise workmanship guarantee outstanding quality

Sport

- › excellent quality for sports level use



Tyres with DuraSkin® sidewall protection can take a beating as they are designed for the most adverse conditions. In rough terrain on a cyclocross or a gravel bike, on commuter bikes where tyres scrape along curbs, on touring bikes as they cross continents encountering many different road qualities and on the race circuit where they prove themselves in endurance events such as the Paris-Roubaix. The high-quality polyamide fabric reliably protects the wall of the tyre. Tyres with DuraSkin® can be identified by the characteristic brown mesh sidewall.



With PolyX Breaker™ car expertise comes to the bicycle tyre sector. Polyester has been used successfully for years in car tyres and has proved extremely effective. The extremely resistant polyester fibre is woven tightly crosswise. A very high fabric density is achieved which makes the breaker resistant not only to foreign bodies, but especially to punctures. The rolling resistance is not affected by this breaker.



A functional rubber mixture which we utilise for our Performance tyre range. Traction and high mileage are characteristics of tyres made from this compound.



A puncture protection technology made of nylon fibres - protects similar to Kevlar but with low rolling resistance and reduced weight.



Low weight and maximum acceleration distinguishes this technology. Time trial specialists and track racers alike profit from its first-rate rolling characteristics.



The ultimate in puncture protection. Incredibly tear resistant yet at an extremely low weight. Rolling resistance remains completely unaffected.

- Premium Technology
- Performance Technology

PASSION AND TRADITION.

Competing, training camps, racing at the local circuit over the weekend or riding your short lap after work, cycling with a road bike is your passion and with every ride you are living a part of the sport's history. Following our own traditions, we manufacture our products in Korbach with German technology. We have many unique success stories which bear witness to this, such as the Grand Prix 4000 S II tyre.



On our Continental Road Cycling Facebook page you can find the latest videos of our race athletes in action, current news and inspiration for your next ride.

Tuning	Time Trial	Race	Tour	Gravel	Cross	Page	26"				28"			27"		Segment	
							Technology	28-559	23-571	20-622	23-622	25-622	28-622	32-622	35-622		45-622
						18	Grand Prix TT	Vectran Breaker									
						19	Grand Prix Attack & Force III Set	Vectran Breaker									
						19	Grand Prix Supersonic										Premium
						21	Grand Prix 4000 S II	Vectran Breaker									
						22	Grand Prix	PolyX Breaker									
						22	Grand Prix Classic	PolyX Breaker									
						23	Grand Sport Extra	WedgeBreaker									
						23	Grand Sport Race	WedgeBreaker									Performance
						24	Ultra Sport II										
						25	Super Sport Plus	Plus									Sport
						25	Hometrainer										Home
						26	Grand Prix 4-Season	Vectran Breaker									
						27	Gatorskin	PolyX Breaker									Premium
						27	Gator Hardshell	Hardshell Protection									
						28	Speed King CX	KEV									Premium
						28	Race King CX	WedgeBreaker									Performance
						29	CycloXKing	KEV									Premium
						29	Mountain King CX	KEV									

● = with BlackChili Compound


Grand Prix TT Limited Edition



Time Trials: our specialist for the race against the clock

- › turns every triathlon and time trial bike into a fighting machine with an ultra-fast semi-slick tread
- › excellent grip and the ability to roll efficiently thanks to BlackChili Compound, reduced puncture protection
- ! the tyre for competitions with optimised rolling resistance but limited mileage

Jan Frodeno
Winner Ironman Austria 2017



Sebastian Kienle
Ironman European Champion 2017



Outstanding grip and low rolling resistance.



The ultimate in puncture protection. Incredibly tear resistant yet at an extremely low weight. Rolling resistance remains completely unaffected.

HAWAII CHAMPIONS WIN ON BLACKCHILI COMPOUND

More than a decade of victories
Handmade in Germany

- 2005 Faris Al-Sultan [GER]
- 2006 Michelle Jones [AUS]
- 2007 Chrissie Wellington [GB]
- 2008 Craig Alexander [AUS]
- 2009 Chrissie Wellington [GB]
- 2010 Craig Alexander [AUS]
- 2011 Chrissie Wellington [GB]
- 2012 Mirinda Carfrae [AUS]
- 2013 Craig Alexander [AUS]
- 2014 Chrissie Wellington [GB]
- 2015 Leanda Cave [GB]
- 2016 Pete Jacobs [AUS]

Mirinda Carfrae [AUS]

Sebastian Kienle [GER]
Mirinda Carfrae [AUS]

Jan Frodeno [GER]

2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015/2016

Grand Prix Attack & Force III Set



A real racing set that exerts its performance on the road when the hunt for seconds begins

- › attack the competition: suitable for light weight wheels, highly aerodynamic, low weight
- › outstanding puncture protection with Vectran™, excellent handling characteristics thanks to BlackChili Compound
- › front and rear wheels in different sizes [23/25 mm] are matched to compliment one another

Grand Prix Supersonic



- The no compromise tyre purely for competition**
- › simple efficiency, time trial and cycling track specialists profit from its outstanding rolling characteristics
 - › light without compromising rolling resistance, but without extra puncture protection, extremely thin treads
 - ! tyre purely for competitions with reduced mileage



Low weight and maximum acceleration distinguishes this technology. Time trial specialists and track racers alike profit from its first-rate rolling characteristics.



Know-how from motorcycle sport, specially adapted for bicycle racing to address the specific demands of front and rear wheels. Front: agile and direct. The narrower tyre provides reduced air resistance and improved steering characteristics. Rear: comfortable and dampening. With its slightly broader contact surface the tyre provides better traction. Thanks to the compound mix being optimised for rolling resistance, stiction is reduced. The result: a pioneering front and rear wheel tyre system in which the tyres have been painstakingly matched with one another.

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	g	PSI	PU
Grand Prix TT								
0100487	23-622	700 x 23C	Vectran Breaker	black/black Skin foldable	3/330	180	110-120	10
0101077	25-622	700 x 25C	Vectran Breaker	black/black Skin foldable	3/330	190	95-120	10
Grand Prix Attack & Force III Set								
0101440	23/25-622	700 x 23/25C	Vectran Breaker	black/black Skin foldable	3/330	400	110-120	5
Grand Prix Attack III								
0101303	23-622	700 x 23C	Vectran Breaker	black/black Skin foldable	3/330	190	110-120	10
Grand Prix Force III								
0101304	25-622	700 x 25C	Vectran Breaker	black/black Skin foldable	3/330	210	110-120	10
Grand Prix Supersonic								
0101079	20-622	700 x 20C	Supersonic	black/black Skin foldable	3/330	140	145-170	10
0101080	23-622	700 x 23C	Supersonic	black/black Skin foldable	3/330	150	115-145	10

* TPI see page 71

Grand Prix 4000 S II



The leader in our racing range, just as at home on long rides as well as in competitions

- > all-rounder on rides, whether on the cobblestones of Roubaix or on the mountain road up Mont Ventoux
- > outstanding puncture protection through Vectran™, excellent grip, high mileage and first class rolling thanks to BlackChili Compound
- > a high-performance tyre which regularly stands out in tyre tests



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*		g	PSI	PU
Grand Prix 4000 S II									
0100935	23-571	650 x 23C	Vectran Breaker	black/black Skin foldable	3/330		205	110-120	10
0100936	20-622	700 x 20C	Vectran Breaker	black/black Skin foldable	3/330		185	130-160	10
0100937	23-622	700 x 23C	Vectran Breaker	black/black Skin foldable	3/330		205	110-120	10
0100944	23-622	700 x 23C	Vectran Breaker	black/transparent Skin foldable	3/330		215	110-120	10
0100945	25-622	700 x 25C	Vectran Breaker	black/black Skin foldable	3/330		225	95-120	10
0100946	25-622	700 x 25C	Vectran Breaker	black/black Skin foldable Reflex	3/330		235	95-120	10
0100947	28-622	700 x 28C	Vectran Breaker	black/black Skin foldable	3/330		265	95-115	10
0100948	28-622	700 x 28C	Vectran Breaker	black/black Skin foldable Reflex	3/330		275	95-115	10

*TPI see page 71

Grand Prix



Mountain top finish: a comfortable all-rounder that has been written into cycling history

- › an all-rounder designed to be tough, made for sporty trips across demanding terrain
- › offers high puncture protection, comfort and good grip
- › with high mileage, available in many sizes

Grand Prix Classic



Technology of today combined with an old classic

- › the icing on the cake for your retro styled racing bike
- › state of the art with BlackChili Compound and a strong anti-puncture breaker
- › supplied with brown sidewalls and the original Conti Sport profile from 1982

Official tyre of the L'Eroica series 2017/2018

Eroica



With PolyX Breaker™ car expertise comes to the bicycle tyre sector. Polyester has been used successfully for years in car tyres and has proved extremely effective. The extremely resistant polyester fibre is woven tightly crosswise. A very high fabric density is achieved which makes the breaker resistant not only to foreign bodies, but especially to punctures. The rolling resistance is not affected by this breaker.

Grand Sport Extra



A robust and durable performer

- › the right choice for all those who eat up the miles, for commuters and gravel kings
- › excellent puncture protection thanks to double NyTech Breaker insert, high mileage with PureGrip Compound
- › proven Continental racing tyre contour for responsive handling and secure grip

Grand Sport Race



A pure racer and the ideal tyre for competitions and tours

- › this all-rounder is ready for every challenge, even the biggest ones
- › reliable level of puncture protection thanks to NyTech Breaker insert, high mileage with PureGrip Compound
- › proven Continental racing tyre contour for responsive handling and secure grip



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*				g	PSI	PU
Grand Prix											
0100149	28-559	26 x 1 1/8	PolyX Breaker	black/black Skin foldable	3/180				250	95-115	10
0100148	28-559	26 x 1 1/8	PolyX Breaker	black/black Skin	3/180				320	95-115	10
0100502	23-571	650 x 23C	PolyX Breaker	black/black Skin	3/180				280	110-120	10
0100506	23-622	700 x 23C	PolyX Breaker	black/black Skin foldable	3/180				225	110-120	10
0100505	23-622	700 x 23C	PolyX Breaker	black/black Skin	3/180				295	110-120	10
0100637	25-622	700 x 25C	PolyX Breaker	black/black Skin foldable	3/180				230	110-120	10
0100636	25-622	700 x 25C	PolyX Breaker	black/black Skin	3/180				315	110-120	10
0101109	28-622	700 x 28C	PolyX Breaker	black/black Skin foldable	3/180				275	95-115	10
0100157	28-622	700 x 28C	PolyX Breaker	black/black Skin	3/180				340	95-115	10
Grand Prix Classic											
0100456	25-622	700 x 25C	PolyX Breaker	black/transparent Skin foldable	3/180				230	95-120	10
Grand Sport Extra											
0150021	23-622	700 x 23C	Double NyTech Breaker	black/black Skin foldable	3/180				280	110-120	10
0150024	25-622	700 x 25C	Double NyTech Breaker	black/black Skin foldable	3/180				320	95-120	10
0150030	28-622	700 x 28C	Double NyTech Breaker	black/black Skin foldable	3/180				380	80-115	10
0150165	32-622	700 x 32C	Double NyTech Breaker	black/black Skin	3/180				530	65-102	20
Grand Sport Race											
0150001	23-622	700 x 23C	NyTech Breaker	black/black Skin foldable	3/180				230	110-120	10
0150027	25-622	700 x 25C	NyTech Breaker	black/black Skin foldable	3/180				270	95-120	10
0150118	28-622	700 x 28C	NyTech Breaker	black/black Skin foldable	3/180				330	80-115	10
0150141	32-622	700 x 32C	NyTech Breaker	black/black Skin foldable	3/180				370	65-102	10
0150144	32-630	27 x 1 1/4	NyTech Breaker	black/black Skin	3/180				460	65-102	20

Ultra Sport II



Modern tyre for those new to bicycle racing, available in many sizes and colours

- › tyres for general road bike riding and competitions with outstanding value for money
- › PureGrip Compound gives lots of grip, very high mileage and efficient rolling characteristics
- › extensive options enable you to get the right tyre for your desired type of riding



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*		g	PSI	PU
Ultra Sport II									
0150003	23-622	700 x 23C	Performance	black/black Skin foldable	3/180	✓	240	110-120	10
0150006	23-622	700 x 23C	Performance	black/black Skin	3/180	✓	310	110-120	20
0150126	23-622	700 x 23C	Performance	black/red Skin foldable	3/180	✓	250	110-120	10
0150119	23-622	700 x 23C	Performance	black/red Skin	3/180	✓	320	110-120	20
0150127	23-622	700 x 23C	Performance	black/yellow Skin foldable	3/180	✓	250	110-120	10
0150120	23-622	700 x 23C	Performance	black/yellow Skin	3/180	✓	320	110-120	20
0150128	23-622	700 x 23C	Performance	black/orange Skin foldable	3/180	✓	250	110-120	10
0150121	23-622	700 x 23C	Performance	black/orange Skin	3/180	✓	320	110-120	20
0150129	23-622	700 x 23C	Performance	black/blue Skin foldable	3/180	✓	250	110-120	10
0150122	23-622	700 x 23C	Performance	black/blue Skin	3/180	✓	320	110-120	20
0150130	23-622	700 x 23C	Performance	black/green Skin foldable	3/180	✓	250	110-120	10
0150123	23-622	700 x 23C	Performance	black/green Skin	3/180	✓	320	110-120	20
0150131	23-622	700 x 23C	Performance	black/pink Skin foldable	3/180	✓	250	110-120	10
0150124	23-622	700 x 23C	Performance	black/pink Skin	3/180	✓	320	110-120	20
0150132	23-622	700 x 23C	Performance	black/white Skin foldable	3/180	✓	250	110-120	10
0150125	23-622	700 x 23C	Performance	black/white Skin	3/180	✓	320	110-120	20
0150011	25-622	700 x 25C	Performance	black/black Skin foldable	3/180	✓	280	95-120	10
0150009	25-622	700 x 25C	Performance	black/black Skin	3/180	✓	340	95-120	20
0150166	25-622	700 x 25C	Performance	black/red Skin foldable	3/180	✓	290	95-120	10
0150167	25-622	700 x 25C	Performance	black/red Skin	3/180	✓	350	95-120	20
0150169	25-622	700 x 25C	Performance	black/yellow Skin foldable	3/180	✓	290	95-120	10
0150168	25-622	700 x 25C	Performance	black/yellow Skin	3/180	✓	350	95-120	20
0150170	25-622	700 x 25C	Performance	black/orange Skin foldable	3/180	✓	290	95-120	10
0150171	25-622	700 x 25C	Performance	black/orange Skin	3/180	✓	350	95-120	20
0150173	25-622	700 x 25C	Performance	black/blue Skin foldable	3/180	✓	290	95-120	10
0150172	25-622	700 x 25C	Performance	black/blue Skin	3/180	✓	350	95-120	20
0150174	25-622	700 x 25C	Performance	black/green Skin foldable	3/180	✓	290	95-120	10
0150175	25-622	700 x 25C	Performance	black/green Skin	3/180	✓	350	95-120	20
0150177	25-622	700 x 25C	Performance	black/pink Skin foldable	3/180	✓	290	95-120	10
0150176	25-622	700 x 25C	Performance	black/pink Skin	3/180	✓	350	95-120	20
0150178	25-622	700 x 25C	Performance	black/white Skin foldable	3/180	✓	290	95-120	10
0150179	25-622	700 x 25C	Performance	black/white Skin	3/180	✓	350	95-120	20
0150014	28-622	700 x 28C	Performance	black/black Skin foldable	3/180	✓	340	80-115	10
0150012	28-622	700 x 28C	Performance	black/black Skin	3/180	✓	410	80-115	20
0150142	32-622	700 x 32C	Performance	black/black Skin foldable	3/180	✓	350	65-102	10
0150180	32-622	700 x 32C	Performance	black/black Skin	3/180	✓	420	65-102	20
0150183	28-630	27 x 1 1/8	Performance	black/black Skin	3/180	✓	405	80-115	20
0150182	32-630	27 x 1 1/4	Performance	black/black Skin	3/180	✓	430	65-102	20

Super Sport Plus



Fixie or racing bike? Super fast and super reliable from A to B

- › fast on tarmac and bicycle paths with its special slick profile
- › longevity and high puncture protection are the main focus
- › also a reliable companion for newcomers to cycling



Hometrainer



Your new sparring partner: the km accumulator on the rollers


- › developed for the essential basic training at home
- › particularly smooth running and durable cold-running compound stops heat build up
- › suitable for training on rollers/home trainers only



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	g	PSI	PU
Super Sport Plus								
0100341	23-622	700 x 23C	Plus Breaker	black/black foldable	3/84	320	110-120	10
0100344	23-622	700 x 23C	Plus Breaker	black/black	3/84	380	110-120	10
0100343	25-622	700 x 25C	Plus Breaker	black/black foldable	3/84	400	95-120	10
0100342	25-622	700 x 25C	Plus Breaker	black/black	3/84	420	95-120	10
0100349	28-622	700 x 28C	Plus Breaker	black/black	3/84	550	80-116	10
0100347	28-630	27 x 1 1/8	Plus Breaker	black/black	3/84	560	80-116	10
0100348	32-630	27 x 1 1/4	Plus Breaker	black/black	3/84	640	70-102	10
Hometrainer								
0100648	47-559	26 x 1.75	Hometrainer	black/black foldable	3/180	380	45-65	10
0101275	50-584	27.5 x 2.0	Hometrainer	black/black foldable	3/180	400	45-65	10
0100647	23-622	700 x 23C	Hometrainer	black/black foldable	3/180	210	110-120	10
0100649	32-622	700 x 32C	Hometrainer	black/black foldable	3/180	270	85-102	10

*TPI see page 71

Grand Prix 4-Season



Our all-year-round tyre and a reliable companion for those high mileage road cyclists

- › solid partner for training rides and in competition, come rain or shine
- › outstanding puncture protection, reliable tread with good grip and the highest mileage
- › a tyre with a superior durability ready for any season



Puncture protection and mileage are the strengths of Hardshell-Protection. A wider PolyX Breaker™, the specialist against punctures, under the tread centre and shoulders provides for great reliability. The three-ply - each layer with 60 TPI - carcass covers the entire tyre and makes it a real bastion against urban detritus. The outer sidewalls of the tyre are reinforced with DuraSkin® fabric providing even more reliability due to the casing being so well protected. Hardshell tyres are the puncture-resistant flagship amongst racing tyres - produced exclusively in Germany.



Tyres with DuraSkin® sidewall protection can take a beating as they are designed for the most adverse conditions. In rough terrain on a cyclocross or a gravel bike, on commuter bikes where tyres scrape along curbs, on touring bikes as they cross continents encountering many different road qualities and on the race circuit where they prove themselves in endurance events such as the Paris-Roubaix. The high-quality polyamide fabric reliably protects the wall of the tyre. Tyres with DuraSkin® can be identified by the characteristic brown mesh sidewall.



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	g	PSI	PU
Grand Prix 4-Season								
0100173	23-622	700 x 23C	Double Vectran Breaker	black/DuraSkin foldable	3/330	230	110-120	10
0100175	25-622	700 x 25C	Double Vectran Breaker	black/DuraSkin foldable	3/330	240	95-120	10
0101105	28-622	700 x 28C	Double Vectran Breaker	black/DuraSkin foldable	3/330	280	95-115	10
0101095	32-622	700 x 32C	Double Vectran Breaker	black/DuraSkin foldable	3/330	320	85-102	10

Gatorskin



The reptile

- › the market leader amongst road bikers for puncture protection and great service life
- › the reptilian design sets the tone for eating up those miles
- › excellent puncture protection thanks to PolyX Breaker™ puncture protection insert
- › extremely long service life through wear-optimised tread compound



Gator Hardshell



The armoured reptile

- › lends the everyday road rider that certain extra something and gets commuters to work reliably
- › the reptilian design sets the tone for eating up those miles
- › rugged puncture protection through Hardshell ProTECTION
- › extremely long service life thanks to wear-optimised tread compound

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	g	PSI	PU
Gatorskin								
0118364	23-571	650 x 23C	PolyX Breaker	black/DuraSkin	3/180	270	110-120	10
0118365	28-559	26 x 1 1/8	PolyX Breaker	black/DuraSkin	3/180	320	95-120	10
0118538	23-622	700 x 23C	PolyX Breaker	black/DuraSkin foldable	3/180	220	110-120	10
0118537	23-622	700 x 23C	PolyX Breaker	black/DuraSkin	3/180	290	110-120	10
0100084	25-622	700 x 25C	PolyX Breaker	black/DuraSkin foldable	3/180	240	95-120	10
0118539	25-622	700 x 25C	PolyX Breaker	black/DuraSkin	3/180	310	95-120	10
0100641	28-622	700 x 28C	PolyX Breaker	black/DuraSkin foldable	3/180	300	95-116	10
0121228	28-622	700 x 28C	PolyX Breaker	black/DuraSkin	3/180	360	95-116	10
0100642	32-622	700 x 32C	PolyX Breaker	black/DuraSkin foldable	3/180	350	85-102	10
0100437	32-622	700 x 32C	PolyX Breaker	black/DuraSkin	3/180	420	85-102	10
0122300	32-630	27 x 1 1/4	PolyX Breaker	black/DuraSkin	3/180	395	85-102	10
Gator Hardshell								
0100311	23-622	700 x 23C	Hardshell	black/DuraSkin foldable	3/180	250	110-120	10
0100310	23-622	700 x 23C	Hardshell	black/DuraSkin	3/180	330	110-120	10
0100313	25-622	700 x 25C	Hardshell	black/DuraSkin foldable	3/180	270	95-120	10
0100312	25-622	700 x 25C	Hardshell	black/DuraSkin	3/180	340	95-120	10
0100639	28-622	700 x 28C	Hardshell	black/DuraSkin foldable	3/180	330	95-116	10
0100314	28-622	700 x 28C	Hardshell	black/DuraSkin	3/180	410	95-116	10
0100640	32-622	700 x 32C	Hardshell	black/DuraSkin foldable	3/180	375	85-102	10
0100435	32-622	700 x 32C	Hardshell	black/DuraSkin	3/180	450	85-102	10
0100315	32-630	27 x 1 1/4	Hardshell	black/DuraSkin	3/180	460	85-102	10

*TPI see page 71

Speed King CX



- A lust for speed, the faster it goes the better it performs**
- › a tyre designed for racing over solid, dry or frozen terrain
 - › a fast, scaly central tread design which also ensures a high level of puncture protection
 - › suitable for the heat of competition and as a commuter/tourer
 - › a carcass width of 32 mm complies with UCI rules

Race King CX



- Our flow guarantee for challenging offroad riding**
- › outstanding for use on smoother terrain such as forest tracks and hillside paths
 - › technically manufactured with an optimal ratio of grip, ability to adapt to the terrain and low rolling resistance
 - › breathtaking rides guaranteed!



A functional rubber mixture which we use for our Performance tyres. Traction and high mileage are characteristics of tyres with this compound.



A puncture protection technology made of nylon fibres - protects similar to Kevlar but with low rolling resistance and reduced weight.



CycloXKing



- The expert for touring and competition - at home on any terrain**
- › a high performing all-rounder suitable for different terrain
 - › smooth running and fast rolling from the evenly distributed central tread, a lot of grip in turns from the pronounced outer lugs
 - › a carcass width of 32 mm complies with UCI rules

Mountain King CX



- Sure footed, even in muddy terrain - the test winner within our Cyclocross range**
- › mud specialist with maximal grip giving racers a decisive advantage
 - › high puncture protection as well as superior grip from its deep tread when riding uphill
 - › clean cut: the well spaced lugs ensure good self-cleaning
 - › a carcass width of 32 mm complies with UCI rules



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACK CHILI COMPOUND	PURE GRIP COMPOUND	g	PSI	PU
Speed King CX										
0101256	32-622	700 x 32C	RaceSport	black/black Skin foldable	3/180	☑		290	45-85	10
0150279	35-622	700 x 35C	Performance	black/black Skin foldable	3/180		☑	400	36-85	10
0150276	45-622	700 x 45C	Performance	black/black Skin foldable	3/180		☑	520	36-80	10
Race King CX										
0150280	35-622	700 x 35C	Performance	black/black Skin foldable	3/180		☑	420	36-85	10
0150277	45-622	700 x 45C	Performance	black/black Skin foldable	3/180		☑	540	36-80	10
CycloXKing										
0100451	32-622	700 x 32C	RaceSport	black/black Skin foldable	3/180	☑		300	45-85	10
0150281	35-622	700 x 35C	Performance	black/black Skin foldable	3/180		☑	440	36-85	10
0150278	45-622	700 x 45C	Performance	black/black Skin foldable	3/180		☑	560	36-80	10
Mountain King CX										
0100472	32-622	700 x 32C	RaceSport	black/black Skin foldable	3/180	☑		320	45-85	10
0150282	35-622	700 x 35C	Performance	black/black Skin foldable	3/180		☑	460	36-85	10

* TPI see page 71



Quality Hierarchy



- Premium**
 - › our premium tyres - made for the highest performance
 - › the latest Technologys developed with the world's most successful athletes
 - › handmade by experienced specialists in Korbach, Germany
 - › the best materials for the highest quality and exceptional properties
- Performance**
 - › Performance tyres for ambitious mountain bikers
 - › sound materials and precise workmanship guarantee outstanding quality
- Sport**
 - › excellent quality for sports level use



On our ContinentalMTB Facebook page you can find the latest videos of our mountain bike athletes in action, current news and inspiration for your next ride.



PASSION AND FLOW.

Biking without limits, savouring the trail and looking back on the ride with a beaming smile. For your perfect mountain biking experience, our tyres are continuously being developed. To achieve this we trust in only the most reliable materials and technologys. Perfect grip on any surface is our goal every time.

Segment	Hardpack	Dry	Allround	Loose	Wet	Mud	Page	Mountain bike tyres	Dimension	Apex	ProTection Apex*	ProTection*	RaceSport	Performance*	Performance-Wire	Corresponding inner tubes	
Downhill	[Bar chart]						33	Der Kaiser Projekt	2.4	26" 27.5"	26" 27.5" 29"						
	[Bar chart]						32	Der Kaiser	2.5	26"							
Freeride	[Bar chart]						32	Der Baron	2.5	26"							MTB 26 Downhill MTB 26 Freeride MTB 26/27.5/29 Conti RevoSealant*
	[Bar chart]						34	Der Baron Projekt	2.6		27.5"						
[Bar chart]						33	2.4			26" 27.5" 29"							
Mud DH	[Bar chart]						32	Mud King	2.3	26" 27.5" 29"							MTB 26/27.5/29 Conti RevoSealant*
Mud XC	[Bar chart]								1.8			26" 27.5" 29"					
Freeride Enduro	[Bar chart]						35	Trail King	2.6		27.5"						
	[Bar chart]						37		2.4		26" 27.5" 29"		26" 27.5" 29"	26" 27.5" 29"			MTB 26 Freeride MTB 26/27.5/29 Conti RevoSealant*
Enduro AllMountain	[Bar chart]							Mountain King	2.2		26" 27.5" 29"			26" 27.5" 29"	26" 27.5" 29"		
	[Bar chart]						34		2.6			27.5"					
AllMountain Tour	[Bar chart]						38	Cross King	2.3		26" 27.5" 29"		26" 27.5" 29"	26" 27.5" 29"	26" 27.5" 29"		MTB 26/27.5/29 Conti RevoSealant*
	[Bar chart]						35		2.6			27.5"					
CrossCountry Race	[Bar chart]						39	Race King	2.3		26" 27.5" 29"	26" 27.5" 29"	26" 27.5" 29"	26" 27.5" 29"	26" 27.5" 29"		
	[Bar chart]						40		2.2		26" 27.5" 29"	26" 27.5" 29"	26" 27.5" 29"	26" 27.5" 29"	26" 27.5" 29"		MTB 26/27.5/29 Light Conti RevoSealant*
Tuning	[Bar chart]						41	Speed King	2.2			26" 27.5" 29"					
Urban/ATB	[Bar chart]							Double Fighter III	2.0								24" 27.5" 29"
	[Bar chart]						44		1.9								Compact 24 MTB 27.5/29
Home	[Bar chart]							Hometrainer	1.75					26" 27.5"			MTB 26
	[Bar chart]						25		1.8					27.5"			MTB 27.5

*with BlackChili Compound
*ProTection Apex, ProTection and Performance (foldable) are Tubeless Ready with Conti RevoSealant

Der Kaiser 2.5



Our Kaiser - the King of downhill tyres

- › only your fastest times from now on: whether on rocky ground, over roots, steps or stone strewn tracks
- › outstanding puncture protection, outstanding grip and a durable tread design with defined central and outer lugs
- › leaves nothing to be desired for even the most demanding downhill courses



Der Baron 2.5



Reliable all-rounder with durability for the bike park

- › durable and trustworthy bike park companion even in bad weather
- › uniform tread design with substantial lugs for the best contact with any type of terrain
- › where other tyres start slipping this one just keeps rolling




Mud King 2.3/1.8



The name speaks for itself: born in the mud, at home in the mud

- › the right choice for fast Race Hardtails [1.8] and Downhill Bikes [2.3]
- › the narrow carcass ensures a sufficient gap between tyre and the frame so that mud does not accumulate
- › with the best braking and handling characteristics, it is sure footed even under the most difficult conditions



Andreu Lacondeguy



Der Kaiser 2.4 Projekt



Sometimes a king also wants to put his racing hat on

- › an uncompromising racing tyre which we have developed together with the best athletes world wide
- › low rolling resistance, high puncture protection, grip in every turn
- › runs: train on the Kaiser 2.5 then race with the Kaiser 2.4 Projekt
- ! tyre with reduced durability for competitions



Der Baron 2.4 Projekt



Respect where it is due: the undisputed master in Enduro

- › technical, versatile, fastidious and developed together with the best athletes world wide
- › highly durable, puncture protected and good rolling resistance combined with a favourable weight
- › family ties: With its widely spaced tread lugs it shares its genetic uitability for mud. The Mud King sends its respects.



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACK CHILI COMPOUND	TR	g	PSI	PU
Der Kaiser 2.5										
0100226	62-559	26 x 2.5	Apex	black/black Skin	6/360	☞		1215	45-58	2
Der Baron 2.5										
0100227	62-559	26 x 2.5	Apex	black/black Skin	6/360	☞		1215	45-58	2
Mud King 2.3/1.8										
0100547	47-559	26 x 1.8	ProTecton	black/black Skin foldable	4/240	☞	●	520	45-65	6
0101084	47-584	27.5 x 1.8	ProTecton	black/black Skin foldable	4/240	☞	●	550	45-65	6
0100918	47-622	29 x 1.8	ProTecton	black/black Skin foldable	4/240	☞	●	580	45-65	6
0100414	57-559	26 x 2.3	Apex	black/black Skin	6/360	☞		1100	45-65	2
0100901	57-584	27.5 x 2.3	Apex	black/black Skin	6/360	☞		1135	45-65	2
0101083	57-622	29 x 2.3	Apex	black/black Skin	6/360	☞		1160	45-65	2
Der Kaiser 2.4 Projekt										
0101566	NEW 60-559	26 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	☞	●	900	45-58	2
0100619	60-559	26 x 2.4	Apex	black/black Skin	6/360	☞		1200	45-58	2
0101567	NEW 60-584	27.5 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	☞	●	950	45-58	2
0100902	60-584	27.5 x 2.4	Apex	black/black Skin	6/360	☞		1300	45-58	2
0101569	NEW 60-622	29 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	☞	●	1000	45-58	2
Der Baron 2.4 Projekt										
0101570	NEW 60-559	26 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	☞	●	900	45-58	6
0101572	NEW 60-584	27.5 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	☞	●	920	45-58	6
0101573	NEW 60-622	29 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	☞	●	1000	45-58	6

*TPI see page 71

Der Baron 2.6 Projekt



B+ tyres
 B+ tyres offer an especially comfortable riding experience. By virtue of their large volume, the tyres roll over obstacles easily, showing more traction and hugging the trail instead of just rolling over it. These tyres' weight is comparatively low. Their optimised carcasses allow for lower tyre pressure and thus offer the special grip experience.




Mountain King 2.6

More comfort,
 more volume!



Cross King 2.6



Baron 2.4 Projekt - 60 mm
 Baron 2.6 Projekt - 65 mm



Trail King 2.6

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*		TR	g	PSI	PU
Der Baron 2.6 Projekt										
0101381	NEW	65-584	27.5 x 2.6	ProTecton Apex	black/black Skin foldable	4/240		930	29-44	6
Trail King 2.6										
0101382	NEW	65-584	27.5 x 2.6	ProTecton Apex	black/black Skin foldable	4/240		930	29-44	6
Mountain King 2.6										
0101583	NEW	65-584	27.5 x 2.6	ProTecton	black/black Skin foldable	4/240		815	29-44	6
Cross King 2.6										
0101384	NEW	65-584	27.5 x 2.6	ProTecton	black/black Skin foldable	4/240		815	29-44	6

*TPI see page 71



- TR advantages**
- > rideable with low air pressure
 - > reduced rolling resistance
 - > improved grip and comfort
 - > fewer punctures

Richie Schley



Tubeless Ready [TR]
Our Tubeless Ready [TR] tyres can be used with tubes or sealant. Tyres and rims are designed in such a way that when used together they seal easily. For safety reasons only use wheels designed to be Tubeless Ready.

TR tyres have an altogether lighter design. Their sidewalls are less permeable for air and are sealed with a special sealant, for example Conti RevoSealant.

- These Continental Technologies support Tubeless Ready:**
- > ProTectio^{Apex}
 - > ProTectio
 - > Performance foldable

Trail King 2.4/2.2



updated profile
re-engineered sidewall

- Climbing artist: strong performer on the most difficult trails**
- > endless biking on Enduro and All Mountain Bikes
 - > many small lugs guarantee superior traction, the carcass offers superior resistance against punctures
 - > the rider receives constant feedback from the tyres enabling them to adapt to the conditions and maintain a good flow



Detailed videos on mounting TR tyres and how to use our sealant can be viewed at the following link: www.continental-tyres.com/bicycle/service/videocenter > MTB



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACK CHILI COMPOUND	PURE GRIP COMPOUND	TR	g	PSI	PU
Trail King 2.4/2.2											
0101487	NEW	55-559	26 x 2.2	ProTectio Apex	black/black Skin foldable	4/240	☑	●	740	45-58	6
0101468	NEW	55-584	27.5 x 2.2	ProTectio Apex	black/black Skin foldable	4/240	☑	●	800	45-58	6
0101476	NEW	55-622	29 x 2.2	ProTectio Apex	black/black Skin foldable	4/240	☑	●	850	45-58	6
0101478	NEW	60-559	26 x 2.4	ProTectio Apex	black/black Skin foldable	4/240	☑	●	825	36-51	6
0101460	NEW	60-584	27.5 x 2.4	ProTectio Apex	black/black Skin foldable	4/240	☑	●	890	36-51	6
0101477	NEW	60-622	29 x 2.4	ProTectio Apex	black/black Skin foldable	4/240	☑	●	945	36-51	6
Performance foldable/Wire											
0150112		55-559	26 x 2.2	Performance	black/black Skin foldable	3/180	☑	●	700	45-58	6
0150284		55-559	26 x 2.2	Performance	black/black Skin	3/180	☑	●	760	45-58	10
0150107		55-584	27.5 x 2.2	Performance	black/black Skin foldable	3/180	☑	●	730	45-58	6
0150239		55-584	27.5 x 2.2	Performance	black/black Skin	3/180	☑	●	800	45-58	10
0150113		55-622	29 x 2.2	Performance	black/black Skin foldable	3/180	☑	●	780	45-58	6
0150241		55-622	29 x 2.2	Performance	black/black Skin	3/180	☑	●	850	45-58	10
0150139		60-559	26 x 2.4	Performance	black/black Skin foldable	3/180	☑	●	795	45-58	6
0150283		60-559	26 x 2.4	Performance	black/black Skin	3/180	☑	●	860	45-58	10
0150106		60-584	27.5 x 2.4	Performance	black/black Skin foldable	3/180	☑	●	815	45-58	6
0150234		60-584	27.5 x 2.4	Performance	black/black Skin	3/180	☑	●	890	45-58	10
0150140		60-622	29 x 2.4	Performance	black/black Skin foldable	3/180	☑	●	865	45-58	6
0150238		60-622	29 x 2.4	Performance	black/black Skin	3/180	☑	●	940	45-58	10

*TPI see page 71

Mountain King 2.3



re-engineered sidewall
updated profile

Hero on the mountain: the perfect trail companion

- › sure riding in hilly terrain and also optimal for the touring mountain bike
- › superior grip from its continuous central tread and its grippy outer lugs
- › the perfect companion for exploring the trails



Sizes 2.4/2.2 within our Performance line come with a classic profile and classic sidewall.

Next-Level cooperation between adidas and Continental:

The trail running shoe CMTK and the Mountain King were developed in an analogous manner.

Technology and design of a new generation - combined in a single tyre

The new Mountain King is the result of the uniquely close cooperation between adidas and Continental. As an all mountain tyre with Enduro characteristics this tyre offers the ideal traction experience and wedges the rider to the trail. BlackChili Compound and carcass work together perfectly and make for an amazing riding experience. The newly positioned lugs promise lower weight and offer better handling, even on softer ground. While the middle lugs are angled perfectly for acceleration and speed, the deep-seated outer lugs take care of stability and surfing along the trail.

The tyre's sidewalls have been re-modeled completely and convince with their clear-cut design. Continental's new Tubeless Ready concept is seamlessly integrated in the Mountain King's new carcass - trail blazing a new generation of comfort, from setting up to riding the trail. With its new design of core and sidewall, this tyre seals perfectly against the rim.

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACK CHILI COMPOUND	PURE GRIP PROTECTION	TR	g	PSI	PU
Mountain King 2.3											
0101479	NEW	58-559	26 x 2.3	ProTecton	4/240	✓	✓	●	670	40-54	6
0101461	NEW	58-584	27.5 x 2.3	ProTecton	4/240	✓	✓	●	705	40-54	6
0101469	NEW	58-622	29 x 2.3	ProTecton	4/240	✓	✓	●	745	40-54	6
Performance foldable/Wire											
0150051		55-559	26 x 2.2	Performance	3/180	✓	✓	●	685	50-65	6
0150285		55-559	26 x 2.2	Performance	3/180	✓	✓	●	740	50-65	10
0150098		55-584	27.5 x 2.2	Performance	3/180	✓	✓	●	715	50-65	6
0150246		55-584	27.5 x 2.2	Performance	3/180	✓	✓	●	785	50-65	10
0150046		55-622	29 x 2.2	Performance	3/180	✓	✓	●	760	50-65	6
0150248		55-622	29 x 2.2	Performance	3/180	✓	✓	●	835	50-65	10
0150053		60-559	26 x 2.4	Performance	3/180	✓	✓	●	715	50-65	6
0150286		60-559	26 x 2.4	Performance	3/180	✓	✓	●	775	50-65	10
0150111		60-584	27.5 x 2.4	Performance	3/180	✓	✓	●	785	50-65	6
0150242		60-584	27.5 x 2.4	Performance	3/180	✓	✓	●	860	50-65	10
0150048		60-622	29 x 2.4	Performance	3/180	✓	✓	●	800	50-65	6
0150244		60-622	29 x 2.4	Performance	3/180	✓	✓	●	880	50-65	10

Cross King 2.3/2.2



re-engineered sidewall
updated profile

A first class all-rounder which also proves itself in competitions

- › versatile competition and trail tyre, sure footed in turns and comfortable
- › good grip and available with various technologies
- › smoothly rolling tyre that adapts to any terrain with its special tread



Mike Kluge


Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACK CHILI COMPOUND	PURE GRIP PROTECTION	TR	g	PSI	PU
Cross King 2.3/2.2											
0101483	NEW	55-559	26 x 2.2	ProTecton	4/240	✓	✓	●	570	44-58	6
0101482	NEW	55-559	26 x 2.2	RaceSport	3/180	✓	✓	●	500	44-58	6
0101465	NEW	55-584	27.5 x 2.2	ProTecton	4/240	✓	✓	●	600	44-58	6
0101464	NEW	55-584	27.5 x 2.2	RaceSport	3/180	✓	✓	●	530	44-58	6
0101471	NEW	55-622	29 x 2.2	ProTecton	4/240	✓	✓	●	640	44-58	6
0101470	NEW	55-622	29 x 2.2	RaceSport	3/180	✓	✓	●	565	44-58	6
0101481	NEW	58-559	26 x 2.3	ProTecton	4/240	✓	✓	●	670	40-54	6
0101480	NEW	58-559	26 x 2.3	RaceSport	3/180	✓	✓	●	600	40-54	6
0101463	NEW	58-584	27.5 x 2.3	ProTecton	4/240	✓	✓	●	705	40-54	6
0101462	NEW	58-584	27.5 x 2.3	RaceSport	3/180	✓	✓	●	635	40-54	6
0101475	NEW	58-622	29 x 2.3	ProTecton	4/240	✓	✓	●	745	40-54	6
0101474	NEW	58-622	29 x 2.3	RaceSport	3/180	✓	✓	●	675	40-54	6
X-King Performance foldable/Wire											
0150105		50-559	26 x 2.0	Performance	3/180	✓	✓	●	550	50-65	6
0150137		50-559	26 x 2.0	Performance	3/180	✓	✓	●	620	50-65	10
0150185		50-584	27.5 x 2.0	Performance	3/180	✓	✓	●	585	50-65	6
0150273		50-584	27.5 x 2.0	Performance	3/180	✓	✓	●	650	50-65	10
0150114		50-622	29 x 2.0	Performance	3/180	✓	✓	●	615	50-65	6
0150150		50-622	29 x 2.0	Performance	3/180	✓	✓	●	685	50-65	10
0150002		55-559	26 x 2.2	Performance	3/180	✓	✓	●	620	50-65	6
0150145		55-559	26 x 2.2	Performance	3/180	✓	✓	●	685	50-65	10
0150095		55-584	27.5 x 2.2	Performance	3/180	✓	✓	●	655	50-65	6
0150147		55-584	27.5 x 2.2	Performance	3/180	✓	✓	●	720	50-65	10
0150045		55-622	29 x 2.2	Performance	3/180	✓	✓	●	690	50-65	6
0150148		55-622	29 x 2.2	Performance	3/180	✓	✓	●	770	50-65	10
0150041		60-559	26 x 2.4	Performance	3/180	✓	✓	●	720	50-65	6
0150287		60-559	26 x 2.4	Performance	3/180	✓	✓	●	780	50-65	10
0150110		60-584	27.5 x 2.4	Performance	3/180	✓	✓	●	750	50-65	6
0150250		60-584	27.5 x 2.4	Performance	3/180	✓	✓	●	825	50-65	10
0150042		60-622	29 x 2.4	Performance	3/180	✓	✓	●	800	50-65	6
0150252		60-622	29 x 2.4	Performance	3/180	✓	✓	●	880	50-65	10

*TPI see page 71

Race King 2.2/2.0



- For the skilled: a hearty tyre that wants to be raced**
- › impressive in cross-country races and marathons, for hardtails and full suspension race bikes
 - › low rolling resistance, a voluminous carcass and exemplary self-dampening qualities
 - › minimal tread: for dedicated cyclists, for those who have the hunger for speed



Markus Schulte-Lünzum
FOCUS XC Team

Florian Vogel
FOCUS XC Team

Speed King 2.2



- Racing and high performance tyre, where light-weight is the key requisite**
- › for uncompromising use on racing bikes and carbon hardtails
 - › with a tread design optimised for speed it has the lowest rolling resistance of all of our MTB tyres
- ! tyres for competition, with reduced durability



Florian Vogel
FOCUS XC Team

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACK CHILI COMPOUND	PURE GRIP COMPOUND	TR	g	PSI	PU
Race King 2.2/2.0											
0101486	NEW	55-559	26 x 2.2	ProTecton	black/black Skin foldable	4/240	☞	•	545	45-58	6
0101485	NEW	55-559	26 x 2.2	RaceSport	black/black Skin foldable	3/180	☞		475	45-58	6
0101467	NEW	55-584	27.5 x 2.2	ProTecton	black/black Skin foldable	4/240	☞	•	570	45-58	6
0101466	NEW	55-584	27.5 x 2.2	RaceSport	black/black Skin foldable	3/180	☞		500	45-58	6
0101473	NEW	55-622	29 x 2.2	ProTecton	black/black Skin foldable	4/240	☞	•	605	45-58	6
0101472	NEW	55-622	29 x 2.2	RaceSport	black/black Skin foldable	3/180	☞		530	45-58	6
Performance foldable/Wire											
0150031		50-559	26 x 2.0	Performance	black/black Skin foldable	3/180	✓	•	555	50-65	6
0150138		50-559	26 x 2.0	Performance	black/black Skin	3/180	✓		620	50-65	10
0150109		50-584	27.5 x 2.0	Performance	black/black Skin foldable	3/180	✓	•	580	50-65	6
0150158		50-584	27.5 x 2.0	Performance	black/black Skin	3/180	✓		650	50-65	10
0150035		50-622	29 x 2.0	Performance	black/black Skin foldable	3/180	✓	•	605	50-65	6
0150160		50-622	29 x 2.0	Performance	black/black Skin	3/180	✓		680	50-65	10
0150033		55-559	26 x 2.2	Performance	black/black Skin foldable	3/180	✓	•	600	50-65	6
0150152		55-559	26 x 2.2	Performance	black/black Skin	3/180	✓		670	50-65	10
0150092		55-584	27.5 x 2.2	Performance	black/black Skin foldable	3/180	✓	•	630	50-65	6
0150154		55-584	27.5 x 2.2	Performance	black/black Skin	3/180	✓		700	50-65	10
0150036		55-622	29 x 2.2	Performance	black/black Skin foldable	3/180	✓	•	660	50-65	6
0150156		55-622	29 x 2.2	Performance	black/black Skin	3/180	✓		740	50-65	10
Speed King 2.2											
0100728		55-559	26 x 2.2	RaceSport	black/black Skin foldable	3/180	☞		430	50-65	6
0101110		55-584	27.5 x 2.2	RaceSport	black/black Skin foldable	3/180	☞		445	50-65	6
0100933		55-622	29 x 2.2	RaceSport	black/black Skin foldable	3/180	☞		465	50-65	6

* TPI see page 71



On our ContinentalMTB Facebook page you can find the latest videos of our mountain bike athletes in action, current news and inspiration for your next ride.



Focus XC Team



Focus XC Team



Tomas Lempire



Tomas Lempire

[1]



[1]



Mike Kluge

[3]



Kenny Beasley

[4]



Kenny Beasley

[5]



Andreu Lacondray

[1]



[1]

Andreu Lacondray



[6]



Martin Spierstrom

[1]



Martin Spierstrom

[1]



AMG Rotwild Team

Anton Theisinger



AMG Rotwild Team

[8]



[1]



Team Nicolai Bikebauer

[1]

Richie Schley



[1]



Sam Pilgrim

[2]



Danny McCaskill

[2]




Sam Pilgrim

[1] Ale DiLullo, [2] Jan Kasi, [3] Spotograf, [4] Nathan Poliss, [5] Serge Shakuto, [6] Sebastian Sternemann, [7] Klaus Polzer, [8] Armin M. Küstenbrück

Double Fighter III 2.0/1.9/1.75



- An urban adventurer with real versatility**
- › the 'double': light rolling and quiet on tarmac, yet grips on tracks and gravel roads
 - › robust rubber sidewalls make it impervious to damage even over rough ground
 - › ideal for transforming an off road bike to a nippy city racer



Traffic 2.1/1.9/1.75



- Reliable riding in the urban jungle**
- › specially developed for daily use of the MTB in town and in the countryside
 - › a specific central tread design for quiet and fast rolling on the road
 - › thanks to a tough design and robust sidewalls it is a fearless companion in traffic

Town & Country 2.1/1.9



- The friend and assistant on the bike**
- › police bike divisions all over the world use the Town & Country as a reliable, puncture protected day to day tyre
 - › its unique features: high mileage, puncture protected and low rolling resistance
 - › additional distinct features: a lot of rubber and its classic negative tread design make this tyre a trusted companion

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	g	PSI	PU
Double Fighter III 2.0/1.9/1.75								
0101232	47-305	16 x 1.75	Sport	black/black Skin	3/180	390	50-65	10
0101282	47-305	16 x 1.75	Sport	black/black Skin Reflex	3/180	390	50-65	10
0101233	47-406	20 x 1.75	Sport	black/black Skin	3/180	520	50-65	10
0101283	47-406	20 x 1.75	Sport	black/black Skin Reflex	3/180	520	50-65	10
0101234	47-507	24 x 1.75	Sport	black/black Skin	3/180	605	50-65	10
0101284	47-507	24 x 1.75	Sport	black/black Skin Reflex	3/180	605	50-65	10
0101251	50-507	24 x 2.0	Sport	black/black Skin	3/180	640	50-65	10
0101285	50-507	24 x 2.0	Sport	black/black Skin Reflex	3/180	640	50-65	10
0101235	50-559	26 x 1.9	Sport	black/black	3/180	800	50-65	10
0101286	50-559	26 x 1.9	Sport	black/black Skin Reflex	3/180	800	50-65	10
0101237	50-584	27.5 x 2.0	Sport	black/black	3/180	845	50-65	10
0101287	50-584	27.5 x 2.0	Sport	black/black Skin Reflex	3/180	845	50-65	10
0100795	37-622	28 x 1 3/8 x 1 5/8	Sport	black/black Skin	3/180	640	58-85	10
0101289	37-622	28 x 1 3/8 x 1 5/8	Sport	black/black Skin Reflex	3/180	640	58-85	10
0101239	50-622	29 x 2.0	Sport	black/black	3/180	915	50-65	10
0101292	50-622	29 x 2.0	Sport	black/black Skin Reflex	3/180	915	50-65	10

The classic mountainbike tyres
 Genuine all-round players who have proven themselves over the years in all sorts of offroad adventures. Comfortable handling, reliable puncture protection and dynamic tread designs set these tyres apart for smaller budgets.

Gravity 2.3



Vertical 2.3



Vapor 2.1



Explorer 2.1/1.75



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	g	PSI	PU
Traffic 2.1/1.9/1.75								
0100352	47-507	24 x 1.75	Sport	black/black Skin Reflex	3/84	800	45-58	10
0100205	50-559	26 x 1.9	Sport	black/black Skin	3/84	820	50-65	10
0100206	50-559	26 x 1.9	Sport	black/black Skin Reflex	3/84	820	50-65	10
0100207	54-559	26 x 2.1	Sport	black/black Skin	3/84	860	50-65	10
0100208	54-559	26 x 2.1	Sport	black/black Skin Reflex	3/84	860	50-65	10
Town & Country 2.1/1.9								
0122294	47-559	26 x 1.9	Sport	black/black Skin	3/84	650	50-65	10
0115800	54-559	26 x 2.1	Sport	black/black Skin	3/84	730	50-65	10
Gravity 2.3								
0116017	57-559	26 x 2.3	Sport	black/black Skin	3/84	770	50-65	10
Vapor 2.1								
0115854	54-559	26 x 2.1	Sport	black/black Skin	3/84	715	50-65	10
Vertical 2.3								
0116008	57-559	26 x 2.3	Sport	black/black Skin	3/84	730	50-65	10
Explorer 2.1/1.75								
0102501	47-305	16 x 1.75	Sport	black/black	3/84	425	50-65	10
0105501	47-406	20 x 1.75	Sport	black/black	3/84	560	50-65	10
0109002	47-507	24 x 1.75	Sport	black/black	3/84	680	50-65	10
0115715	54-559	26 x 2.1	Sport	black/black Skin	3/84	620	50-65	10

*TPI see page 71

SafetyPlus

SafetyPlus Breaker - the specialist among Breakers

Specially developed for e-bikes up to 50 km/h, we combined our SafetySystem Breaker with highly flexible rubber. The result is a Breaker extremely resistant against cuts and piercing - with a surprisingly low rolling resistance, thanks to its high elasticity. This conserves energy and the environment. Rapid acceleration as well as high cornering speeds are no problem for the Breaker.

The specialist for fast e-bikes and rental bikes.



CONTACT Plus: Up to 30 % better protection* against the intrusion of shards and sharp stones!

* Comparative test of puncture resistance [blade], Zedler Institut 2016 - for more information visit <http://www.continental-tires.com/bicycle/technology/city-trekking/puncture-test>



NONSTOP Mobility!

Product Families



The Top CONTACT Family

- > our Premium line for the highest quality standards
- > newest technology and hand-picked materials

The CONTACT Plus Family

- > maximum puncture protection for all demands

The CONTACT Family

- > Performance tyres for the ambitious cyclist

The RIDE Family

- > quality for daily use

>	Vectran™ BREAKER	>	SAFETY LEVEL 6
>	Safety+	>	SAFETY LEVEL 7
>	Safety System	>	SAFETY LEVEL 4
>	IEXTRA Puncture BELT Puncture ProTection	>	SAFETY LEVEL 5

PASSION AND MOBILITY.

Whether it's your daily commute or your ride at the weekend, you want to keep moving and arrive safely. Our range of tyres are designed for your every need, be it your city, retro or electro bike. With a huge range of dimensions and styles, we have the right tyre for you so that you may ride with confidence on the road.

Vectran™ BREAKER	Top CONTACT II				Top CONTACT Winter II
Safety+	CONTACT Plus	CONTACT Plus City	CONTACT Plus Travel		
Safety System	CONTACT	CONTACT City	CONTACT Travel	CONTACT Cruiser	CONTACT Speed
IEXTRA Puncture BELT	RIDE Tour	RIDE City		RIDE Cruiser	RIDE Classic
	ALLROUND	CITY	TOUR	BALLOON	URBAN

Page	E-Bike	City/Trekking tyres	Gravel	Mixed	Street	Safety Level	12"	16"	20"	24"	26"	28"	27"	26"/27.5"	28"							
50	E50	Top CONTACT II	█			6																
51	E50	Top CONTACT Winter II Premium	█			6																
52	E50	CONTACT Plus	█			7																
53	E25	CONTACT	█			4																
55	E25	RIDE Tour	█			5																
56	E50	CONTACT Plus City	█			7																
56	E25	CONTACT City	█			4																
56	E25	CONTACT Speed	█			4																
57	E25	RIDE City	█			5																
58	E25	CONTACT Plus Travel	█			7																
58	E25	CONTACT Travel	█			5																
59	E25	Speed RIDE	█			5																
59	E25	AT RIDE	█			5																
60	E25	CONTACT Cruiser	█			4																
61	E25	RIDE Cruiser	█			5																
61	E25	RIDE Classic	█			5																
		Corresponding inner tubes					Compact 12	Compact 16	Compact 20	Compact 24	Tour 26 Slim	Tour 26 Wide	Tour 26 Wide [HermeticPlus]	Tour 26 all	Tour 28 Slim	Tour 28 all	Tour 28 Wide	Tour 28 1 1/2	Tour 26 Slim	Tour 26 All	Tour 28 Wide	Tour 28 1 1/2

Top CONTACT II



The proven fast trekking all-rounder encompassing the best bicycle technology

- › all-rounder: fast and sure riding on the road, on gravel and forest trails
- › high puncture protection and outstanding rolling characteristics thanks to the pronounced central tread
- › also fast in twists and turns
- › ECE-R75 certified



Suitable for Dynamos
Tyres with this symbol are suitable for dynamos. They have a special profile on the sidewall making them particularly suited for operating a dynamo; rolling quietly and won't slip when operating in the wet.

Vectran™ BREAKER
The ultimate in puncture protection. Incredibly tear resistant yet at an extremely low weight. Rolling resistance remains completely unaffected.



Photo: Dennis Stritzmann

Top CONTACT Winter II Premium



Premium all-rounder, particularly for use in the cold seasons

- › complete control on slippery snow-covered roads and cold wet surfaces
- › high puncture protection, lamella tread profile for added traction, comfortable design
- › riders who use this tyre can be confident in our know-how as one of the leading manufacturers of winter truck tyres
- › ECE-R75 certified



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
Top CONTACT II									
0100442	50-559	26 x 2.0	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	735	45-65	5
0101279	50-584	27.5 x 2.0	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	760	45-65	5
0100615	28-622	700 x 28C [700C]	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	560	80-102	10
0100573	32-622	700 x 32C [700C]	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	580	70-85	10
0100441	37-622	28 x 1 3/8 x 1 5/8	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	600	58-85	10
0100358	42-622	28 x 1.6	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	760	50-85	10
0100439	47-622	28 x 1.75	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	800	45-65	5
Top CONTACT Winter II Premium									
0100712	50-559	26 x 1.9	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	610	45-58	5
0100715	55-559	26 x 2.2	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	745	45-58	5
0101281	50-584	27.5 x 2.0	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	640	45-65	5
0100713	37-622	28 x 1 3/8 x 1 5/8	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	470	58-85	10
0100714	42-622	28 x 1.6	Vectran Breaker	black/black Skin foldable Reflex	3/180	☞	680	50-87	10

*TPI see page 71

Photo: istockphoto

CONTACT Plus



An all-rounder that offers everything that you would expect from a comfortable touring tyre

- › an all-rounder for roads and paths that crowns every touring bike
- › with its extra puncture protection nobody will be left behind at the side of the road
- › updated version of the most popular tread design of all our touring tyres
- › ECE-R75 certified



An extremely cut and puncture-proof breaker which has a low rolling resistance thanks to its high elasticity. The specialist for fast e-bikes and rental bikes.



Suitable for E-Bikes

For our E-Bike tyre we fall back on over 100 years' experience with moped and motorcycle tyres. All of our city/trekking tyres are rated to a standard speed of at least 25 km/h. Those tyres marked e50 are also certified for S-Pedelecs. With their high quality structure, puncture protection is high and the rolling resistance is low offering protection from premature wear brought about by the additional driving force.

NONSTOP Energy!


The new CONTACT Plus:
Reaching your destination safely and comfortably.

CONTACT



Contact-tough all-rounder for those big trips

- › the versatile all-rounder for the trekking bike: reliable on any type of terrain
- › highly reliable: the lamella tread structure gives sure footed grip
- › features the most popular tread design from the city/trekking range



Puncture and cut-proof, but still light and flexible, the tyre adapts better to the terrain. Provides particularly comfortable handling characteristics.



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
CONTACT Plus									
0101001	47-507	24 x 1.75	SafetyPlusBreaker	black/black Reflex	3/180	▶	880	45-58	10
0101002	47-559	26 x 1.75	SafetyPlusBreaker	black/black Reflex	3/180	▶	980	45-58	10
0101221	42-584	27.5 x 1 1/2	SafetyPlusBreaker	black/black Reflex	3/180	▶	880	50-65	10
0101003	28-622	28 x 1 5/8 x 1 1/8	SafetyPlusBreaker	black/black Reflex	3/180	▶	740	80-102	10
0101004	32-622	28 x 1 1/4 x 1 3/4	SafetyPlusBreaker	black/black Reflex	3/180	▶	760	70-85	10
0101005	37-622	28 x 1 3/8 x 1 5/8	SafetyPlusBreaker	black/black Reflex	3/180	▶	935	56-85	10
0101006	42-622	28 x 1.6	SafetyPlusBreaker	black/black Reflex	3/180	▶	1035	50-73	10
0101007	47-622	28 x 1.75	SafetyPlusBreaker	black/black Reflex	3/180	▶	1135	45-58	10
0101008	42-635	28 x 1 1/2	SafetyPlusBreaker	black/black Reflex	3/180	▶	1055	50-65	10
CONTACT									
0101311	37-406	20 x 1.40	SafetySystem Breaker	black/black Reflex	3/180	▶	420	56-73	10
0101310	37-406	20 x 1.40	SafetySystem Breaker	black/black	3/180	▶	420	56-73	10
0101313	47-406	20 x 1.75	SafetySystem Breaker	black/black Reflex	3/180	▶	545	45-58	10
0101312	47-406	20 x 1.75	SafetySystem Breaker	black/black	3/180	▶	545	45-58	10
0101315	47-559	26 x 1.75	SafetySystem Breaker	black/black Reflex	3/180	▶	725	45-58	10
0101314	47-559	26 x 1.75	SafetySystem Breaker	black/black	3/180	▶	725	45-58	10
0101317	28-622	700 x 28C [700C]	SafetySystem Breaker	black/black Reflex	3/180	▶	510	80-102	10
0101316	28-622	700 x 28C [700C]	SafetySystem Breaker	black/black	3/180	▶	510	80-102	10
0101319	32-622	28 x 1 1/4 x 1 3/4	SafetySystem Breaker	black/black Reflex	3/180	▶	530	70-85	10
0101318	32-622	28 x 1 1/4 x 1 3/4	SafetySystem Breaker	black/black	3/180	▶	530	70-85	10
0101320	37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/black Reflex	3/180	▶	620	56-85	10
0101321	37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/black	3/180	▶	620	56-85	10
0101324	42-622	28 x 1.6	SafetySystem Breaker	black/black Reflex	3/180	▶	710	50-85	10
0101325	42-622	28 x 1.6	SafetySystem Breaker	black/black	3/180	▶	710	50-85	10
0101328	47-622	28 x 1.75	SafetySystem Breaker	black/black Reflex	3/180	▶	810	45-58	10
0101327	47-622	28 x 1.75	SafetySystem Breaker	black/black	3/180	▶	810	45-58	10



RIDE Tour



- Time for a RIDE trusted companion on your regular rides
- › tarmac, unsurfaced park paths, urban surroundings – the right choice for the city cyclist on their daily ride
 - › features a puncture resistant carcass and an extra layer of rubber for enduring mileage
 - › available in a large range of colours and sizes



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
RIDE Tour									
0101137	62-203	12 1/2 x 2 1/4	Extra Puncture Belt	black/black	3/180	▶	350	45-58	10
0101138	47-305	16 x 1.75	Extra Puncture Belt	black/black	3/180	▶	455	45-58	10
0101139	47-305	16 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	455	45-58	10
0101184	47-406	20 x 1.75	Extra Puncture Belt	black/white	3/180	▶	585	45-58	10
0101142	47-406	20 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	585	45-58	10
0101140	47-406	20 x 1.75	Extra Puncture Belt	black/black	3/180	▶	585	45-58	10
0101143	47-507	24 x 1.75	Extra Puncture Belt	black/black	3/180	▶	710	45-58	10
0101144	47-507	24 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	710	45-58	10
0101186	47-507	24 x 1.75	Extra Puncture Belt	black/white	3/180	▶	710	45-58	10
0101148	47-559	26 x 1.75	Extra Puncture Belt	black/black	3/180	▶	805	45-58	10
0101149	47-559	26 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	805	45-58	10
0101189	47-559	26 x 1.75	Extra Puncture Belt	black/white	3/180	▶	805	45-58	10
0101181	47-559	26 x 1.75	Extra Puncture Belt	black/brown	3/180	▶	805	45-58	10
0101175	47-559	26 x 1.75	Extra Puncture Belt	creme/creme Reflex	3/180	▶	790	45-58	10
0101187	37-584	26 x 1 3/8 x 1 1/2	Extra Puncture Belt	black/white	3/180	▶	660	56-70	10
0101146	42-584	26 x 1 1/2	Extra Puncture Belt	black/black	3/180	▶	675	50-65	10
0101147	42-584	26 x 1 1/2	Extra Puncture Belt	black/black Reflex	3/180	▶	675	50-65	10
0101150	54-584	26 x 1 1/2 x 2	Extra Puncture Belt	black/black	3/180	▶	940	45-58	10
0101168	54-584	26 x 1 1/2 x 2	Extra Puncture Belt	black/black Reflex	3/180	▶	940	45-58	10
0101433	37-609	27 x 1 3/8 x 1 1/2	Extra Puncture Belt	black/black	3/180	▶	950	56-70	10
0101151	28-622	28 x 1 5/8 x 1 1/8	Extra Puncture Belt	black/black	3/180	▶	510	70-80	10
0101152	28-622	28 x 1 5/8 x 1 1/8	Extra Puncture Belt	black/black Reflex	3/180	▶	510	70-80	10
0101153	32-622	28 x 1 1/4 x 1 3/4	Extra Puncture Belt	black/black	3/180	▶	570	70-80	10
0101154	32-622	28 x 1 1/4 x 1 3/4	Extra Puncture Belt	black/black Reflex	3/180	▶	570	70-80	10
0101188	32-622	28 x 1 1/4 x 1 3/4	Extra Puncture Belt	black/white	3/180	▶	570	70-80	10
0101155	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	black/black	3/180	▶	650	56-70	10
0101156	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	black/black Reflex	3/180	▶	650	56-70	10
0101193	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	black/white	3/180	▶	650	56-70	10
0101180	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	black/brown	3/180	▶	650	56-70	10
0101177	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	creme/creme	3/180	▶	650	56-70	10
0101182	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	creme/creme Reflex	3/180	▶	650	56-70	10
0101157	42-622	28 x 1.6	Extra Puncture Belt	black/black	3/180	▶	720	50-65	10
0101167	42-622	28 x 1.6	Extra Puncture Belt	black/black Reflex	3/180	▶	720	50-65	10
0101176	42-622	28 x 1.6	Extra Puncture Belt	creme/creme Reflex	3/180	▶	720	50-65	10
0101159	47-622	28 x 1.75	Extra Puncture Belt	black/black	3/180	▶	910	45-58	10
0101160	47-622	28 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	910	45-58	10
0101194	47-622	28 x 1.75	Extra Puncture Belt	black/white	3/180	▶	940	45-58	10
0101179	47-622	28 x 1.75	Extra Puncture Belt	black/brown	3/180	▶	910	45-58	10
0101178	47-622	28 x 1.75	Extra Puncture Belt	creme/creme Reflex	3/180	▶	900	45-58	10
0101185	47-622	28 x 1.75	Extra Puncture Belt	grey/grey	3/180	▶	910	45-58	10
0101161	32-630	27 x 1 1/4	Extra Puncture Belt	black/black	3/180	▶	570	70-80	10
0101162	32-630	27 x 1 1/4	Extra Puncture Belt	black/black Reflex	3/180	▶	570	70-80	10
0101183	32-630	27 x 1 1/4	Extra Puncture Belt	black/white	3/180	▶	570	70-80	10
0101163	37-635	28 x 1 3/8	Extra Puncture Belt	black/black	3/180	▶	655	56-70	10
0101164	37-635	28 x 1 3/8	Extra Puncture Belt	black/black Reflex	3/180	▶	655	56-70	10
0101192	37-635	28 x 1 3/8	Extra Puncture Belt	creme/creme Reflex	3/180	▶	700	56-70	10
0101165	42-635	28 x 1 1/2	Extra Puncture Belt	black/black	3/180	▶	725	50-65	10
0101166	42-635	28 x 1 1/2	Extra Puncture Belt	black/black Reflex	3/180	▶	725	50-65	10



Combined with the tyre having rubber-reinforced sidewalls this breaker guarantees high protection against punctures and abrasion. Available in a solid tyre version with a strong focus on durability.



CONTACT Plus City



Sightseeing, exploring, discovering new things: for speed, out and about in town

- › on e-bikes and rental bikes, exactly the right type of tyre to comfortably explore the city without mishap
- › highest puncture protection and efficient rolling characteristics
- › economical and energy conserving tyre
- › ECE-R75 certified



CONTACT City



Reliability first, even with a small budget

- › suitable for city and touring bikes, in particular paved paths and tarmac
- › reliable puncture protection and decent speed due to its light yet effective nylon breaker.
- › technical know-how meets riding pleasure for an enjoyable ride everytime!



CONTACT Speed



Speed and comfort, united in a tyre

- › the perfect choice for the city speedsters, single-speed bikes and fitness bikes
- › double puncture protection, good grip and light-weight design
- › the roughened slick tread speeds along on tarmac



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
CONTACT Plus City									
0101331	NEW 47-559	26 x 1.75	SafetyPlus Breaker	black/black Reflex	3/180	▶	950	45-58	10
0101334	NEW 55-559	26 x 2.2	SafetyPlus Breaker	black/black Reflex	3/180	▶	1050	45-58	10
0101335	NEW 55-584	27.5 x 2.2	SafetyPlus Breaker	black/black Reflex	3/180	▶	1150	45-58	10
0101336	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetyPlus Breaker	black/black Reflex	3/180	▶	850	56-87	10
0101340	NEW 42-622	28 x 1.6	SafetyPlus Breaker	black/black Reflex	3/180	▶	910	50-73	10
0101343	NEW 47-622	28 x 1.75	SafetyPlus Breaker	black/black Reflex	3/180	▶	995	45-58	10

RIDE City



A robust tyre with a modern look for city riding

- › solid tyres for town and city bikes also suitable for tarmac and gravel paths
- › good traction from its large contact patch with the terrain
- › high reliability, best quality: gets you to where you want to go on time!



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
CONTACT City									
0101351	NEW 47-559	26 x 1.75	SafetySystem Breaker	black/black Reflex	3/180	▶	730	45-58	10
0101352	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/black Reflex	3/180	▶	650	56-85	10
0101353	NEW 42-622	28 x 1.6	SafetySystem Breaker	black/black Reflex	3/180	▶	750	50-85	10
CONTACT Speed									
0101387	28-406	20 x 1.10	Double SafetySystem Breaker	black/black Skin	3/180	▶	295	70-87	10
0101388	28-406	20 x 1.10	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	295	70-87	10
0101389	32-559	26 x 1.3	Double SafetySystem Breaker	black/black Skin	3/180	▶	450	70-87	10
0101391	32-559	26 x 1.3	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	450	70-87	10
0101393	42-559	26 x 1.6	Double SafetySystem Breaker	black/black Skin	3/180	▶	500	65-87	10
0101392	42-559	26 x 1.6	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	500	65-87	10
0101395	50-559	26 x 2.0	Double SafetySystem Breaker	black/black Skin	3/180	▶	660	45-58	10
0101396	50-559	26 x 2.0	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	660	45-58	10
0101637	NEW 32-584	27.5 x 1.25	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	390	70-87	10
0101397	32-584	27.5 x 1.25	Double SafetySystem Breaker	black/black Skin	3/180	▶	470	70-87	10
0101398	32-584	27.5 x 1.25	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	470	70-87	10
0101401	50-584	27.5 x 2.0	Double SafetySystem Breaker	black/black Skin	3/180	▶	670	50-65	10
0101399	50-584	27.5 x 2.0	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	670	50-65	10
0101632	NEW 28-622	700 x 28C [700C]	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	380	80-102	10
0101402	28-622	700 x 28C [700C]	Double SafetySystem Breaker	black/black Skin	3/180	▶	460	80-102	10
0101403	28-622	700 x 28C [700C]	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	460	80-102	10
0101633	NEW 32-622	700 x 32C [700C]	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	400	70-87	10
0101406	32-622	700 x 32C [700C]	Double SafetySystem Breaker	black/black Skin	3/180	▶	480	70-87	10
0101408	32-622	700 x 32C [700C]	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	480	70-87	10
0101634	NEW 35-622	700 x 35C [700C]	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	420	70-87	10
0101635	NEW 37-622	28 x 1 3/8 x 1 5/8	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	440	70-87	10
0101412	37-622	28 x 1 3/8 x 1 5/8	Double SafetySystem Breaker	black/black Skin	3/180	▶	520	70-87	10
0101414	37-622	28 x 1 3/8 x 1 5/8	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	520	70-87	10
0101636	NEW 42-622	700 x 42C [40C]	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	530	50-87	10
0101416	42-622	700 x 42C [40C]	Double SafetySystem Breaker	black/black Skin	3/180	▶	610	50-87	10
0101418	42-622	700 x 42C [40C]	Double SafetySystem Breaker	black/black Skin Reflex	3/180	▶	610	50-87	10
RIDE City									
0101552	NEW 47-559	26 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	900	45-58	10
0101553	NEW 32-622	28 x 1 1/4 x 1 3/4	Extra Puncture Belt	black/black Reflex	3/180	▶	800	65-80	10
0101554	NEW 37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	black/black Reflex	3/180	▶	740	56-70	10
0101555	NEW 42-622	28 x 1.6	Extra Puncture Belt	black/black Reflex	3/180	▶	900	50-65	10
0101556	NEW 47-622	28 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	1025	45-58	10

Photo: Dennis Stratmann

* TPI see page 71

CONTACT Plus Travel



Reliable tyre for racking up the kilometres on trekking tours

- › the optimal companion for your next adventure: with its universal tread for tarmac, the countryside, forest trails and meadow paths
- › maximum puncture protection through a highly elastic special natural rubber inlay that successfully protects against all types of foreign bodies
- › reliable riding experience on any terrain, even then when the going gets more difficult



CONTACT Travel



One round the world ticket, please: the globetrotter

- › specially suitable for endurance rides on touring and all terrain bikes
- › durable: the tough and supportive carcass as well as the special DuraSkin® sidewall protection make it exceptionally robust
- › the perfect tour companion, whether far from home, far from the crowds or far from the hustle and bustle of every day life



NONSTOP Adventure!

CONTACT Travel: Escape everyday life!



Tyres with DuraSkin® sidewall protection can take a beating as they are designed for the most adverse conditions. In rough terrain on a cyclocross or a gravel bike, on commuter bikes where tyres scrape along curbs, on touring bikes as they cross continents encountering many different road qualities and on the race circuit where they prove themselves in endurance events such as the Paris-Roubaix. The high-quality polyamide fabric reliably protects the wall of the tyre. Tyres with DuraSkin® can be identified by the characteristic brown mesh sidewall.



Speed RIDE



The quick semi-slick for riding in town

- › optimally designed for fitness and city bikes, sure riding on tarmac and solid terrain
- › the semi-slick diamond studded design manages to balance smooth rolling in the city with traction in the park
- › also available in the practical and lightweight folding version



AT RIDE



All Terrain: an enthusiastic tyre over any terrain

- › for cyclocross and trekking wheels, this tyre shines on loose and open ground
- › the brother of the Cross King and CycloXKing
- › also available in a practical and lightweight folding version



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
CONTACT Plus Travel									
0101346	NEW 47-559	26 x 1.75	SafetyPlus Breaker	black/black Reflex	3/180	▶	950	45-58	10
0101347	NEW 50-559	26 x 2.0	SafetyPlus Breaker	black/black Reflex	3/180	▶	1000	45-58	10
0101348	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetyPlus Breaker	black/black Reflex	3/180	▶	900	58-87	10
0101349	NEW 42-622	28 x 1.6	SafetyPlus Breaker	black/black Reflex	3/180	▶	950	50-70	10
0101350	NEW 47-622	28 x 1.75	SafetyPlus Breaker	black/black Reflex	3/180	▶	1050	45-58	10
CONTACT Travel									
0101494	NEW 47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin	3/180	▶	655	50-80	10
0101496	NEW 47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin Reflex	3/180	▶	655	50-80	10
0101497	NEW 47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin foldable	3/180	▶	630	50-80	10
0101498	NEW 50-559	26 x 2.0	SafetySystem Breaker	black/DuraSkin	3/180	▶	750	45-65	10
0101499	NEW 50-559	26 x 2.0	SafetySystem Breaker	black/DuraSkin Reflex	3/180	▶	750	45-65	10
0101500	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin	3/180	▶	555	56-85	10
0101501	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin Reflex	3/180	▶	555	56-85	10
0101502	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin foldable	3/180	▶	520	56-85	10
0101503	NEW 42-622	28 x 1.6	SafetySystem Breaker	black/DuraSkin	3/180	▶	620	50-80	10
0101504	NEW 42-622	28 x 1.6	SafetySystem Breaker	black/DuraSkin Reflex	3/180	▶	620	50-80	10
0101505	NEW 50-622	28 x 2.0	SafetySystem Breaker	black/DuraSkin	3/180	▶	870	45-58	10
0101506	NEW 50-622	28 x 2.0	SafetySystem Breaker	black/DuraSkin Reflex	3/180	▶	870	45-58	10
Speed RIDE									
0100717	42-622	28 x 1.6	Puncture ProTecton	black/black Skin foldable	3/84		430	50-85	10
0100716	42-622	28 x 1.6	Puncture ProTecton	black/black Skin Reflex	3/84		495	50-85	10
AT RIDE									
0101429	42-622	28 x 1.6	Puncture ProTecton	black/black Skin foldable	3/84		435	50-85	10
0101428	42-622	28 x 1.6	Puncture ProTecton	black/black Skin Reflex	3/84		510	50-85	10

*TPI see page 71

CONTACT Cruiser



Chic Cruiser

- › high-volume lifestyle tyres with high comfort for maximum pleasure on tarmac
- › sure and sporty, lightweight puncture protection from additional fabric breakers
- › available in various trendy colours and sizes



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
CONTACT Cruiser									
0101507	NEW 50-559	26 x 2.0	SafetySystem Breaker	black/black Reflex	3/180	▶	915	45-65	10
0101508	NEW 50-559	26 x 2.0	SafetySystem Breaker	creme/creme Reflex	3/180	▶	915	45-65	10
0101509	NEW 50-559	26 x 2.0	SafetySystem Breaker	brown/brown Reflex	3/180	▶	915	45-65	10
0101510	NEW 50-559	26 x 2.0	SafetySystem Breaker	grey/grey Reflex	3/180	▶	915	45-65	10
0101511	NEW 55-559	26 x 2.2	SafetySystem Breaker	black/black Reflex	3/180	▶	960	45-65	10
0101512	NEW 55-559	26 x 2.2	SafetySystem Breaker	creme/creme Reflex	3/180	▶	960	45-65	10
0101513	NEW 55-559	26 x 2.2	SafetySystem Breaker	brown/brown Reflex	3/180	▶	960	45-65	10
0101514	NEW 55-559	26 x 2.2	SafetySystem Breaker	grey/grey Reflex	3/180	▶	960	45-65	10
0101515	NEW 50-622	28 x 2.0	SafetySystem Breaker	black/black Reflex	3/180	▶	930	45-65	10
0101516	NEW 50-622	28 x 2.0	SafetySystem Breaker	creme/creme Reflex	3/180	▶	930	45-65	10
0101517	NEW 50-622	28 x 2.0	SafetySystem Breaker	brown/brown Reflex	3/180	▶	930	45-65	10
0101518	NEW 50-622	28 x 2.0	SafetySystem Breaker	grey/grey Reflex	3/180	▶	930	45-65	10
0101519	NEW 55-622	28 x 2.2	SafetySystem Breaker	black/black Reflex	3/180	▶	980	45-65	10
0101520	NEW 55-622	28 x 2.2	SafetySystem Breaker	creme/creme Reflex	3/180	▶	980	45-65	10
0101521	NEW 55-622	28 x 2.2	SafetySystem Breaker	brown/brown Reflex	3/180	▶	980	45-65	10
0101522	NEW 55-622	28 x 2.2	SafetySystem Breaker	grey/grey Reflex	3/180	▶	980	45-65	10
RIDE Cruiser									
0101523	NEW 50-559	26 x 2.0	Extra Puncture Belt	black/black Reflex	3/180		880	45-58	10
0101525	NEW 50-559	26 x 2.0	Extra Puncture Belt	creme/creme Reflex	3/180		880	45-58	10
0101524	NEW 50-559	26 x 2.0	Extra Puncture Belt	brown/brown Reflex	3/180		880	45-58	10
0101526	NEW 50-559	26 x 2.0	Extra Puncture Belt	grey/grey Reflex	3/180		880	45-58	10
0101527	NEW 55-559	26 x 2.2	Extra Puncture Belt	black/black Reflex	3/180		950	45-58	10
0101529	NEW 55-559	26 x 2.2	Extra Puncture Belt	creme/creme Reflex	3/180		950	45-58	10
0101528	NEW 55-559	26 x 2.2	Extra Puncture Belt	brown/brown Reflex	3/180		950	45-58	10
0101530	NEW 55-559	26 x 2.2	Extra Puncture Belt	grey/grey Reflex	3/180		950	45-58	10
0101531	NEW 50-622	28 x 2.0	Extra Puncture Belt	black/black Reflex	3/180		950	45-58	10
0101533	NEW 50-622	28 x 2.0	Extra Puncture Belt	creme/creme Reflex	3/180		950	45-58	10
0101532	NEW 50-622	28 x 2.0	Extra Puncture Belt	brown/brown Reflex	3/180		950	45-58	10
0101534	NEW 50-622	28 x 2.0	Extra Puncture Belt	grey/grey Reflex	3/180		950	45-58	10
0101535	NEW 55-622	28 x 2.2	Extra Puncture Belt	black/black Reflex	3/180		990	45-58	10
0101537	NEW 55-622	28 x 2.2	Extra Puncture Belt	creme/creme Reflex	3/180		990	45-58	10
0101536	NEW 55-622	28 x 2.2	Extra Puncture Belt	brown/brown Reflex	3/180		990	45-58	10
0101538	NEW 55-622	28 x 2.2	Extra Puncture Belt	grey/grey Reflex	3/180		990	45-58	10

RIDE Cruiser



RIDE Retro!

- › comfortable retro style tyre, developed for stylish cruisers and city bikes
- › reliable puncture protection, with the tread profile of the legendary Conti KKS 10
- › available in various trendy colours and sizes




RIDE Classic



The chic partner for the Dutch style bike

- › with its classic tread design this is the right tyre for the Dutch or city bike
- › a pleasant ride feel over tarmac due to the closed tread profile
- › available in various trendy colours and sizes



NONSTOP Style!

RIDE Classic: Colorful accents and classic profiles for your bike.

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
RIDE Classic									
0101539	NEW 37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	black/black Reflex	3/180	▶	750	70-85	10
0101540	NEW 37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	creme/creme Reflex	3/180	▶	750	70-85	10
0101541	NEW 37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	brown/brown Reflex	3/180	▶	750	70-85	10
0101542	NEW 37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	grey/grey Reflex	3/180	▶	750	70-85	10
0101543	NEW 42-622	28 x 1.6	Extra Puncture Belt	black/black Reflex	3/180	▶	850	50-65	10
0101544	NEW 42-622	28 x 1.6	Extra Puncture Belt	creme/creme Reflex	3/180	▶	850	50-65	10
0101545	NEW 42-622	28 x 1.6	Extra Puncture Belt	brown/brown Reflex	3/180	▶	850	50-65	10
0101546	NEW 42-622	28 x 1.6	Extra Puncture Belt	grey/grey Reflex	3/180	▶	850	50-65	10
0101547	NEW 40-635	28 x 1 1/2 [1 3/8]	Extra Puncture Belt	black/black Reflex	3/180	▶	800	50-65	10
0101548	NEW 40-635	28 x 1 1/2 [1 3/8]	Extra Puncture Belt	creme/creme Reflex	3/180	▶	800	50-65	10
0101549	NEW 40-635	28 x 1 1/2 [1 3/8]	Extra Puncture Belt	brown/brown Reflex	3/180	▶	800	50-65	10
0101550	NEW 40-635	28 x 1 1/2 [1 3/8]	Extra Puncture Belt	grey/grey Reflex	3/180	▶	800	50-65	10

*TPI see page 71

PASSION AND PRACTICAL ACCESSORIES.

Small details make the difference. Be it seating the tyre on the rim, or repair jobs, on the road or at home, your tyres get the best service and support.

In the next few pages you will find useful accessories to help make the practical aspects of your sport as hassle-free as possible. From the correct tube, the right rims, to the matching tyre lever and an effective sealant, we have something for your next project.



PASSION AND THE BEST FITTING TUBE.

With our 'ContiTube' program, you can find the inner tube most suited to your needs - quickly and directly. Depending on your tyre dimensions and purpose, we have different sizes, types, valve types and widths to offer you.

All

- › available in all the usual dimensions
- › the all-rounder for day to day demands

Light and Supersonic

- › perceptible optimization of weight and rolling resistance
- › enhanced risk of puncturing because of thinner walls [up to 0.45 mm]

! NB: Light tubes generally require more frequent reinflating

Hermetic-Plus

- › the allround carefree product through an improved compound, a more compact, lighter version
- › enhanced butyl content and greater wall thickness improves puncture protection and air retention
- › designed for the most comprehensive puncture protection - a favourite of bike rental outlets

Freeride und Downhill

- › extra strong and added volume
- › effectively protects against punctures with thicker walls

Did you know?



By fitting different types of tubes you can actively influence the handling characteristics of your bike with little effort. Different wall thicknesses and the associated characteristics make this possible. All tube types listed are made of a high quality butyl mixture.

ETRTO	Dimension	ContiTube Name	Article			g	PU
			Auto Schrader 34 mm	Blitz Dunlop 40 mm	Sclaverand/Presta/French 42 mm		
Compact 8"							
54-110	8 1/2 x 2 > 8 x 1 3/4	Compact 8		0180991*		80	25
Compact 10" 11" 12"							
44-194 > 62-222	10 x 1 5/8 12 1/2 x 1.75 > 12 1/2 x 2 1/4	Compact 10/11/12	0181051	0181071*		95	25
		Compact 10/11/12 45 degree valve	0182211			95	25
Compact 14"							
32-279 > 47-298	14 x 1 1/4 > 14 x 1 1/2	Compact 14		0181081*		90	25
Compact 16"							
32-305 > 47-349	16 x 1 3/8 > 16 x 1.75	Compact 16	0181091	0181111*	0181121	100	25
50-305 > 62-305	16 x 1.9 > 16 x 2.5	Compact 16 Wide	0181131	0181171*		130	25
Compact 18"							
32-355 > 47-400	18 x 1 1/4 > 18 x 1.9	Compact 18		0181181*		115	25
Compact 20"							
28-406 > 32-451	20 x 1 1/8 > 20 x 1 1/4	Compact 20 Slim			0181191	110	25
32-406 > 47-451	20 x 1 1/4 > 20 x 1.75 x 2	Compact 20	0181211	0181221	0181231	130	25
50-406 > 62-406	20 x 1.9 > 20 x 2.5	Compact 20 Wide	0181271	0181281		165	25
Compact 24"							
32-507 > 47-544	24 x 1 1/4 > 24 x 1.75 x 2	Compact 24	0181291	0181311		155	25
		Compact 24 Hermetic Plus	0182231	0182241		220	25
50-507 > 60-507	24 x 2.0 > 24 x 2.4	Compact 24 Wide	0181321	0181331		200	25

*Compact D: 26 mm valve

ETRTO	Dimension	ContiTube Name	Article					g	PU
			Auto Schrader 40 mm	Blitz Dunlop 40 mm	Sclaverand/Presta/French 42 mm	Sclaverand/Presta/French 60 mm	Sclaverand/Presta/French 80 mm		
Race 26" [650C]									
		Race 26 [650C]			0181371	0181381		96	25
20-571 > 25-599	26 x 3/4 > 26 x 1 650 x 20C > 650 x 25C	Race 26 [650C] Light			0181391	0181411		65	25
		Race 26 [650C] Supersonic			0181421	0181431		45	25
Race 28" [700C]									
		Race 28 [700C]			0181781	0181791	0180000	105	25
18-622 > 25-630	27 x 3/4 > 27 x 1 700 x 20C > 700 x 25C	Race 28 [700C] Light			0181821	0181831	0181871	65	25
		Race 28 [700C] Supersonic			0181881	0181891		50	25
25-622 > 32-630	27 x 1 > 27 x 1 1/4 700 x 25C > 700 x 32C	Race 28 [700C] Wide			0181921	0181931		125	25
Cross 28" [700C]									
32-622 > 47-622	28 x 1.5 > 28 x 1.75 700 x 32 > 700 x 47	Cross 28 [700C]			0181941	0181951		155	25
Mountainbike 26"									
47-559 > 62-559	26 x 1.75 > 26 x 2.5	MTB 26	0181611	0181621	0181631		0181671	200	25
47-559 > 60-559	26 x 1.75 > 26 x 2.4	MTB 26 Light				0181681		125	25
47-559 > 55-559	26 x 1.75 > 26 x 2.2	MTB 26 Supersonic				0181691		100	25
57-559 > 70-559	26 x 2.3 > 26 x 2.7	MTB 26 Freeride			0181721	0181731		285	25
		MTB 26 Downhill			0181771			435	25
Mountainbike 27.5"									
47-584 > 62-584	27.5 x 1.75 > 27.5 x 2.5	MTB 27.5			0182331	0182311		225	25
47-584 > 60-584	27.5 x 1.75 > 27.5 x 2.4	MTB 27.5 Light				0182341		145	25
57-584 > 70-584	27.5 x 2.3 > 27.5 x 2.7	MTB 27.5 Plus			NEW 0180017	0180015		275	25
57-584 > 70-584	27.5 x 2.3 > 27.5 x 2.7	MTB 27.5 Plus Light			NEW 0180019	0180019		170	25
57-584 > 70-584	27.5 x 2.3 > 27.5 x 2.7	MTB 27.5 Downhill			NEW 0180022	0180022		490	25
Mountainbike 29"									
47-622 > 62-622	28/29 x 1.75 > 28/29 x 2.5	MTB 29			0182171	0182181	0182191	235	25
47-622 > 60-622	28/29 x 1.75 > 28/29 x 2.4	MTB 29 Light				0182321	0182201	160	25
57-622 > 70-622	28/29 x 2.3 > 28/29 x 2.7	MTB 29 Downhill				NEW 0180023		510	25
City-/Trekking 26"/27.5"									
28-559 > 32-597	26 x 1 1/8 > 26 x 1.3	Tour 26 [650C] Slim			0181471	0181481		150	25
37-559 > 47-590	26 x 1 3/8 > 26 x 1.75	Tour 26 [650C] All	0181491	0181511	0181521			165	25
37-559 > 47-590	26 x 1 3/8 > 26 x 1.75	Tour 26 [650C] Hermetic Plus	0182251	0182261	0182271			235	25
47-559 > 62-559	26 x 1.75 > 26 x 2.5	Tour 26 [650C] Wide	0181531	0181571	0181591			200	25
47-559 > 62-559	26 x 1.75 > 26 x 1.75	Tour 26 [650C] Wide Hermetic Plus			0181581			290	25
City-/Trekking 27.5"/28"									
28-609 > 37-630	27 x 1.1 > 28 x 1 3/8 x 1 5/8 700 x 28C > 700 x 37C	Tour 28 [700C] Slim	0181971	0181981	0181991			155	25
32-622 > 47-622 32-630 > 42-635	27 x 1 1/4 > 28 x 1.75 x 2 700 x 32C > 700 x 47C 700 x 28B > 700 x 42B	Tour 28 [700C] All	0182001	0182021	0182031	0182041		170	25
		Tour 28 [700C] Light	0182051	0182061	0182071		100	25	
		Tour 28 [700C] Hermetic Plus	0182101	0182081	0182091			240	25
		Tour 28 [700C] Wide	0182121	0182131	0182161			225	25
47-622 > 62-622	28-1.75 > 28 x 2.5	Tour 28 [700C] Wide Hermetic Plus			0182151			320	25
Servicepack 26"/27.5"									
47-559 > 62-559	26 x 1.75 > 26 x 2.5	MTB 26 Service	0180581	0180521	0180551			200	50
37-559 > 47-590	26 x 1 3/8 > 26 x 1.75	Tour 26 [650C] All Service			0180621			170	50
37-559 > 47-590	26 x 1 3/8 > 26 x 2.0 650 x 37A/B > 650 x 42A/B	Tour 26 Hermetic Plus Service			0180751			235	50
47-584 > 62-584	27.5 x 1.75 > 27.5 x 2.5	MTB 27.5 Service			0182351			235	50
Servicepack 28"									
20-622 > 25-630	27 x 3/4 > 27 x 1 700 x 20C > 700 x 25C	Race 28 [700C] Service			0180591	0180611		105	50
32-622 > 47-622 32-630 > 42-635	27 x 1 1/4 > 28 x 1.75 x 2 700 x 32C > 700 x 47C 700 x 28B > 700 x 42B	Tour 28 [700C] All Service	0180691	0180651	0180681			170	50
		Tour 28 Hermetic Plus Service	0180721	0180711			240	50	
Servicepack 29"									
47-622 > 62-622	28/29 x 1.75 > 28/29 x 2.5	MTB 29 Service			0182361			225	50

ACCESSORIES.

Rim Strip

The non visible component, but with a huge effect.

A missing or badly chosen rim tape is the cause of many punctures.

For rims with spoke holes it is particularly important to use a tape that remains stable under pressure and one which covers the entire rim base.

The fabric-reinforced Continental EasyTape was specially developed for use under high pressure conditions. Various widths allow a perfect fit to be achieved in all common rim types. The high pressure version for racing bikes can withstand pressures up to 220 PSI without deformation. Its wafer-thin profile also allows the tyre to be mounted much more easily.

Article	Product	PU
EasyTape High Pressure Rim Strip < 220 PSI		
0195066	16-622 Easy Tape HP Rim Strip, Set	1
0195068	16-622 Easy Tape HP Rim Strip, in a bundle [40 pieces]	1
0195070	18-622 Easy Tape HP Rim Strip, Set	1
0195072	18-622 Easy Tape HP Rim Strip, in a bundle [40 pieces]	1
0195074	16-571 Easy Tape HP Rim Strip, Set	1
0195076	18-571 Easy Tape HP Rim Strip, Set	1
EasyTape Rim Strip < 116 PSI		
0195031	18-559 Easy Tape HP Rim Strip, Set	1
0195034	18-559 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195000	20-559 Easy Tape HP Rim Strip, Set	1
0195093	20-559 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195002	22-559 Easy Tape HP Rim Strip, Set	1
0195094	22-559 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195006	24-559 Easy Tape HP Rim Strip, Set	1
0195095	24-559 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195009	26-559 Easy Tape HP Rim Strip, Set	1
0195096	26-559 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195035	18-584 Easy Tape HP Rim Strip, Set	1
0195037	18-584 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195038	20-584 Easy Tape HP Rim Strip, Set	1
0195039	20-584 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195043	22-584 Easy Tape HP Rim Strip, Set	1
0195047	22-584 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195048	24-584 Easy Tape HP Rim Strip, Set	1
0195098	24-584 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195049	26-584 Easy Tape HP Rim Strip, Set	1
0195099	26-584 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195027	14-622 Easy Tape HP Rim Strip, Set	1
0195030	14-622 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195013	18-622 Easy Tape HP Rim Strip, Set	1
0195083	18-622 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195015	20-622 Easy Tape HP Rim Strip, Set	1
0195086	20-622 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195018	22-622 Easy Tape HP Rim Strip, Set	1
0195089	22-622 Easy Tape Rim Strip, in a bundle [100 pieces]	1
0195022	24-622 Easy Tape HP Rim Strip, Set	1
0195025	26-622 Easy Tape HP Rim Strip, Set	1
Rubber Rim Strip < 70 PSI		
0194000	12 1/2/20 12 1/2 [203 mm]/20 mm	50
0195004	16/16 16 [305 mm]/16 mm	50
0195012	20/16 20 [406 mm]/16 mm	50
0195016	20/20 20 [406 mm]/20 mm	50
0195024	22-24/14 22-24 [489-540 mm]/14 mm	50
0195045	B 26-28/20 26-28 [559-635 mm]/20 mm	50
TL Rim Strips		
0195103	NEW 23 mm Easy Tape TL [5 m]	1
0195104	NEW 25 mm Easy Tape TL [5 m]	1
0195105	NEW 27 mm Easy Tape TL [5 m]	1
0195107	NEW 29 mm Easy Tape TL [5 m]	1
0195109	NEW 23 mm Easy Tape TL [33 m]	1
0195110	NEW 25 mm Easy Tape TL [33 m]	1
0195112	NEW 27 mm Easy Tape TL [33 m]	1
0195113	NEW 29 mm Easy Tape TL [33 m]	1



Tyre Levers

Continental tyre levers are made of a fibre-reinforced synthetic material making changing a tyre a simple matter without damaging the rim.

The user-friendly MTB and Tour models can be fixed to a spoke during tyre removal, essentially becoming a third hand. The design of the road racing model is adapted for use with high pressure tyres. The wide and flat surface of the lever offers perfect handling even when used on tight fitting tyres.

Article	Product	PU
0149090	Tyre fittig/removing lever MTB/Tour	50
0149093	Tyre fittig/removing lever Race	50
0140095	NEW Mounting Pad	30




Article	Product	PU
0149690	Exchangeable presta valve insert	10
0140090	NEW Set Tubeless Valve 2 Pcs [S40]	10
0140091	NEW Set Tubeless Valve 2 Pcs [S60]	10



Article	Product	PU
0149091	Tubular rim cement for aluminium rims, 25 g tube	12
0149092	Tubular rim cement for aluminium rims, 350 g can	1
0140016	Tubular rim cement for carbon rims, 25 g tube	12
0140017	Tubular rim cement for carbon rims, 200 g can	1
0140092	NEW Tubeless Set 25 mm	5
0140093	NEW Tubeless Set 27 mm	5
0140094	NEW Tubeless Set 29 mm	5



Article	Product	PU
0100388	Tube bag with Race 28 tube S42 and 2 tyre levers Race	1
0100384	Tube bag with Race 28 tube S60 and 2 tyre levers Race	1
0100385	Tube bag with MTB 26 tour S42 and 2 tyre levers MTB	1
0101025	Tube bag with MTB 27.5 tube S42 and 2 tyre levers MTB	1
0101026	Tube bag with MTB 29 tour S42 and 2 tyre levers MTB	1
0100448	Tube bag with Tour 28 tour D40 and 2 tyre levers MTB	1



Valve extensions

We have a valve extensions for every type of rim. What is required is a tube with a Presta valve which has an interchangeable insert. With the enclosed tool you can easily fit the valve extension yourself.

Article	Product	PU
0140028	Valve extensions for presta valve aluminum Alu 20 mm	2
0140029	Valve extensions for presta valve aluminum Alu 20 mm	10
0140030	Valve extensions for presta valve aluminum Alu 30 mm	2
0140031	Valve extensions for presta valve aluminum Alu 30 mm	10
0140032	Valve extensions for presta valve aluminum Alu 40 mm	2
0140033	Valve extensions for presta valve aluminum Alu 40 mm	10
0140034	Valve extensions for presta valve aluminum Alu 60 mm	2
0140035	Valve extensions for presta valve aluminum Alu 60 mm	10



Conti RevoSealant

Punctures and small cuts? The ammonia and protein-free RevoSealant reliably seals holes without attacking the tyre or tube chemically. Not only useful for repairs, the universally applicable RevoSealant also effectively acts to prevent punctures in tubes and tubeless tyres. In conjunction with a suitable tyre, RevoSealant can also be used as a sealant for Tubeless Ready systems.

Article	Product	PU
0140089	NEW Continental RevoSealant 60 ml	10
0140044	Continental RevoSealant 240 ml	20
0140050	Continental RevoSealant 1000 ml	6

PASSION AND TECHNOLOGY FROM GERMANY.

Producing the best tyres is only just good enough for us. That's why our designers and engineers are always working continuously to make our products even more efficient, developing new or improved formulations for our rubber compounds for example. These changes are not always visible at first glance, but they are definitely noticeable. Ride the difference, ride "handmade in Germany".

TECHNOLOGY MADE IN GERMANY. IT'S ALL ABOUT HOW YOU MIX IT.





The crucial balance. The rolling properties of the rubber compound of a tyre are primarily determined by three interacting factors - stiction [grip], rolling resistance and mileage [longevity]. The dilemma: If you improve any of these factors it can have a detrimental effect on at least one of the others. A tyre with maximum grip wears quicker and rolls more slowly. If you then make a tyre roll faster and more durable, grip, in turn, is reduced.

With our BlackChili Compound, a tread compound which is always based on the latest knowledge of polymers and raw material research, we have supplied the cycling industry with an enduring solution. Depending on the application of a tyre,

we adjust the compound formulation for the specific discipline - for road or mountain biking, time trialling or downhill racing.

How does that work? For BlackChili, we refine special synthetic rubbers with proven natural rubber to high-performance tread mixtures. To these mixtures we then add soot particles, which in turn are optimised in shape and surface properties. The complex compound technology is so sensitive that tyres with BlackChili Compound are produced exclusively in our German Korbach plant.



PureGrip Compound is derived from an activated Silica compound and is a good example of how we integrate customer feedback continuously into our research and development. This mixture technology fits in perfectly alongside the BlackChili Compound. The name PureGrip does exactly what it says; exceptionally good grip and durability are the distinguishing features of this compound. We employ PureGrip in our Performance products in our road and mountain bike ranges.

TWI [Tread Wear Indicators] - the indicator for tread wear

- › Two circular depressions in the middle of the tread. If these are no longer visible, it's time for a change of tyre [segment Road Racing]
- › As it is the case with cars, there are small bars in the tread, indicating a minimum tread depth of 1.6 mm [segment City/Trekking]



Well built [carcass design]

The carcass - the basic element and backbone of all tyres. Their respective designs, the material used and the fibre density depend on the requirements to be fulfilled by the tyre. In order that our products give enduring cycling pleasure, we only work with high quality carcasses of woven and then rubberized nylon threads. The thread density of the nylon casing material gives the tyre its specific properties. Yarn density is specified in TPI [Threads per inch] and denotes the number of threads per 2.54 cm. A three-layer base carcass serves as a standard. Very fine fabric makes the tyre supple and fortifies the carcass against punctures. Coarse fabric is more cut resistant and makes the tyre durable. Additionally, we use anti-puncture breakers beneath the tread, made of various material to reinforce the tyre further. The structure of the tyre can be found in the individual specifications. The number of layers are specified, the total of the TPI and the type of puncture protection: 3/330 + Vectran™ means three layers of 110 TPI fabric with additional Vectran™ Breaker.

TECHNOLOGIES MOUNTAIN BIKE.

Apex



From the car to the bike

Successfully used in car tyres for years, its transition for use in our bicycle tyres was only a matter of time. Apex stabilises the tyre in turns and is a technology that also makes sense for high-volume bicycle tyres.

- › a natural rubber profile, set between the carcass layers at the base of the tyre
- › stiffens the sidewalls, thereby minimising the twisting of the tyre by the high transverse loads

- › stiffer sidewalls that in turn, reduce the risk of punctures and impede the tyre from slipping off the rim
- › destined for Downhill, Gravity Enduro and Freeride. Low pressure, enhanced grip is made possible without becoming too slack in corners. The risk of punctures decreases significantly.

Technology:

- › BlackChili Compound
- › Downhill base
- › Apex sidewalls
- › 6/360 TPI carcass
- › sidewalls in RaceFlag design

ProTectio^{Apex}



Challenges need to be mastered Enduro, that means fast, challenging descents and energy sapping uphill sections. To make it through, you need a tyre with a puncture-free structure, good rolling characteristics and excellent grip. ProTectio^{Apex} makes this possible.

- › the ProTectio layer prevents cuts and punctures without any significant increase in weight.
- › an extra Apex sidewall protects the tyre from impact punctures even at low pressures

- › BlackChili Compound gives added grip
- › for optimising weight, the tyre can be set up tubeless with Conti RevoSealant

Technology:

- › BlackChili Compound
- › 3/180 TPI carcass
- › 50 x 40 TPI ProTectio weave
- › 13 mm Apex sidewall reinforcement

ProTectio



The hard way

The ProTectio technology gives our tyres their perfect mix of fast rolling, grip and puncture protection. Four plies under the tread and three in the sidewalls make this possible. The whole tyre attains greater resilience and becomes less vulnerable to damage.

- › adheres well to the terrain, even on the toughest trails
- › very good damping characteristics
- › BlackChili Compound ensures smooth rolling and the required grip

- › Tubeless Ready: The revolutionary Tubeless Ready base enables the tyre to be mounted easily. Conti RevoSealant gives reliable sealing

Technology:

- › BlackChili Compound
- › 3/180 TPI carcass
- › 50 x 40 TPI ProTectio weave

RaceSport



Light, fast, safe

Developed together with professional mountain bikers, the RaceSport carcass unites light-weight construction with noticeably improved puncture protection for the perfect competition choice.

- › light: contains a particularly fine, flexible nylon fabric with an elaborately produced protective rubber coating
- › fast and reliable: World Cup quality, low rolling resistance and puncture protection

- › combined with our legendary BlackChili Compound, the right combination for XC and Marathon racing

Technology:

- › BlackChili Compound
- › ultra lightweight construction
- › 3/180 TPI carcass

Performance



Reliable quality

PureGrip is the compound technology which we use exclusively for our Performance level series. The name speaks for itself - the combination of superior grip and longevity.

- › a long lasting rubber mixture with superior grip offers an enjoyable riding experience
- › a robust 60-TPI-Nylon carcass guarantees the highest durability
- › Tubeless Ready: reliable sealing with Conti RevoSealant. A strong aramide foldable bead ensures a secure fit to the rim.

- › for ambitious hobby cyclists, a low-cost alternative to our Premium line

Technology:

- › PureGrip Compound
- › Tubeless Ready
- › revolutionary Tubeless Ready base
- › robust and full sidewall rubber coating
- › 3/180 TPI carcass
- › sidewall with wafer design pattern


All new Mountainbike ProTectio^{Apex} and ProTectio tyres have been tested and approved for an extreme hubload of 95 kg [for 2.2 tyres] to 105 kg. Thus, they easily satisfy modern e-MTB requirements.

OUR PUNCTURE PROTECTION TECHNOLOGIES.

Breaker Technologies in comparison



Maximum Safety Virtually impenetrable, this anti-puncture Breaker ply successfully defends against foreign bodies of all kinds. Between the tyre tread and carcass, this technology, a highly elastic special natural rubber, works as a superb puncture deterrent. It guarantees maximum safety without having a negative effect on the rolling characteristics of the tyre.




The specialist amongst the anti-puncture breaker materials Specially designed for e-bikes up to 50 km/h, we have combined our SafetySystem Breaker with a highly flexible natural rubber. The result is an extremely cut and puncture resistant breaker ply which has a low rolling resistance thanks to its high elasticity. This helps save battery life and the environment. High acceleration torques and fast speeds in turns are easily absorbed by the breaker. The specialist for fast e-bikes and rental bikes.




The reference in puncture protection A synthetically produced high tech fibre with natural silk. Vectran™ is spun from the molten liquid polymer Vectra and further processed into a multifilament yarn. Extremely tear-resistant for minimal weight - perfectly suited to be used as puncture protection in Premium tyres from Continental, and without affecting rolling resistance.

Photo: Christoph Bayer



The name speaks for itself: reliable level of puncture protection An impeccable rubber Breaker, created for the daily ride on your City/ Trekking bike. The breaker ensures a high level of puncture protection and sidewall abrasion while being on tour.



The puncture protection as a system for sporty riders The SafetySystem Breaker consists of a Kevlar-reinforced, high-strength nylon fabric. Puncture and cut resistant, whilst also being light and flexible, allowing the tyre to adapt more effectively to the terrain. The breaker protects the carcass against foreign objects and contributes to a longer lifespan of the tyre without significantly increasing weight or rolling resistance. Additionally, tyres with SafetySystem have particularly comfortable handling characteristics.



MORE is what you get Puncture protection and mileage are the strengths of Hardshell-ProTection. A wider PolyX Breaker™, the specialist against punctures, under the tread centre and shoulders provides for great reliability. The three-ply - each layer with 60 TPI - carcass covers the entire tyre and makes it a real bastion against urban detritus. The outer sidewalls of the tyre are reinforced with DuraSkin® fabric providing even more reliability due to the casing being so well protected. Hardshell tyres are the puncture-resistant flagship amongst racing tyres - produced exclusively in Germany.



Light and sleek The Nytech Breaker is based on the technology of our SafetySystem puncture protection. Made of nylon fibre and similar to Kevlar, it reliably protects against punctures and cuts. It also has particularly low rolling resistance and reduced weight, perfect for our performance range of road tyres.



Cut and puncture proof With PolyX Breaker™ car expertise comes to the bicycle tyre sector. Polyester has been used successfully for years in car tyres and has proved extremely effective. The extremely resistant polyester fibre is woven tightly crosswise. A very high fabric density is achieved which makes the breaker resistant not only to foreign bodies, but especially to punctures. The rolling resistance is not affected by this breaker.






Carefree on a daily basis Anyone looking for a reliable everyday companion will go for a tyre with EXTRA PunctureBelt. This rugged rubber breaker, combined with the rubber-reinforced sidewalls of the tyre, ensures a high level of puncture protection and sidewall abrasion. Where durability is the main focus, there is also a solid tyre version.



For hard cases Tyres with DuraSkin® sidewall protection can take a beating as they are designed for the most adverse conditions. In rough terrain on a cyclocross or a gravel bike, on commuter bikes where tyres scrape along curbs, on touring bikes as they cross continents encountering many different road qualities and on the race circuit where they prove themselves in endurance events such as the Paris-Roubaix. The high-quality polyamide fabric reliably protects the wall of the tyre. Tyres with DuraSkin® can be identified by the characteristic brown mesh sidewall.

TECH SUPPORT.



Warning - Hotspot In the racing bike field, more and more aluminium or carbon closed rim profiles are being offered to use with tubeless or tubeless ready tyres. They no longer exhibit holes in the rim base. The manufacturer therefore does not use the rim band. The problem with that is that the resulting heat from the rim brakes reaches the tyre system unabatedly. Using carbon as the rim material has the disadvantage of low heat conductivity. During braking, heat builds up and can thermally strain tubes and tyres. Without the rim band, it can lead to sudden tube failures during longer braking [e. g. during downhill descents]. Latex tubes and lightweight design tubes below 70 grams can fail particularly quickly. Continental urgently recommends using an easy tape rim band even on aluminium and carbon rim closed rim profiles to protect from direct heat exposure and to reduce the risk of a tube failure. Moreover, we recommend using principally standard race tubes, especially in mountainous areas. We hereby advise against the use of latex or lightweight design tubes ["Light", "Supersonic"]. Continental also advises optimising riding technique. We recommend you always decelerate with both brakes in order to distribute the brake heat. Furthermore, long braking should be avoided. Pulsating braking allows the rim to cool down - a simple, but effective trick to get around the heat problem and to enjoy a safe descent.

Some figures For determining the exact tyre size, all Continental bicycle tyres are specified according to ETRTO [European Tyre and Rim Technical Organization]. Tyre width and tyre base diameter are defined in millimeters, for example 23-622. Information on size can always be found on the tyre sidewall. Alternative specifications such as 23 x 26 x 2.4 or 700C unfortunately give no clear information about the required rim size. Therefore, when in doubt you should always refer to the international ETRTO standard. In general, we recommend mounting bicycle tyres on hook-bead rims only. They provide a significantly more secure fit, especially when tyre pressures are above 44 PSI. A rim, for example in the size 13C-622; the rim width is given in mm [also "Measure A"], a "C" for crotchet [English: hook] and the rim mounting diameter in mm ["Measure D"]. If the sizes specified on older rims are no longer legible, their rim width can be easily measured with a caliper from hook to hook. An overview as to which rim width is suitable for which tyre size is also indicated by ETRTO.

The right tyre pressure Tyre pressure influences the rolling resistance and the durability of your tyre significantly and also the handling behaviour in general. Only with the correct pressure can a tyre perform at its full potential. In addition to tyre volume and the weight of the cyclist, its intended use is another important aspect. Thus, each Continental tyre has both a pressure recommendation as well as an indication of the maximum inflation pressure on its sidewall. Tyre pressure too low? Wear increases as does the risk of incurring punctures and the possibility of the tyre slipping off the rim. Ageing cracks can also occur. Excessive air pressure? The tyre becomes inflexible. Traction, grip and perhaps rolling resistance deteriorate. All bicycle tyre systems gradually lose air. Please check the pressure of your bicycle tyres regularly. Rule of thumb: Touring and mountain bikes should be checked at least once a month, road racing bikes once a week. The pressure of Light and Supersonic tubes should be checked before each ride.

Talking about weight Occasionally actual weights of tyres can differ from the weight information given in the catalogue or website. Why is that? Due to the deliberate high proportion of manual labour in our manufacturing process, slight variances in the thickness of the treads and the rubber coating of the fabric can occur. The weights given in the catalogue are based on the targeted weights that we determine in our pilot production series and are repeatedly checked during the main production runs. Deviations of up to 10% are possible, depending on the design.

Wide rolls faster "For riding I only use the fastest tyre of course. 20 mm inflated nicely to 160 PSI, I won't go for anything less. Nothing else gets put on my bike." For a long time, a narrow tyre was considered the fastest version, inflated to a high pressure. The lack of comfort with riding such a tyre on the bike goes undisputed! The tests are impressive: a 23 mm tyre, for example at 123 PSI or 25 mm at 94 PSI or 28 mm tyre at 80 PSI all give the SAME rolling resistance as the 20 mm tyre at 160 PSI. Further advantages:

- › broad application range: less air for bad roads, maximum pressure for fast time trials
- › wet roads: tyre pressure can be lowered by 15 PSI without any problems in order to increase grip



Tubeless Ready Developed especially for the mountain bike sector, this additional puncture protection layer which completely encircles both tyre beads makes our carcasses robust and impervious against damage and penetration from foreign objects. For maximum effect we combine ProTECTION with BlackChili Compound. The result: versatile, low weight and an attractive design. In addition, tyres made using this technology can also be used as Tubeless Ready.





NEW MOUNTAIN BIKE TYRES

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	TR	g	PSI	PU
Der Kaiser 2.4 Projekt									
0101566	NEW 60-559	26 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	900	36-51	2
0101567	NEW 60-584	27.5 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	950	36-51	2
0101569	NEW 60-622	29 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	1000	36-51	2
Der Baron 2.4 Projekt									
0101570	NEW 60-559	26 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	900	36-51	6
0101572	NEW 60-584	27.5 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	920	36-51	6
0101573	NEW 60-622	29 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	1000	36-51	6
Der Baron 2.6 Projekt									
0101381	NEW 65-584	27.5 x 2.6	ProTecton Apex	black/black Skin foldable	4/240	●	930	29-44	6
Trail King 2.6									
0101382	NEW 65-584	27.5 x 2.6	ProTecton Apex	black/black Skin foldable	4/240	●	930	29-44	6
Mountain King 2.6									
0101583	NEW 65-584	27.5 x 2.6	ProTecton	black/black Skin foldable	4/240	●	815	29-44	6
Cross King 2.6									
0101384	NEW 65-584	27.5 x 2.6	ProTecton	black/black Skin foldable	4/240	●	815	29-44	6
Trail King 2.4/2.2									
0101487	NEW 55-559	26 x 2.2	ProTecton Apex	black/black Skin foldable	4/240	●	740	44-58	6
0101468	NEW 55-584	27.5 x 2.2	ProTecton Apex	black/black Skin foldable	4/240	●	800	44-58	6
0101476	NEW 55-622	29 x 2.2	ProTecton Apex	black/black Skin foldable	4/240	●	850	44-58	6
0101478	NEW 60-559	26 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	825	36-51	6
0101460	NEW 60-584	27.5 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	890	36-51	6
0101477	NEW 60-622	29 x 2.4	ProTecton Apex	black/black Skin foldable	4/240	●	945	36-51	6
Mountain King 2.3									
0101479	NEW 58-559	26 x 2.3	ProTecton	black/black Skin foldable	3/180	●	670	36-51	6
0101461	NEW 58-584	27.5 x 2.3	ProTecton	black/black Skin foldable	3/180	●	705	36-51	6
0101469	NEW 58-622	29 x 2.3	ProTecton	black/black Skin foldable	3/180	●	745	36-51	6
Cross King 2.3/2.2									
0101483	NEW 55-559	26 x 2.2	ProTecton	black/black Skin foldable	4/240	●	570	44-58	6
0101482	NEW 55-559	26 x 2.2	RaceSport	black/black Skin foldable	3/180	●	500	44-58	6
0101465	NEW 55-584	27.5 x 2.2	ProTecton	black/black Skin foldable	4/240	●	600	44-58	6
0101464	NEW 55-584	27.5 x 2.2	RaceSport	black/black Skin foldable	3/180	●	530	44-58	6
0101471	NEW 55-622	29 x 2.2	ProTecton	black/black Skin foldable	4/240	●	640	44-58	6
0101470	NEW 55-622	29 x 2.2	RaceSport	black/black Skin foldable	3/180	●	565	44-58	6
0101481	NEW 58-559	26 x 2.3	ProTecton	black/black Skin foldable	4/240	●	670	36-51	6
0101480	NEW 58-559	26 x 2.3	RaceSport	black/black Skin foldable	3/180	●	600	36-51	6
0101463	NEW 58-584	27.5 x 2.3	ProTecton	black/black Skin foldable	4/240	●	705	36-51	6
0101462	NEW 58-584	27.5 x 2.3	RaceSport	black/black Skin foldable	3/180	●	635	36-51	6
0101475	NEW 58-622	29 x 2.3	ProTecton	black/black Skin foldable	4/240	●	745	36-51	6
0101474	NEW 58-622	29 x 2.3	RaceSport	black/black Skin foldable	3/180	●	675	36-51	6
Race King 2.2									
0101486	NEW 55-559	26 x 2.2	ProTecton	black/black Skin foldable	4/240	●	545	44-58	6
0101485	NEW 55-559	26 x 2.2	RaceSport	black/black Skin foldable	3/180	●	475	44-58	6
0101467	NEW 55-584	27.5 x 2.2	ProTecton	black/black Skin foldable	4/240	●	570	44-58	6
0101466	NEW 55-584	27.5 x 2.2	RaceSport	black/black Skin foldable	3/180	●	500	44-58	6
0101473	NEW 55-622	29 x 2.2	ProTecton	black/black Skin foldable	4/240	●	605	44-58	6
0101472	NEW 55-622	29 x 2.2	RaceSport	black/black Skin foldable	3/180	●	530	44-58	6



NEW CITY/TREKKING TYRES

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU
CONTACT Plus City									
0101331	NEW 47-559	26 x 1.75	SafetyPlus Breaker	black/black Reflex	3/180	▶	950	45-58	10
0101334	NEW 55-559	26 x 2.2	SafetyPlus Breaker	black/black Reflex	3/180	▶	1050	45-58	10
0101335	NEW 55-584	27.5 x 2.2	SafetyPlus Breaker	black/black Reflex	3/180	▶	1150	45-58	10
0101336	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetyPlus Breaker	black/black Reflex	3/180	▶	850	56-87	10
0101340	NEW 42-622	28 x 1.6	SafetyPlus Breaker	black/black Reflex	3/180	▶	910	50-73	10
0101343	NEW 47-622	28 x 1.75	SafetyPlus Breaker	black/black Reflex	3/180	▶	995	45-58	10
CONTACT City									
0101351	NEW 47-559	26 x 1.75	SafetySystem Breaker	black/black Reflex	3/180	▶	730	45-58	10
0101352	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/black Reflex	3/180	▶	650	56-85	10
0101353	NEW 42-622	28 x 1.6	SafetySystem Breaker	black/black Reflex	3/180	▶	750	50-85	10
CONTACT Speed									
0101637	NEW 32-584	27.5 x 1.25	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	390	70-87	10
0101632	NEW 28-622	700 x 28C [700C]	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	380	80-102	10
0101633	NEW 32-622	700 x 32C [700C]	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	400	70-87	10
0101634	NEW 35-622	700 x 35C [700C]	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	420	70-87	10
0101635	NEW 37-622	28 x 1 3/8 x 1 5/8	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	440	70-87	10
0101636	NEW 42-622	700 x 42 C [40C]	Double SafetySystem Breaker	black/black Skin foldable	3/180	▶	530	50-87	10
RIDE City									
0101552	NEW 47-559	26 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	900	45-58	10
0101553	NEW 32-622	28 x 1 1/4 x 1 3/4	Extra Puncture Belt	black/black Reflex	3/180	▶	800	65-80	10
0101554	NEW 37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	black/black Reflex	3/180	▶	740	56-70	10
0101555	NEW 42-622	28 x 1.6	Extra Puncture Belt	black/black Reflex	3/180	▶	900	50-65	10
0101556	NEW 47-622	28 x 1.75	Extra Puncture Belt	black/black Reflex	3/180	▶	1025	45-58	10
CONTACT Plus Travel									
0101346	NEW 47-559	26 x 1.75	SafetyPlus Breaker	black/black Reflex	3/180	▶	950	45-58	10
0101347	NEW 50-559	26 x 2.0	SafetyPlus Breaker	black/black Reflex	3/180	▶	1000	45-58	10
0101348	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetyPlus Breaker	black/black Reflex	3/180	▶	900	58-87	10
0101349	NEW 42-622	28 x 1.6	SafetyPlus Breaker	black/black Reflex	3/180	▶	950	50-70	10
0101350	NEW 47-622	28 x 1.75	SafetyPlus Breaker	black/black Reflex	3/180	▶	1050	45-58	10
CONTACT Travel									
0101494	NEW 47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin	3/180	▶	655	50-80	10
0101496	NEW 47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin Reflex	3/180	▶	655	50-80	10
0101497	NEW 47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin Reflex	3/180	▶	630	50-80	10
0101498	NEW 50-559	26 x 2.0	SafetySystem Breaker	black/Dura	3/180	▶	750	45-65	10
0101499	NEW 50-559	26 x 2.0	SafetySystem Breaker	black/Dura Reflex	3/180	▶	750	45-65	10
0101500	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin	3/180	▶	555	56-85	10
0101501	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin Reflex	3/180	▶	555	56-85	10
0101502	NEW 37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin foldable	3/180	▶	520	56-85	10
0101503	NEW 42-622	28 x 1.6	SafetySystem Breaker	black/DuraSkin	3/180	▶	620	50-80	10
0101504	NEW 42-622	28 x 1.6	SafetySystem Breaker	black/Dura Reflex	3/180	▶	620	50-80	10
0101505	NEW 50-622	28 x 2.0	SafetySystem Breaker	black/Dura	3/180	▶	870	45-58	10
0101506	NEW 50-622	28 x 2.0	SafetySystem Breaker	black/Dura Reflex	3/180	▶	870	45-58	10

*TPI see page 71

Continental 
The Future in Motion



NONSTOP Mobility!

The new CONTACT Plus:
Reaching your destination safely and comfortably.

* 



CONTACT Plus

* Permitted for e-bikes up to 50 km/h.



NEW CITY/TREKKING TYRES

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	g	PSI	PU	
CONTACT Cruiser										
0101507	NEW	50-559	26 x 2.0	SafetySystem Breaker	black/black Reflex	3/180	▶	915	45-65	10
0101508	NEW	50-559	26 x 2.0	SafetySystem Breaker	creme/creme Reflex	3/180	▶	915	45-65	10
0101509	NEW	50-559	26 x 2.0	SafetySystem Breaker	brown/brown Reflex	3/180	▶	915	45-65	10
0101510	NEW	50-559	26 x 2.0	SafetySystem Breaker	grey/grey Reflex	3/180	▶	915	45-65	10
0101511	NEW	55-559	26 x 2.2	SafetySystem Breaker	black/black Reflex	3/180	▶	960	45-65	10
0101512	NEW	55-559	26 x 2.2	SafetySystem Breaker	creme/creme Reflex	3/180	▶	960	45-65	10
0101513	NEW	55-559	26 x 2.2	SafetySystem Breaker	brown/brown Reflex	3/180	▶	960	45-65	10
0101514	NEW	55-559	26 x 2.2	SafetySystem Breaker	grey/grey Reflex	3/180	▶	960	45-65	10
0101515	NEW	50-622	28 x 2.0	SafetySystem Breaker	black/black Reflex	3/180	▶	930	45-65	10
0101516	NEW	50-622	28 x 2.0	SafetySystem Breaker	creme/creme Reflex	3/180	▶	930	45-65	10
0101517	NEW	50-622	28 x 2.0	SafetySystem Breaker	brown/brown Reflex	3/180	▶	930	45-65	10
0101518	NEW	50-622	28 x 2.0	SafetySystem Breaker	grey/grey Reflex	3/180	▶	930	45-65	10
0101519	NEW	55-622	28 x 2.2	SafetySystem Breaker	black/black Reflex	3/180	▶	980	45-65	10
0101520	NEW	55-622	28 x 2.2	SafetySystem Breaker	creme/creme Reflex	3/180	▶	980	45-65	10
0101521	NEW	55-622	28 x 2.2	SafetySystem Breaker	brown/brown Reflex	3/180	▶	980	45-65	10
0101522	NEW	55-622	28 x 2.2	SafetySystem Breaker	grey/grey Reflex	3/180	▶	980	45-65	10
RIDE Cruiser										
0101523	NEW	50-559	26 x 2.0	Extra Puncture Belt	black/black Reflex	3/180		880	45-58	10
0101525	NEW	50-559	26 x 2.0	Extra Puncture Belt	creme/creme Reflex	3/180		880	45-58	10
0101524	NEW	50-559	26 x 2.0	Extra Puncture Belt	brown/brown Reflex	3/180		880	45-58	10
0101526	NEW	50-559	26 x 2.0	Extra Puncture Belt	grey/grey Reflex	3/180		880	45-58	10
0101527	NEW	55-559	26 x 2.2	Extra Puncture Belt	black/black Reflex	3/180		950	45-58	10
0101529	NEW	55-559	26 x 2.2	Extra Puncture Belt	creme/creme Reflex	3/180		950	45-58	10
0101528	NEW	55-559	26 x 2.2	Extra Puncture Belt	brown/brown Reflex	3/180		950	45-58	10
0101530	NEW	55-559	26 x 2.2	Extra Puncture Belt	grey/grey Reflex	3/180		950	45-58	10
0101531	NEW	50-622	28 x 2.0	Extra Puncture Belt	black/black Reflex	3/180		950	45-58	10
0101533	NEW	50-622	28 x 2.0	Extra Puncture Belt	creme/creme Reflex	3/180		950	45-58	10
0101532	NEW	50-622	28 x 2.0	Extra Puncture Belt	brown/brown Reflex	3/180		950	45-58	10
0101534	NEW	50-622	28 x 2.0	Extra Puncture Belt	grey/grey Reflex	3/180		950	45-58	10
0101535	NEW	55-622	28 x 2.2	Extra Puncture Belt	black/black Reflex	3/180		990	45-58	10
0101537	NEW	55-622	28 x 2.2	Extra Puncture Belt	creme/creme Reflex	3/180		990	45-58	10
0101536	NEW	55-622	28 x 2.2	Extra Puncture Belt	brown/brown Reflex	3/180		990	45-58	10
0101538	NEW	55-622	28 x 2.2	Extra Puncture Belt	grey/grey Reflex	3/180		990	45-58	10
RIDE Classic										
0101539	NEW	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	black/black Reflex	3/180	▶	750	70-85	10
0101540	NEW	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	creme/creme Reflex	3/180	▶	750	70-85	10
0101541	NEW	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	brown/brown Reflex	3/180	▶	750	70-85	10
0101542	NEW	37-622	28 x 1 3/8 x 1 5/8	Extra Puncture Belt	grey/grey Reflex	3/180	▶	750	70-85	10
0101543	NEW	42-622	28 x 1.6	Extra Puncture Belt	black/black Reflex	3/180	▶	850	50-65	10
0101544	NEW	42-622	28 x 1.6	Extra Puncture Belt	creme/creme Reflex	3/180	▶	850	50-65	10
0101545	NEW	42-622	28 x 1.6	Extra Puncture Belt	brown/brown Reflex	3/180	▶	850	50-65	10
0101546	NEW	42-622	28 x 1.6	Extra Puncture Belt	grey/grey Reflex	3/180	▶	850	50-65	10
0101547	NEW	40-635	28 x 1 1/2 [1 3/8]	Extra Puncture Belt	black/black Reflex	3/180	▶	800	50-65	10
0101548	NEW	40-635	28 x 1 1/2 [1 3/8]	Extra Puncture Belt	creme/creme Reflex	3/180	▶	800	50-65	10
0101549	NEW	40-635	28 x 1 1/2 [1 3/8]	Extra Puncture Belt	brown/brown Reflex	3/180	▶	800	50-65	10
0101550	NEW	40-635	28 x 1 1/2 [1 3/8]	Extra Puncture Belt	grey/grey Reflex	3/180	▶	800	50-65	10

* TPI see page 71

Martin Söderström



Continental Reifen Deutschland GmbH

Bicycle Tyre Division

Continentalstraße 3-5

D-34497 Korbach

www.conti-bicycletyres.com

© Copyright 2017 by Continental Reifen

Deutschland GmbH, 30165 Hanover, Germany.

Subject to technical changes, no reliability for
printer's error. 08/17 MAX FIELDS.

Vectran™ is the registered trademark of Kuraray
Co., Ltd.; Kevlar™ is the registered trademark of
E. I. du Pont de Nemours and Company.

