



ParkTool®

2026-2027


- 
- 03** *Repair Stands & Accessories*
 - 08** *Storage & Measurement*
 - 10** *Hex & Torx®-Compatible Wrenches*
 - 13** *Multi-Tools*
 - 14** *Torque Tools*
 - 15** *General Shop Tools*
 - 17** *Cleaning Tools*
 - 18** *Fluids & Assembly Compounds*
 - 19** *Tool Kits*
 - 23** *Truing Stands & Wheel Tools*
 - 27** *Tube & Tire*
 - 29** *Hub & Axle*
 - 30** *Brake & Derailleur*
 - 32** *Pedal*
 - 33** *Crank & Bottom Bracket*
 - 37** *Cassette & Freewheel*
 - 38** *Chain*
 - 39** *Frame & Fork*
 - 43** *Headset*
 - 44** *Park Tool® Gear*
 - 45** *Retail & Literature*

 [@PARKTOOLBLUE](https://www.instagram.com/parktoolblue)

 [@PARKTOOL.COM](https://twitter.com/parktool)

 [FACEBOOK.COM/PARKTOOL](https://www.facebook.com/parktool)

 [@PARKTOOLBLUE](https://www.tiktok.com/@parktoolblue)



PARKTOOL.COM

Our website is part of our mission to provide the best product support in the industry. At [parktool.com](https://www.parktool.com), you'll find:

Product Info

- Comprehensive product information with photos and videos
- Detailed and up-to-date compatibility info for every product
- Purchasing information for the full line of Park Tool products

Repair Help

- Extensive repair help library featuring nearly 200 detailed tutorials
- Hundreds of videos, photos and diagrams
- Tool selection guides and compatibility information

Support

- Product maintenance and service guides
- Exploded parts diagrams and instructions sheets
- Contact information for our in-house customer service team

YouTube.com/parktool

For over 10 years, we've been making videos to help you understand your bike and empower you to fix it. Check out [youtube.com/parktool](https://www.youtube.com/parktool) to find:

- Hundreds of repair help videos covering every topic, from flat tires to frame machining
- Demonstrational videos for over 200 current Park Tool products
- Your regular dose of Calvin and Truman



Park Tool HQ—Oakdale, MN

Born in the back of a bike shop in Saint Paul, Minnesota in 1963, Park Tool has grown to be the world's largest bicycle tool manufacturer. We have never forgotten our roots and are proud to be the tool brand of choice for both home and shop mechanics around the world.

Making bicycle tools is the only thing we do. We design, engineer, manufacture, assemble, package and ship more than 500 different tools, stands and fixtures at our factory headquarters just down the road from the original bike shop where it all started. As we surpass 60 years in business, our mission remains the same: to design and build innovative, high quality, problem-solving bicycle tools that empower mechanics and riders of all skill levels to service their bicycles.

In this catalog you'll find our complete line in one convenient place. For more in-depth product details, including specifications, compatibility information, and additional photos and videos, be sure to visit the product pages at parktool.com. There you can also find hundreds of repair help articles and access to our extensive selection of how-to videos.

We thank you for the trust you've placed in our blue tools over the years. We don't take that loyalty and enthusiasm for granted. Our commitment to you is a promise to make the best bicycle tools in the world.

Happy wrenching. It's a great day to fix a bike!

A handwritten signature in blue ink that reads "Eric Hawkins". The signature is stylized with a large, sweeping "E" and a long, horizontal line extending from the end.

Eric Hawkins
President/Owner
Chief Mechanic

A: PRS-2.4 / B: PRS-3.3

Deluxe Repair Stand

Deluxe Montageständer

Pied de Réparation Professionnel Deluxe

SopORTE de Reparación de un Brazo de Luxe

The standard of the bike industry.

Holds up to 120 lbs (54 kg).

A: PRS-2.4-1: Double Arm—100-3C Adjustable Linkage Clamps

PRS-2.4-2: Double Arm—100-3D Micro-Adjust Clamps (pictured)

B: PRS-3.3-1: Single Arm—100-3C Adjustable Linkage Clamp (pictured)

PRS-3.3-2: Single Arm—100-3D Micro-Adjust Clamp

C: PRS-33.2 Power Lift Shop Stand

Werkstatt-Montageständer mit E-Lift

Pied de Réparation Power Lift

SopORTE de Reparación con Activador Eléctrico

The biggest, strongest, most versatile repair stand ever built. Adjusts to virtually any height with a powerful electric motor to put any bike in any position.

Lifts any bike up to 120 lbs (54 kg).

PRS-33.2 AOK

Second Arm Add-on Kit

Doppelarm-Ergänzungsset

Kit pour Second Bras

Un Segundo Juego de Adición

Complete kit to convert the PRS-33 and PRS-33.2 into a double arm stand. (not shown)

D: PRS-33FC Fixed-Clamp Add-On Kit for PRS-33

Zusatz-Halteklauen-Kit (mit fester Arbeitshöhe)

Kit d'extension à hauteur fixe pour serre-joint

Abrazadera supletoria de altura fija

A basic kit to add a second clamp to the PRS-33 and PRS-33.2 Power Lift Shop Stand.



135

Stand Base

115 lb (52 kg) steel plate base



130

Stand Base

65 lb (29.5 kg) steel plate base



135-33

Stand Base

115 lb (52 kg) steel plate base with floor levelers

Repair Stands & Accessories



PRS-4.2 Deluxe Bench Mount Repair Stand

*Deluxe Werkbank-Montagearm
Pied de Réparation Deluxe pour Etabli
Soporte de Reparación De Luxe*

A professional-quality bench mount repair stand that mounts to any flat surface. Built from heavy gauge chrome-plated steel tubing.

PRS-4.2-1: 100-3C Adjustable Linkage Clamp

PRS-4.2-2: 100-3D Micro-Adjust Clamp

PRS-7 Bench Mount Repair Stand

*Montagearm
Pied de Réparation pour Etabli
Soporte de Banco para Reparación*

A professional-quality repair stand that mounts to any flat surface. Durable powder coated upright and composite horizontal tube.

PRS-7-1: 100-5C Adjustable Linkage Clamp

PRS-7-2: 100-5D Micro-Adjust Clamp



PCS-12.2 Home Mechanic Bench Mount Repair Stand

*Werkbank-Montagearm
Pied de réparation pour établi
Fijación banco de taller mecánico doméstico*

A bench-mounted version of our popular Deluxe Home Mechanic Repair Stand, with cam-actuated micro-adjust clamp.



PRS-4W Deluxe Bench Mount Repair Stand

*Deluxe Werkbank-Montagearm
Pied de Réparation Deluxe pour Etabli
Soporte de Reparación De Luxe*

Designed to be easily mounted to any post or wall stud, the PRS-4W features heavy-gauge steel construction and is powder coated for long life.

PRS-4W-1: 100-3C Adjustable Linkage Clamp

PRS-4W-2: 100-3D Micro-Adjust Clamp (shown)

100-3D / 100-5D / 100-25D

Professional Micro-Adjust Clamp**

*Micro-Adjust Profi-Halteklauwe
Pince Professionnelle Micro-Ajuste
Mordaza Profesional con Micro-Ajuste*

A durable, versatile, easy-to-use clamp built for everyday shop use. Features a cam-actuated micro-adjust clamping system for easy entry and exit. Fits nearly any tube from 23–76 mm (7/8–3 in), including aero tubes.



100-3C / 100-5C

Adjustable Linkage Shop Clamp**

*Justierbare Hebel-Halteklauwe
Pince à Ouverture Réglable
Mordaza Ajustable*

Our classic shop clamp, with single-lever operation and an adjustable linkage to accommodate tubes from 25 to 41 mm (1–1.6 in).



PRS-30 Mechanical Lift Repair Stand

*Montageständer mit Hebefunktion (mech.)
Support de réparation pour pied mécanique
Petro de taller con elevador mecánico*

A compact professional-grade stand capable of lifting the heaviest e-bikes using a power drill or the included hand crank. Also available without legs as the **PRS-30LB**.

Maximum Weight: 120 lbs (54 kg)

Clamp height: adjustable from 29" to 52" (74 to 132 cm)

Stand Weight: 44 lbs (20 kg)



ASF-1 ASF-24

Adjustable Support Frame

*Einstellbare Haltearme
Support Réglable pour les Pieds
Perchas accesorias Regulables*

Increase the versatility and capability of your Park Tool Repair Stand with this fully-adjustable fixture designed for bicycles with non-standard frame designs. Compatible with Park Tool repair stands that use a 100-3D or 100-3C clamp.



ASF-24

24" Support Fork for the ASF-1

*24-Zoll-Stützstange
Barre de support de 24 po
Barra de soporte de 24 pulgadas*

This 24"/60 cm support fork installs onto the ASF-1 (sold separately) to better support wide loads such as trikes and front-loading cargo bikes, further expanding the capacity of the ASF-1.



Portable Repair Stands

A: PCS-4

Deluxe Home Mechanic Repair Stand
Montageständer für Hobby-Mechaniker
Pied de Réparation Amateur
Soporte de Reparación Portátil

A heavy-duty folding stand with your choice of shop-quality clamps.

Maximum Weight: 100 lbs (45 kg)
Clamp Height: 51–68" (129 to 173 cm)
Stand Weight: 26 lbs (11.8 kg)

PCS-4-1: Includes 100-5C Adjustable Linkage Clamp

PCS-4-2: Includes 100-5D Micro-Adjust Clamp (pictured)

B: PCS-9.3

Home Mechanic Repair Stand
Montageständer für Hobby-Mechaniker
Pied de Réparation Amateur
Soporte de Reparación Portátil

A basic folding workstand designed and built for the home mechanic.

Maximum Weight: 80 lbs (36 kg)
Clamp Height: 39–57" (99 to 145 cm)
Stand Weight: 16 lbs (7.2 kg)

C: PCS-10.3

Deluxe Home Mechanic Repair Stand
Montageständer für Hobby-Mechaniker
Pied de Réparation Amateur
Soporte de Reparación Portátil

A full-featured workstand with several key upgrades for increased versatility and ease of use.

Maximum Weight: 80 lbs (36 kg)
Clamp Height: 39–57" (99 to 145 cm)
Stand Weight: 16 lbs (7.2 kg)





D: PRS-22.2

Team Issue Repair Stand

Pro Tour Team Montageständer
Pied de Réparation Team Issue
Soporte para Reparaciones de Bicicleta
Portátil Team

A lightweight, fully-adjustable race stand designed and built for the traveling mechanic. Securely holds any bike in place without clamping the frame or seat post.

Maximum Weight: 60 lbs (27 kg)
 Bottom Bracket Cradle Height: 30–45" (76–114 cm)
 Stand Weight: 12.5 lbs (5.7 kg)

E: PRS-25

Team Issue Repair Stand

Faltbarer Profi-Team Montageständer
Pied de Réparation Pliant Team Issue
Soporte de Reparación Profesional Edición
Especial para Equipos de Ciclismo

Designed to be the best of both worlds, the lightweight PRS-25 is a strong, stable stand that folds up quickly and compactly.

Maximum Weight: 100 lbs (45 kg)
 Clamp Height: 47–60" (119–152 cm)
 Stand Weight: 13 lbs (6 kg)

F: PRS-26

Team Issue Repair Stand

Pro Tour Team Montageständer
Pied de Réparation Team Issue
Soporte para Reparaciones de Bicicleta
Portátil Team

A three-legged workhorse that's stable, lightweight, and easy to use.

Maximum Weight: 80 lbs (36 kg)
 Clamp Height: 38–58" (97–147 cm)
 Stand Weight: 12.6 lbs (5.7 kg)






104 Work Tray*
Werkzeugschale
Plateau Porte-Outils
Bandeja Porta Herramienta



105 Cast Aluminum Tool Tray*
Cast Alu Werkzeugschale
Aluminium Coulé
Bandeja Porta Herramienta



106 Work Tray*
Werkzeugschale
Plateau Porte-Outils
Bandeja Porta Herramienta



TK-4 / TK-4T Tool Kaddie*
Werkzeug-Kaddie
Tool Kaddie
Herramienta Kaddie



PRS-TT-1 / PRS-TT-2
Tool Tray*
Werkzeugablage
Plateau Porte-Outils
Checador de herramientas



2843A Work Tray*
Arbeitsablage
Plateau Porte-Outils
Bandeja de Trabajo

Fits the PCS-9.2 and PCS-9.3.



PTH-1 Paper Towel Holder*
Papiertuchspender
Fixation Rouleau Essui-tout
Base para Rollo de Toallas de Papel



PRS-22EXT
Team Issue Repair Stand Extension
Radstandverlängerung für Pro Tour Team
Montageständer
Extension pour pied de Réparation Team Issue
Extensión del Soporte de Reparación Team Issue



FP-2 Floor Plate
Bodenbefestigung
Plaque de Sol
Plato de Montaje al Piso

Permanently and securely attach any generation of PRS-2 or PRS-3 Shop Repair Stand to the floor.



BAG-1 / BAG-20
Travel & Storage Bag
Transporttasche
Sac de Transport
Bolsa de Viaje y Almacenamiento

A heavyweight nylon bag with shoulder straps for transporting and storing Park Tool folding repair stands.

BAG-1
Fits: PCS-10/.2/.3, PRS-15, PRS-25, PRS-26


BAG-20
Fits: PRS-20, PRS-21, PRS-22, PRS-22.2



TS-25
Repair Stand Mounted Wheel Truing Stand
Repair Ständer montiert Wheel Truing Ständer
Centreur de Roue pour pied de Réparation
Soporte de reparación montado en el soporte de rueda

Securely holds any wheel using a quick release or threaded axle and adjusts for any wheel diameter and rim width.

Fits PRS-25, PCS-1, PCS-4 and PCS-10 Repair Stands.



THS-1.2 Trailhead Workstation
Trailhead-Montageständer
Station de travail en extérieur
Petro de taller para exteriores

A weatherproof, tamperproof cradle stand with eight securely-mounted tools. A great addition to any trailhead, park, school, etc. Can be bolted directly to a permanent structure or to the THP-1 Mounting Post.

THP-1 Mounting Post
Montagepfahl
Mat de Montage
Poste de Ensamble

Mount the THS-1 directly to this rigid steel 2" (5 cm) square post. Mounts directly onto any hard surface or to Park Tool #130 base plate (fasteners not included).



JH-1 Benchtop Small Parts Holder
 Kleinteilehalter für Werkbank
 Rangement d'établi Pour Petites Pièces
 Organizador para Guardar Partes Pequeñas

A great way to keep small parts organized and easily accessible, featuring four small removable bins in a stainless steel box with clear hinged lid.



JH-4 Wall-Mounted Bleed Kit Organizer*
 Entlüftungs-Kit-Organizer zur Wandmontage
 Organisateur mural pour kit de purge
 Organizador de pared de kits de sangrado

An all-in-one wall organizer for bleed kits and additional components. Features mounting holes for installation on pegboard or any solid surface. D.O.T. labels also included.



JH-2 Wall-Mounted Lubricant & Compound Organizer*
 Wandhalter / Organizer für Schmier- und Pflegemittel
 Organisateur mural pour lubrifiants et composés
 Balda de pared para lubricantes y grasas

An all-in-one wall organizer for lubes, greases, assembly compounds, and more. Features mounting holes for installation on pegboard or any solid surface.



MB-1 Magnetic Parts Bowl
 Magnetische Kleinteile-Schüssel
 Bol magnétique pour pièces
 Cuenco imantando

Prevent fasteners and small parts from getting lost. 5.9" (150 mm) in diameter with an extra strong magnet.



OM-1 Benchtop Overhaul Mat
 Werkbank-Auflage
 Tapis Organiseur d'Etabli
 Tapete para Banco de Trabajo


Keep everything organized and close at hand while working on small components. Measures 13.2" x 9.25" (335 x 235 mm).



OM-2 Benchtop Overhaul Mat
 Werkbank-Auflage
 Tapis Organiseur d'Etabli
 Tapete para Banco de Trabajo

A large textured work area for performing complex repairs on a workbench. Measures 15" x 24.5" (390 x 625 mm).

Storage & Measurement



450 / 470 / 470XX Machine Thread Hooks
 Haken mit Maschinengewinde
 Crochet à Ecrou
 Ganchos Roscados de Acero

Includes two nuts

A: 450: Regular - 2.185" (55 mm)


B: 470: Oversized - 2.95" (75 mm)

C: 470XX: Extra Large - 4.875" (125 mm)



JH-3 Wall-Mounted Socket & Bit Organizer*
 Wandhalter / Organizer für Steckschlüssel, Bits und Drehmomentschlüssel
 Organisateur mural pour douilles et embouts
 Balda de pared para llaves de vaso, puntas y dinamométrica

An all-in-one wall organizer for bits, sockets, torque wrenches, ratchet handles, and more. Features mounting holes for installation on pegboard or any solid surface.



451-2 / 471 / 471XX Wood Thread Hooks
 Haken mit Holzgewinde
 Crochet à Bois
 Ganchos Roscados de Madera

A: 451-2: Regular (sold in pairs) - 2.185" (55 mm)

B: 471: Oversized - 2.95" (75 mm)

C: 471XX: Extra Large - 4.875" (125 mm)



DC-3 Digital Caliper
Messschieber
Pied à Coulisse Digital
Vernier Digital

Accurately measures any component in millimeters, decimal inches, and fractional inches. Accurate to +/- 0.02 mm with a range of 150 mm or 6".

DCA-1 Digital Caliper Accessory
Zubehör für Digitalen Messschieber
Accessoire pour Pied à Coulisse Digital
Accesorio de calibre digital

Installs onto most measuring calipers to accurately measure disc brake wear as well as bolt circle diameter of chainrings and cranks.



DS-2.2 Tabletop Digital Scale
Digitale Tischwaage
Balance de table numérique
Báscula digital de mesa

A highly accurate tabletop scale, perfect for weighing small parts and components up to 3000 g or 106 oz.



HBH-2 Handlebar Holder
Lenker-Haltebügel
Outil de Blocage du Guidon
Sujetador de Manubrio

Holds handlebars in place and prevents the front wheel from rotating when a bike is mounted in a repair stand.



RR-12.2 Tape Measure
Rollmaßband
Mètre ruban
Cinta métrica

Features metric readings up to 360 cm and inch readings up to 12 feet.



PB-1 Portable Workbench
Mobile Werkbank
Atelier Pliant
Banco de Trabajo Portátil

A strong, lightweight, and extremely portable workbench designed for the mobile mechanic, featuring a large work surface and specially-sized slots, holes, and recesses to hold tools, parts, and more. Folds up easily and compactly.

- Folded: 1080 x 585 x 180 mm (42.5" x 23" x 7")
- Set up: 1080 x 585 x 825 mm (42.5" x 23" x 32.5")
- Weight: 7.48 kg (16.5 lbs)



DS-1 Digital Scale
Digitalwaage
Balance numérique
Báscula digital

Accurately weigh bikes, frames, and components. Designed to be clamped into a repair stand or hung from a hook. Measures to .02 kg or 1 oz.



HBH-3 Handlebar Holder
Lenker-Haltebügel
Outil de Blocage du Guidon
Sujetador de Manubrio

Prevent any bike's handlebars from rotating while in a stand. Easily extends, rotates, and articulates to install in a wide variety of positions onto almost any handlebar, seatpost, frame, fork, or repair stand. Compatible with virtually any tubing found on a bike. Extends from 18" to 32" (457 to 813 mm).



PH-1.2 P-Handle Hex Wrench Set
Innensechskant-Set mit P-Griff
Kit de clés hexagonales avec poignée en P
Juego de llaves Allen con mango P

A complete set of eight professional-grade hex wrenches built for comfort and durability. Includes a mountable tool holder for easy access and organization. Individual sizes and holder available separately:

- | | |
|-----------------------|-----------------------|
| PH-2: 2 mm | PH-2.5: 2.5 mm |
| PH-3: 3 mm | PH-4 : 4 mm |
| PH-5: 5 mm | PH-6: 6 mm |
| PH-8: 8 mm | PH-10: 10 mm |
| HXH-2P: Holder | |



HXS-1.2 Professional L-Shaped Hex Wrench Set
Profi-Innensechskant-Winkelschlüssel-Set
Jeu de clés Allen en L
Juego de llaves Allen

Complete set of shop-quality L-shaped high-torque industrial steel hex wrenches. Featuring chamfered tips, ball ends and a handy portable tool holder. Includes 1.5, 2, 2.5, 3, 4, 5, 6, 8, and 10 mm hexes.



HXS-3 Stubby Hex Wrench Set
Stubby Innensechskant-Winkelschlüssel-Set
Jeu de clés Allen en L
Juego de llaves Allen cortas

Set of shop quality hex wrenches with a stubby arm on one end and a ball end on the other, specifically designed for hard-to-reach fasteners in tight spaces. Includes 1.5, 2, 2.5, 3, 4, 5 and 6 mm hexes.



AWS Fold-Up Hex Wrench Set
Faltbares Innensechskant-Set
Kit de clés hexagonales pliable
Navaja de llaves Allen

Carefully-selected wrenches combined into a compact folding set with a strong composite handle and hardened steel tools.


- A: AWS-9.2:** 4, 5, and 6 mm hex, T25 Torx®-compatible bit, straight blade screwdriver
B: AWS-10: 1.5, 2, 2.5, 3, 4, 5, and 6 mm hex
C: AWS-11: 3, 4, 5, 6, 8, and 10 mm hex



FWS-2 Fold-Up Wrench Set
Faltbares Multitool-Set
Jeu de clés pliables
Navaja de llaves

The AWS-10 and TWS-2 in one convenient set.

Hex & Torx®-Compatible Wrenches



HR Hex Wrenches
Innensechskant-schlüssel
Clé Allen hexagonale
Llave Allen

Simple L-shaped hex wrenches, built to last and offered in larger sizes for servicing of freehubs, cranks, and other components.

- A: HR-8:** 8 mm with ball end
B: HR-11: 11 mm
C: HR-12: 12 mm
D: HR-14: 14 mm
E: HR-15: 15 mm



QTH-1 Quick Change Bit Driver Set
Schnellwechsel-T-Griff mit Bits
Jeu de clés à douille en T à changement rapide
Juego de puntas de rápida sustitución

An ergonomic T-handled bit driver equipped with eight magnetic bits to fit a wide variety of fasteners. Includes a mountable bit and handle holder. Features the following magnetic 1/4" bits:

- 2, 2.5, 3, 4, 5 & 6 mm hex
- T25 Torx®-compatible
- #2 Philips cross tip




AWS 3-Way Hex Wrenches

3fach-Innensechskant-Set
Clé hexagonale en Y
Llave Allen triangular

Our iconic Y-shaped wrenches combine three popular wrench sizes into one ergonomic tool.

- A: AWS-1** 4 mm, 5 mm, and 6 mm hex
- B: AWS-3** 2 mm, 2.5 mm, and 3 mm hex
- C: AWS-7** 4 mm & 5 mm hex; T25 Torx®
- D: AWS-8** 4 mm, 5 mm, and 6 mm hex (ball end)



HT Hex Tools

Innensechskantschlüssel
Clé hexagonale
Llave Allen

Long, ergonomic hex wrenches specifically designed to provide the leverage necessary for pedals and crank bolts.

- A: HT-6:** 6 mm
- B: HT-8:** 8 mm
- C: HT-10:** 10 mm



THH-1 Sliding T-Handle Wrench Set

Innensechskant-Set mit "Sliding T"-Griff
Jeu de clés hexagonales coulissantes avec poignée en T
Juego de llaves Allen deslizantes

A high-end hex wrench set designed for leverage and efficiency, complete with a mountable tool holder. Built to last and packed with features to make work easy for the professional mechanic. Set includes mountable holder. Individual sizes available separately:

- | | |
|------------------------|----------------------|
| THH-2: 2 mm | THH-5: 5 mm |
| THH-2.5: 2.5 mm | THH-6: 6 mm |
| THH-3: 3 mm | THH-8: 8 mm |
| THH-4: 4 mm | THH-10: 10 mm |



THT-1 Sliding T-Handle Torx®-Compatible Wrench Set

Torx®-Set mit "Sliding T"-Griff
Jeu de clés hexagonales coulissantes avec poignée en T compatibles Torx®
Juego de llaves Torx® deslizantes

A high-end Torx®-compatible wrench set designed for leverage and efficiency, complete with a mountable tool holder. Built to last and packed with features to make work easy for the professional mechanic. Set includes mountable holder. Individual sizes available separately:

- | | |
|--------------------|--------------------|
| THT-6: T6 | THT-20: T20 |
| THT-8: T8 | THT-25: T25 |
| THT-10: T10 | THT-30: T30 |
| THT-15: T15 | THT-40: T40 |



Torx®-compatible driver shape



PH-T1.2 P-Handle Torx®-Compatible Wrench Set

Torx®-kompatibles Schlüssel-Set mit P-Griff
Kit de clés avec poignée en P compatibles Torx®
Juego de llaves con poignée en T compatibles Torx®

A complete set of eight professional-grade star-shaped (Torx®-compatible) wrenches built for comfort and durability. Includes a mountable tool holder for easy access and organization. Individual sizes and holder available separately:

- | | |
|-----------------------|--------------------|
| PH-T6: T6 | PH-T8: T8 |
| PH-T10: T10 | PH-T15: T15 |
| PH-T20: T20 | PH-T25: T25 |
| PH-T30: T30 | PH-T40: T40 |
| HXX-2T: Holder | |





TWS-1 Torx®-Compatible Wrench Set

Torx® Kompatibles Winkelschlüssel-Set Set de clés compatibles Torx®

Juego de llaves tipo Torx®

Eight shop-quality Torx®-compatible wrenches organized in a convenient tool holder. Includes T9, T10, T15, T20, T25, T27, T30 and T40 wrenches.



TWS-3 3-Way Torx®-Compatible Wrench

3fach-Torx® Kompatibles Set

Clé en Y compatible Torx®

Llave triangular tipo Torx®

Our classic ergonomic Y-shaped wrench with three Torx®-compatible sizes (T10, T25 and T30).




TWS-2 Fold-Up Torx®-Compatible Wrench Set

Faltbares Torx® Kompatibles Set

Jeu pliant de clés compatibles Torx®

Navaja de llaves tipo Torx®

Nine star-shaped (Torx®-compatible) wrench sizes (T7, T9, T10, T15, T20, T25, T27, T30, and T40) in a convenient fold-up set.



← MULTI-TOOLS TORQUE TOOLS →



MTB-5 Rescue Tool *Rescue Multitool* *Outil de Premiers Secours* *Herramienta de emergencia*

The ideal companion for any trailside adjustment or emergency fix, with 16 functions in one slim, tough folding multi-tool.

Features:

- 2, 2.5, 3, 4, 5, 6, and 8 mm hex wrenches
- T25 Torx®-compatible driver
- Flathead screwdriver
- Phillips screwdriver
- Chain breaker tool
- Disc brake rotor truing tool
- Disc brake pad spreader
- Presta valve core removal tool

IB-1 / IB-2 / IB-3 I-Beam Multi-Tool

I-Beam Multi-Tool
Multi-outils pliant I-Beam
Multi-herramienta I-Beam

Commonly-used hex wrenches, screwdrivers, and more combined with our unique I-Beam design. Available in three configurations to suit the needs of any rider.

A: IB-1


- 3, 4, 5, 6, & 8 mm hex wrenches
- Flat blade screwdriver

B: IB-2

- 1.5, 2, 2.5, 3, 4, 5, 6, & 8 mm hex wrenches
- T25 Torx®-compatible driver
- Flat blade screwdriver

C: IB-3

- 1.5, 2, 2.5, 3, 4, 5, 6, & 8 mm hex wrenches
- T25 Torx®-compatible driver
- Flat blade screwdriver
- Composite wrapped tire lever
- Two spoke wrenches: SW-0 (3.23 mm) and SW-2 (3.45 mm)
- 5-to 12-speed compatible chain tool



A**ATD-1.2 Adjustable Torque Driver**

Drehmomentschlüssel in Stufen einstellbar
Tournevis dynamométrique réglable
Llave dinamométrica regulable

Prevent over-tightening and damage to lightweight components. Features all-metal internal construction and includes 1/4" drive bits in the four most common sizes for small bicycle fasteners—3, 4, 5 mm and T25—which are stored in the handle when not in use. Torque setting is hand-adjustable to 4, 4.5, 5, 5.5, or 6 Newton meters (Nm).

B / C**TW-5.2 / TW-6.2 Ratcheting Click-Type Torque Wrenches**

Drehmoment-Ratschenschlüssel
Clé dynamométrique à cliquet
Llave dinamométrica de carraca

High quality ratcheting torque wrenches to accurately measure and apply the proper amount of torque to threaded fasteners. 3/8" drive with a reversible ratcheting mechanism for both left hand and right hand threading. Calibrated to be accurate to +/- 4%.

B: TW-5.2: 2–14 Nm range**C: TW-6.2:** 10–60 Nm range**D / E****TW-5.2 / TW-6.2 Beam-Type Torque Wrenches**

Drehmoment-Ratschenschlüssel
Clé dynamométrique à cliquet
Llave dinamométrica de carraca

An economical option for safely and accurately tightening fasteners to proper torque specifications. Intuitive and easy to use, with a simple gauge readout.

D: TW-1.2: 0–14 Nm Range**E: TW-2.2:** 0–60 Nm Range**F****SWR-8 3/8" Drive Ratchet Handle**

3/8" Ratschenschlüssel
Clé à Cliquet 3/8"
Llave Maltraca de 3/8"

Drives any socket, bit, or tool with a 3/8" drive, including Park Tool bottom bracket tools. Reversible ratchet with quick release button for quick swapping of tools.

G**SWB-15 3/8" Drive Ratchet Handle**

3/8" Gelenk-steckgriff
Manche Articulé 3/8"
Maneral Para Dado de 3/8"

Provides extra leverage for removal of any seized or difficult fastener on a bike. Forged steel with a pivoting 3/8" drive head.

H**SBS-1.3 Socket & Bit Set**

Steckschlüssel- & Bit-Set
Jeu de douilles et d'embouts
Juego de llaves de vaso y puntas

A set of 18 sockets and bits for the most commonly found fasteners found on a bicycle.

Includes:

- Hex bits: 3, 4, 5, 6, and 8 mm
- Long reach hex bits: 5, 6 and 10 mm
- Long reach Torx®-compatible bits: T25, T30 and T40
- Sockets: 8, 9, 10, 13, 14, and 15 mm
- 1" socket: fits many Park Tool freewheel, cassette locking, and bottom bracket tools including FR-1.3, FR-5.2, and BBT-22

I**SBS-3.2 Socket & Bit Set**

Steckschlüssel- & Bit-Set
Jeu de douilles et d'embouts
Juego de llaves de vaso y puntas

A set of 37 sockets and bits covering the vast majority of fasteners found on a bicycle, including suspension fork top caps.

Includes:

- Hex bits: 3, 4, 5, 6, 8, 10, 14, and 16 mm
- Long reach hex bits: 5, 6, 8, 10, 11, 12, and 15 mm
- Long reach Torx®-compatible bits: T20, T25, T30, T40 and T45
- Hex sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, and 19 mm
- 1" socket: fits many Park Tool freewheel, cassette locking, and bottom bracket tools including FR-1.3, FR-5.2, and BBT-22
- Flat sockets for suspension fork fittings: 24, 26, 27, 28, 30, 32 mm

J**SKT-6 Flat-Faced Socket Set**


Flachsteckschlüssel-Set
Jeu de douilles à faces plates
Juego de llaves de vaso planas

A set of six flat-faced sockets designed for use with common suspension fork fittings. 27mm socket is tapered for better access on Suntour suspension forks.

Includes:

- 24, 26, 27, 28, 30, 32 mm flat-faced sockets





A

MW-SET.2 Metric Wrench Set
Ring-/Maulschlüssel-Set (metrisch)
Jeu de clés mixtes métriques
Conjunto de llaves métricas

Set of 12 wrenches with an open end and 12-point box end. Forged from chrome vanadium steel, chrome plated, and vinyl dipped. Individual sizes available separately from 6 mm to 17 mm.

B

MWR-SET Ratcheting Metric Wrench Set
Ratschen-/Maulschlüssel-Set (metrisch)
Jeu de clés mixtes métriques à cliquet
Conjunto de llaves métricas de carraca

Same solid construction and finish as the MW wrenches but with a two-way ratcheting box end. Individual sizes available separately from 6 mm to 17 mm.

C - G

RP-SET.2 Snap Ring Pliers Set
Sicherungsringzangen-Set
Kit de Pincas à Circlip
Juego de Pinzas para Anillos de Seguridad

Remove and install retaining rings found on suspension components, brakes, dropper posts, and more.

- C: RP-1:** Internal rings—0.9 mm straight tips
- D: RP-2:** Internal rings—1.3 mm 90° tips
- E: RP-3:** External rings—1.3 mm 90° tips
- F: RP-4:** Internal rings—1.7 mm 90° tips
- G: RP-5:** Internal rings—1.7 mm straight tips

H

ZP-5 Flush Cut Pliers
Seitenschneider
Pince coupante affleurante
Alicates de corte apurado

Ideal for closely cutting zip ties and many other materials in tight spaces.

I

UP-SET Utility Pick Set
Pickhaken-Set
Kit de crochetage
Conjunto de ganzúas

Multi-purpose picks ideal for a wide variety of detail work, featuring three unique tips and a strong magnet in the handle.

J

PAW-12 12-Inch Adjustable Wrench
12"-Rollgabelschlüssel
Clé à molette 12 pouces
Llave inglesa 12"

A beefy full-sized adjustable wrench for driving any tool with wrench flats. **Length: 305 mm (12") / Jaws open to 36 mm (1.42")**

K

PAW-6 6-Inch Adjustable Wrench
6"-Rollgabelschlüssel
Clé à molette 6 pouces
Llave inglesa 6"

A travel-sized option perfectly sized to provide sufficient leverage while taking up as little space as possible. **Length: 160 mm (6.3") / Jaws open to 24 mm (0.94")**

L / M

HMR-4 / HMR-8 Shop Hammer
Werkstatt-Hämmer
Marteaux d'Atelier
Martillos Profesionales

Versatile and durable, our dual-sided shop hammers are perfectly-balanced striking instruments built for a wide variety of shop uses, featuring a forged-steel striking face and a replaceable non-marring composite tip.

- L: HMR-4** 21 oz (590 g) head / Length: 13.5" (345 mm)
- M: HMR-8** 8 oz (225 g) head / Length: 12" (305 mm)

N

ST-3 3-Way Socket Wrench
3fach-Steckschlüssel-Set
Clé à douille triple en Y
Llave de vaso triangular

8 mm, 9 mm, and 10 mm forged-steel sockets in the classic Park Tool "Y"—wrench shape.

O

SZR-1 Scissors
Werkstatsschere
Paire de ciseaux
Tijeras

Shop quality scissors with sturdy stainless steel blades and a dual-density grip.

P

NP-6 Needle Nose Pliers
Spitzzange
Pince à bec
Alicates de punta

A professional-quality pliers with narrow multifunction jaws for small components and tight areas.

O

SP-7 Side Cutter Pliers
Seitenschneider
Pince coupante latérale
Alicates de corte lateral

Professional-quality diagonal cutting pliers with a 20 mm cutting surface.

R

LP-7 Utility Pliers
Kombizange
Pince universelle
Alicates universales

High-leverage pliers with flat and rounded gripping surfaces, a small gripping notch, and an integrated cutting blade.

S

SD-SET Shop Screwdriver Set
Schraubendreher-Set
Jeu de Tournevis Pour Atelier
Juego de Desarmadores

Shop quality screwdrivers designed for comfort and durability. Featuring dual-density grips and heat-treated tips and shafts.

- S1: SD-0:** #0 Phillips
- S2: SD-2:** #2 Phillips
- S3: SD-3:** 3 mm flat
- S4: SD-6:** 6 mm flat

T

DSD Precision Screwdrivers
Schaltwerk-Schraubendreher
Tournevis pour dérailleur
Destornillador para cambio

Precision component drivers machined to exact standards to ensure a perfect fit. Featuring an ergonomic CNC-machined hard-anodized 6061 aluminum handle.

- T1: DSD-2:** Cross tip (#2 Phillips) driver built to exceed JIS standards
- T2: DSD-4:** 5mm precision ground flat blade

O

MG-3 Mechanics Gloves
Schutzhandschuhe
Gants en Nitrile pour Mécanicien
Guantes para Mecánico de Nitrilo

Made from a thick, heavy-duty nitrile material, our gloves provide superior fit and are tough enough to withstand a day's work. *In use in photo below.*



CG-2.4 Chain & Drivetrain Cleaning Kit

Ketten- & Antriebs-Reinigungsgerät
Kit pour Nettoyer et Entretenir Votre Chaîne
Kit de limpieza de cadena y transmisión

Everything needed to quickly and easily clean the chain, cogs, and chainrings in one kit. Includes **CM-5.3** Cyclone Chain Scrubber, **GSC-1** GearClean Brush, and 8 fl. oz bottle of **CB-4** Bio ChainBrite.

A: CM-5.3 Cyclone™ Chain Scrubber

Werkstatt-Kettenreiniger
Nettoyeur de Chaîne
Limpiador de cadena

Clean nearly any bicycle chain quickly, easily, and effectively without removing the chain from the bike. Features four scrubbing brushes and a durable sponge to clean chains inside and out. Singlespeed and multi-speed compatible. Reversible handle allows compatibility with both center and rear drive e-bikes. Replacement brushes and sponge available: **RBS-5**

B: CB-4 Bio ChainBrite®

Ketten- und Komponentenreinigungsmittel
Nettoyant Biodégradable pour Chaînes et Pièces Vélos
Líquido Limpiador para Cadenas y Componentes de Bicicletas

A 100% biodegradable plant-based degreaser formulated for use in Park Tool Chain Scrubbers or as a general purpose degreaser. **16 fl. oz (472 mL) bottle**

C: GSC-1 GearClean™ Brush

GearClean™-Bürste
Brosse GearClean™
Cepillo GearClean™

A dual-sided cleaning brush with a contoured toothed end and a set of tough nylon bristles. Keeps components clean and prevents drivetrain wear.



CM-25 Professional Chain Scrubber

Werkstatt-Kettenreiniger
Nettoyeur de Chaîne Professionnel
Limpiador de cadena profesional

A shop-quality chain cleaner built for daily use. Super tough die-cast aluminum body and handle with unique brush/sponge replacement cartridge for cleaning and replacement. Proven four-brush scrubbing design cleans chains thoroughly and quickly. Replacement brushes and sponge available: **RBS-25**



DH-1 Dummy Hub

Dummy-Nabe
Moyeu factice
Soporte de cadena

A handy helper for cleaning, transporting, or storing a bike, this tool keeps the chain in place and allows use of the drivetrain with the rear wheel removed. Compatible with quick-release and 12mm thru axle frames.

GSC-3 Drivetrain Cleaning Brush

Antriebs-Reinigungsbürste
Brosse de nettoyage pour transmission
Cepillo para limpiar la transmisión

A dual-sided brush specifically designed for cleaning hard-to-reach areas of the bicycle drivetrain.

GSC-4 Cassette Cleaning Brush

Ritzelbürste
Brosse de nettoyage pour cassette
Cepillo para limpiar el cassette de la bicicleta

A sturdy contoured brush for cleaning cassettes, freewheels, and tires.



BCB-4.2 Bike Cleaning Brush Set

Bürsten-Set für die Bike-Wäsche
Ensemble de brosses pour vélo
Conjunto de cepillos para lavar la bici

Ergonomically-designed four-piece cleaning brush set designed specifically for bicycles. Includes a tapered detail brush, heavy-duty sponge/bristle combo brush, soft-bristle soaping brush, and **GSC-1** GearClean™ Brush.



BCB-5

Professional Bike Cleaning Brush Set

Professionelles Fahrrad-Reinigungsbürstenset
Kit Professionnel de Brosses de Nettoyage Vélo
Juego de Cepillos de Limpieza Profesional para Bicicletas

A professional-grade set with five unique cleaning tools purpose-built for scrubbing away dirt and grime. Includes three brushes made from tampico, an extremely durable natural fiber that resists chemicals, and holds moisture well.

A
CF-2 Cutting Fluid
Schneidöl für Stahl/Alu/Titan
Huile de Coupe
Lubricante para Corte

Extends tool life and makes any frame cutting or machining job easier and safer. Can effectively be used on all metals. **8 oz (237 mL) bottle**

B
PPL-1 / PPL-2 PolyLube 1000™ Lubricant
PolyLube 1000™ Lagerfett
Lubrifiant PolyLube 1000™
Lubricante PolyLube 1000™

A durable all-purpose grease for bearings, threads, or surface preparation. Available in a **4 oz tube (PPL-1)** or **16 oz tub (PPL-2)**.

C
ASC-1 Anti-Seize Compound
Anti-Seize Montagefett
Graisse Anti-Grippage
Lubricante 'Anti-Seize'

Reduces friction and protects against corrosion in threaded and press fit applications. For use on steel, aluminum, and titanium. **4 oz (113 g) tube**

D
SAC-2 SuperGrip™ Carbon and Alloy Assembly Compound
SuperGrip™ Montagepaste für Carbon und Aluminium
Composé Supergrip™ pour Montage Carbone et Alliages
Compuesto de Ensamble SuperGrip™ para Elementos de Carbono, Aluminio y Acero

Helps create a tighter grip between two slippery surfaces. Ideal for carbon fiber, aluminum and steel seatposts, handlebars and stems. **4 oz (113 g) tube**

E
HPG-1 High Performance Grease
Hochleistungs-Lagerfett
Graisse Haute Performance
Grasa de Alto Rendimiento

A high-viscosity grease proprietarily blended to meet the demands of today's high-performance bicycles and high-end components. **4 oz (113 g) tube**

F
CL-1.2 Synthetic Blend Chain Lube
Synthetisches Kettenöl
Lubrifiant Synthétique pour Chaîne
Lubricante Sintético para Cadena

A durable formula suited for all weather conditions, CL-1.2 is perfect for regular lubrication of chains, or as a general purpose light lubricant. **4 fl. oz (118 mL) bottle**

G
GG-1 Grease Gun
Fettpresse
Pistolet à Graisse
inyector de Grasa

A shop-grade applicator for any grease or anti-seize compound. Can be used with the included 100 mL canister or attached to any tube of Park Tool grease or anti-seize.

H / I
TLR-1 / TLR-2 Threadlocker
Schraubensicherungen
Freins Filets
Fijadores Para Roscas

Secure threaded assemblies and prevent them from loosening.

H: TLR-1: Blue Medium Strength Threadlocker
I: TLR-2: Red High Strength Threadlocker

J
RC-1 Green Press Fit Retaining Compound
Press Fit Montagesicherung Grün
Composé de Rétention Press Fit Vert
Sellador Verde para Piezas no Roscadas

Fills gaps and helps retain non-threaded parts like press fit bottom bracket parts, sealed bearings etc.

K
CB-4 Bio ChainBrite®
Bio ChainBrite® Entfetter
ChainBrite® Bio
Limpiador Liquido Bio

A 100% biodegradable plant-based degreaser formulated for use in Park Tool Chain Scrubbers or as a general purpose degreaser. **16 fl. oz (472 mL) bottle**

L
AP-1 Adhesive Primer*
Oberflächengrundierung
Primaire Adhésif
Adhesivo

Prepares surface, accelerates curing and promotes maximum performance of threadlockers and retaining compounds.

* Note: Must be used on all component, fastener and carbon fiber surfaces in conjunction with thread lockers and retaining compounds that contact carbon fiber such as PF30 bottom brackets or brackets or bearings pressed into carbon fiber frames. Failure to do so could result in permanently bonded parts.





SK-4 Home Mechanic Starter Kit

Starter-Set für Hobbymechaniker

Atelier Pour Mécanos Débutants

Juego de Herramientas para el Mecánico Amateur

The perfect starting point for an aspiring mechanic, with 15 professional-level tools, a repair manual, and a toolbox to store it all.

Includes:

AWS-10 • BBB-4 • CC-3.2 • CN-10 • CT-5

FR-5.2 • GSC-1 • HCW-16.3 • HR-8 • MLP-1.2

SD-2 • SW-7.2 • TL-1.2 • TWS-3



AK-5 Advanced Mechanic Starter Kit

Mechaniker-Werkzeugkoffer

Kit d'Atelier pour Amateur Avisé

Juegos de Herramientas Avanzado

Everything needed for basic maintenance and cleaning as well as a wide variety of repair and adjustment procedures on just about any bicycle. A perfect way to start or add to your collection of shop quality bicycle tools.



BX-2.2 Blue Box Tool Case*

Blue Box Werkzeugkoffer

Caisse à Outils Blue Box

Caja Azul Porta Herramientas

A versatile toolbox designed for the professional bike mechanic. Features custom-designed tool pallets with over 100 loops and pockets and an inner tray with customizable partitions for secure, easily-accessible storage of your full traveling tool collection. Folds up neatly into a tough locking outer shell.

- Dimensions: 19.5" x 16.9" x 8.5" (495 mm x 433 mm x 215 mm)
- Weight: 13 lbs (6 kg)



WTK-2 Essential Tool Kit

Mini-Werkzeugset für Einsteiger

Kit D'Outils

Kit de Herramienta

Contains the tools needed for basic repairs and adjustments at home or on the road. Includes **AWS-9.2** Fold-Up Hex Wrench Set, two **TL-1.2** Tire Levers, two **TB-2** Emergency Tire Boots and **GP-2** Pre-Glued Super Patch Kit all housed in a handy tool wallet.



RTP-1 Rescue Tool Pod

Rettungswerkzeug-Pod

Support Et Outils de Secours

Kit de herramientas de Rescate

Two ride-saving tools—the **MTB-5** Multi-Tool and **TPT-1** Tubeless Tire Plug Tool—combined into one ultra-portable package, complete with frame-mountable holder.



BX-3 Rolling Big Blue Box*

Rollende Blaue Werkzeugbox

Caisse à Roulette Blue Box

Caja Portátil Herramienta Azul

A professional-grade toolbox designed to withstand the punishment of travel and constant use. Features folding dual-sided pallets with hundreds of custom-designed loops and pockets. Gas-assisted struts make for easy opening even when fully loaded. The impact-resistant outer shell features integrated wheels and an extendable handle for easy transport.

- Dimensions: 23.4" x 17.3" x 9.3" (595 mm x 440 mm x 235 mm)
- Weight: 21.6 lbs (9.8 kg)

See next page for list of kit contents

PK-5 Professional Tool Kit

Profi Werkzeugset

Kit d'Atelier Professionnel

Juegos de Herramientas Profesional

A professional set of nearly 90 specialty tools for everything from basic adjustments to full drivetrain replacement. A great way to outfit a pro bench or to set up a dream home workshop.



EK-3 Professional Travel & Event Kit

Event-Werkzeugkoffer

Kit d'outillage pour Courses

Kit de Herramientas Profesional para Viaje

A professional-grade tool set designed for the traveling mechanic. Neatly organized in our world-famous BX-2.2 Blue Box Tool Case, this kit features a carefully-chosen selection of 56 professional-level tools to do hundreds of repair and maintenance tasks.



BRK-1 Big Rolling Kit

Big Rolling Kit

Kit Big Rolling

Juegos de Herramientas Profesional

The ultimate mobile mechanic tool kit. This tailored selection of 100 professional-grade bike tools is a comprehensive offering of the tools you'll need to adjust, replace, diagnose, and repair most components on a bicycle.



Part #	Tool	AK 5	EK 3	PK 5	BRK 1	BMK 17	MK 17
647L/647R	T47 Taps						•
648L/648R	T47 Guides						•
690-XL	57.0 mm Facing Cutter						•
690-XXL	65.0 mm Facing Cutter						•
750.2	Centering Cone Adapter						•
751.2	30.1 mm (1") Reamer						•
768	43.8 mm Pilot						•
769	Reamer Extension						•
788	43.95 mm Reamer						•
790	55.9 mm Pilot						•
2602A	SRAM® Bleeding Edge™ (Mineral Oil) Adapter for BKM-1.2					•	
2197	Diamond Abrasive Adapter for DT-5.2						•
ASC-1	Anti-Seize Compound - 4 oz					•	•
ATD-1.2	Adjustable Torque Driver		•	•	•	•	•
AV-5	Axle and Spindle Vise Inserts					•	•
AWS-1	Three-Way Hex Wrench - 4/5/6 mm	•	•	•	•	•	•
AWS-3	Three-Way Hex Wrench - 2/2.5/3 mm					•	•
AWS-7	Hex/Torx®-Compatible Wrench					•	•
BBB-4	Big Blue Book of Bicycle Repair	•					
BBP-1.2	Bottom Bracket Bearing Press					•	•
BBP-AOS	Bottom Bracket Bearing Extractor					•	•
BBT-4	Bottom Bracket Tool - 6-Notch Campagnolo®					•	•
BBT-5/FR-11	Bottom Bracket/Cassette Lockring Tool - Campagnolo®					•	•
BBT-9	Bottom Bracket/Locking Tool - 16-Notch		•			•	•
BBT-10.2	Adjusting Cap Tool - Hollowtech II®			•	•	•	•
BBT-16	Self-Extracting Crank Cap Tool					•	•
BBT-18	Bottom Bracket/Locking Tool - 8-Notch				•	•	•
BBT-19.2	Bottom Bracket Tool - 16-Notch					•	•
BBT-22	Bottom Bracket Tool - 20-Spline			•	•	•	•
BBT-27.3	Bottom Bracket Tool - 16-Notch					•	•
BBT-30.4	Press Fit Bottom Bracket Bearing Tool Set					•	•
BBT-32	Bottom Bracket Tool - 20-Spline		•				
BBT-35-12	Bottom Bracket Tool - 12-Notch					•	•
BBT-35-36	Bottom Bracket Tool - 36-Notch					•	•
BBT-47-12	Bottom Bracket Tool - 12-Notch					•	•
BBT-47-16	Bottom Bracket Tool - 16-Notch					•	•
BBT-49.3	Bottom Bracket Tool - 16-Notch					•	•
BBT-59.3	Bottom Bracket Tool - 16-Notch					•	•
BBT-69.4	Bottom Bracket/Locking Tool - 16-Notch			•	•	•	•
BBT-79.3	Bottom Bracket Tool - 12-Notch					•	•
BBT-90.3	Press Fit Bottom Bracket Bearing Tool Set					•	•
BBT-RS	Bottom Bracket Tool Retaining System				•	•	•
BCB-5	Professional Bike Cleaning Brush Set					•	•
BKD-1.2	Hydraulic Brake Bleed Kit - DOT					•	•
BKM-1.2	Hydraulic Brake Bleed Kit - Mineral					•	•
BO-2	Bottle Opener		•	•	•		
BO-6	Bottle Opener					•	•
BSH-4	Bladed Spoke Holder					•	•
BT-2	Fourth Hand Brake Tool					•	•
BTS-1	Bottom Bracket Tapping & Facing Set						•
CBW-1	Open End Wrench - 8/10 mm			•		•	•
CBW-4	Open End Wrench - 9/11 mm			•		•	•
CC-2	Chain Checker					•	•
CC-4.2	Chain Wear Indicator	•	•	•	•	•	•
CCP-22	Crank Puller					•	•
CCP-44	Crank Puller					•	•
CF-2	Cutting Fluid - 8 oz					•	•
CL-1.2	Chain Lube - 4 oz					•	•
CM-5.3	Cyclone™ Chain Scrubber	•					
CM-25	Professional Chain Scrubber					•	•
CN-10	Cable and Housing Cutter	•	•	•	•	•	•
CNW-2	Chainring Nut Wrench	•	•	•	•	•	•
CP-1.2	Cassette Pliers		•	•		•	•
CRP-2	Adjustable Crown Race Puller					•	•
CRS-1	Crown Race Setting System					•	•
CRS-15.2	1.5" Crown Race Setting System					•	•
CSB-1	Carbon Cutting Saw Blade					•	•
CSH-1	Clamping Spoke Holder					•	•
CT-3.3	Chain Tool	•	•	•	•		
CT-15	Professional Chain Tool					•	•
CWP-7	Compact Crank Puller		•	•	•		
DAG-2.2	Deraillleur Hanger Alignment Gauge			•			
DAG-3	Deraillleur Hanger Alignment Gauge				•	•	•
DC-3	Digital Caliper					•	•
DCA-1	Digital Caliper Accessory					•	•
DCW-1	Cone Wrench - 13/14 mm	•	2				
DCW-2	Cone Wrench - 15/16 mm	•	2				
DCW-3	Cone Wrench - 17/18 mm	•	•				
DF-1	Dummy Fork					•	•
DH-1	Dummy Hub	•		•	•	•	•
DHD-2	2 mm Precision Hex Driver					•	•
DHD-25	2.5 mm Precision Hex Driver					•	•
DHD-3	3 mm Precision Hex Driver					•	•
DP-2	Threaded Dummy Pedal			•		•	•
DS-1	Digital Scale					•	•
DS-2.2	Tabletop Digital Scale					•	•
DSD-2	Deraillleur Screwdriver - Cross-Tip		•	•	•	•	•
DSD-4	Deraillleur Screwdriver - Flat Blade		•	•	•	•	•

Part #	Tool	AK 5	EK 3	PK 5	BRK 1	BMK 17	MK 17
DT-2	Rotor Truing Fork	•	•	•	•	•	•
DT-3	Rotor Truing Gauge					•	•
DT-3i.2	Dial Indicator for DT-3					•	•
DT-5.2	Disc Brake Mount Facing Set						•
DTD-8	T8 Precision Driver					•	•
DTD-10	T10 Precision Driver					•	•
DW-2	Deraillleur Clutch Wrench					•	•
EP-1	End Cap Crimping Pliers				•	•	•
EWS-1	Electronic Shift Tool - EW-SD50					•	•
EWS-2	Electronic Shift Tool - EW-SD300					•	•
FCT-1	Fork Cap Tool					•	•
FFG-2	Dropout Alignment Gauge Set					•	•
FR-1.3	Freewheel Remover - Shimano®, etc.				•	•	•
FR-2	Freewheel Remover - SunTour®					•	•
FR-3	Freewheel Remover - SunTour®					•	•
FR-4	Freewheel Remover - Atom®, etc.					•	•
FR-5.2	Cassette Lockring Tool	•				•	•
FR-5.2G	Cassette Lockring Tool with 5 mm Guide Pin					•	•
FR-5.2GT	Cassette Lockring Tool with 12 mm Guide Pin					•	•
FR-5.2H	Cassette Lockring Tool with Handle		•	•	•	•	•
FR-6	Freewheel Remover - BMX & Single-Speed					•	•
FR-7	Freewheel Remover - Falcon®					•	•
FR-8	Freewheel Remover - BMX					•	•
GG-1	Grease Gun					•	•
GSC-1	GearClean™ Brush	•	•	•	•	•	•
GSC-3	Drivetrain Cleaning Brush					•	•
GSC-4	Bicycle Cassette Cleaning Brush					•	•
HBH-3	Handlebar Holder					•	•
HBP-1	Hub Bearing Press Set					•	•
HBT-1	Hydraulic Barb Tool					•	•
HCW-4	Bottom Bracket Wrench - Cup-and-Cone					•	•
HCW-5	Bottom Bracket Wrench - Cup-and-Cone Lockring					•	•
HCW-7	30 mm/32 mm Headset Wrench					•	•
HCW-11	Bottom Bracket Wrench - Cup-and-Cone					•	•
HCW-15	36 mm/32 mm Headset Wrench		•			•	•
HCW-16.3	Chain Whip / Pedal Wrench	•					
HCW-17	Fixed-Gear Lockring Wrench					•	•
HCW-18	Bottom Bracket Wrench - One-Piece Crank					•	•
HHP-2	Bearing Cup Press					•	•
HMR-4	Shop Hammer - 21 oz.					•	•
HMR-8	Shop Hammer - 8 oz.		•	•	•	•	•
HPG-1	High Performance Grease - 4 oz.					•	•
HT-6	Hex Tool - 6 mm					•	•
HT-8	Hex Tool - 8 mm		•			•	•
HT-10	Hex Tool - 10 mm					•	•
HTR-1B	Head Tube Reaming and Facing Set					•	•
HXS-1.2	L-Shaped Hex Wrench Set	•	•	•	•	•	•
HXS-3	Stubby Hex Wrench Set					•	•
INF-2	Shop Inflator					•	•
IR-1.3	Internal Cable Routing Kit				•	•	•
JH-1	Benchtop Small Parts Holder					•	•
JH-2	Wall-Mounted Lubricant & Compound Organizer					•	•
JH-3	Wall-Mounted Socket, Bit & Torque Tool Organizer					•	•
JH-4	Wall-Mounted Bleed Kit Organizer					2	2
LP-7	Utility Pliers		•		•	•	•
LRT-1	Lockring Tool - Bosch® Gen 2					•	•
LRT-2	Lockring Tool - Shimano® STEPS®					•	•
LRT-3	Lockring Tool					•	•
LRT-4	Lockring Tool - Shimano® Direct Mount					•	•
LRT-5	Lockring Tool - Fazua® Ride60					•	•
MB-1	Magnetic Bowl					•	•
MG-3	Nitrile Mechanic's Gloves (all sizes)					•	•
MLP-1.2	Master Link Pliers	•	•	•	•	•	•
MW-SET.2	Metric Wrench Set - 6 to 17 mm					•	•
MW-8	Metric Wrench - 8 mm		•		•		
MW-9	Metric Wrench - 9 mm		•		•		
MW-10	Metric Wrench - 10 mm		•		•		
MW-15	Metric Wrench - 15 mm					•	•
MWF-3	Metric Flare Wrench					•	•
ND-1	Spoke Nipple Driver					•	•
NP-6	Needle Nose Pliers			•	•	•	•
OBW-4	Offset Brake Wrench					•	•
OM-1	Benchtop Overhaul Mat					•	•
OM-2	Benchtop Overhaul Mat					•	•
PAW-6	Adjustable Wrench - 6"			•	•	•	•
PAW-12	Adjustable Wrench - 12"	•	•			•	•
PH-1.2	P-Handled Hex Wrench Set			•	•		
PP-1.2	Hydraulic Brake Piston Press					•	•
PPL-2	PolyLube 1000 Grease - 16 oz. tub					•	•
PS-1	Disc Brake Pad Spreader					•	•
PTS-1	Tire Seating Tool					•	•
PW-4	Professional Pedal Wrench		•	•	•	•	•
PZT-2	Pizza Tool					•	•
QTH-1	Quick-Change Bit Driver Set					•	•
RP-SET.2	Ring Pliers Set					•	•
RR-12.2	Tape Measure	•	•	•	•	•	•

Part #	Tool	AK 5	EK 3	PK 5	BRK 1	BMK 17	MK 17
RT-1	Headset Cup Remover						
RT-2	Steering Race Remover						•
SA-3	Shop Apron						•
SAC-2	SuperGrip Carbon and Alloy Assembly Compound - 4 oz					•	•
SAW-1	Hacksaw					•	•
SBC-1	Spoke, Bearing and Cotter Gauge			•	•	•	
SBK-1	Suspension Bearing Kit					•	•
SBS-1.3	Socket and Bit Set - 18 pieces			•	•		
SBS-3.2	Socket and Bit Set - 37 pieces						•
SCW-SET.3	Shop Cone Wrench Set			•	•	•	•
SD-0	Screwdriver - #0 Phillips				•		
SD-2	Screwdriver - #2 Phillips	•					
SD-3	Screwdriver - 3 mm Flat Blade	•			•		
SD-SET	Four-Piece Screwdriver Set					•	•
SG-6	Threadless Saw Guide						•
SG-7.2	Oversized Adjustable Saw Guide						•
SG-8	Threadless Saw Guide for Carbon Composite Forks					•	•
SHX-1	Slide Hammer Extractor					•	•
SP-7	Side Cutter Pliers			•			
SPA-1	Cup-and-Cone Pin Spanner					•	•
SPA-2	One Key Release Pin Spanner				•		
SPA-6	Adjustable Pin Spanner					•	•
SR-12.2	Chain Whip - 5- to 13-Speed Compatible				•	•	
SR-18.2	Chain Whip - For 1/8" Cogs					•	•
ST-3	Three-Way Socket Wrench - 8/9/10 mm						•
STL-2	Rolling Adjustable Shop Stool					•	•
SW-0	Spoke Wrench - 3.23 mm	•	•	•	•	•	•
SW-1	Spoke Wrench - 3.30 mm						•
SW-2	Spoke Wrench - 3.45 mm	•	•	•	•	•	•
SW-3	Spoke Wrench - 3.96 mm					•	•
SW-5	Spoke Wrench - DT Swiss® Tricon						•
SW-6	Spoke Wrench - 3.7 mm				•	•	•
SW-9	Double-Ended Spoke Wrench					•	•
SW-11	Spoke Wrench - Campagnolo®						•
SW-12	Spoke Wrench - Mavic®					•	•
SW-13	Spoke Wrench - Mavic®					•	•
SW-14.5	Spoke Wrench - Shimano®						•
SW-15	3-Way Internal Nipple Wrench						•
SW-16	Internal Nipple Spoke Wrench - 3.2 mm Square Socket					•	•
SW-17	Internal Nipple Spoke Wrench - 5.0 mm Hex Socket					•	•
SW-18	Internal Nipple Spoke Wrench - 5.5 mm Hex Socket					•	•
SW-40	Four-Sided Spoke Wrench - 3.23 mm						•
SW-42	Four-Sided Spoke Wrench - 3.45 mm						•
SWB-15	3/8" Drive Breaker Bar					•	•
SWR-8	3/8" Drive Ratchet Handle			•	•	•	•
SZR-1	Shop Scissors		•	•	•	•	•
TAP-3	Pedal Tap Set - 1/2"						•
TAP-6	Pedal Tap Set - 9/16"						•
TAP-7	Frame Tap - M3 x 0.5						•
TAP-8	Frame Tap - M5 x 0.8						•
TAP-9	Frame Tap - M6 x 1.0						•
TAP-10	Frame Tap - M10 x 1.0						•
TH-1	Tap Handle - M1.6 to M8						•
TH-2	Tap Handle - M4 to M12						•
TH-3	Tap and Bit Driver						•
THH-1	Sliding T-Handle Hex Wrench Set				•		•
THT-1	Sliding T-Handle Torx®-Compatible Wrench Set				•	•	•
TK-4T	Bench Top Tool Kaddie					•	•
TL-1.2	Tire Lever Set	•		•			
TL-4.2	Tire Lever Set					•	•
TL-5	Heavy Duty Steel Tire Lever Set					•	•
TL-6.3	Steel Core Tire Lever Set			•	•	•	•
TM-1	Spoke Tension Meter						•
TNS-4	Deluxe Threadless Nut Setter						•
TS-4.2	Professional Wheel Truing Stand						•
TS-2Di	Dial Indicator Gauge Set						•
TSB-4.2	Truing Stand Base						•
TSI-1	Tubeless Sealant Injector						•
TW-5.2	Small Click-Type Torque Wrench				•	•	•
TW-6.2	Big Click-Type Torque Wrench				•	•	•
TWB-15	15 mm Pedal Wrench Crow Foot						•
TWB-36	36 mm Crow Foot						•
TWS-1	Torx®-Compatible Wrench Set			•	•	•	•
TWS-2	Fold-Up Torx®-Compatible Wrench Set						•
TWS-3	Torx® Compatible Three-Way Wrench - T10, T25, T30	•				•	•
UP-SET	Utility Pick Set			•	•	•	•
VC-1	Valve Core Tool	•	•	•			•
WAG-4	Wheel Alignment Gauge						•
WH-1	Wheel Holder						•
ZP-5	Flush Cut Pliers		•	•	•	•	•



MK-17 Master Kit
Master-Werkzeugkollektion
Kit d'Outils Master
Juego de Herramientas Master

The most comprehensive professional bicycle tool kit available anywhere, including virtually everything you need to start a full-service bike shop or repair business from scratch. This complete set of almost 350 professional-level hand tools, measurement devices, fixtures, cutters, lubricants, and accessories includes most of our professional-level product line, and is updated regularly to include the latest and most relevant tools. The MK-17 equips you to service just about any component on any bike that may roll your way, from basic adjustments to in-depth frame machining. Brought to you by Park Tool, the only company capable of offering a kit this thorough.

BMK-17 Base Master Kit
Master-Werkzeugkollektion
Kit d'Outils Master
Juego de Herramientas Master

A slightly pared-down version of the Master Tool Kit, including over 300 professional-level tools but omitting frame and fork machining equipment.

*** Excluded from BMK-17:**

- | | | | | |
|-----------|---------|-------|---------|----------|
| • 690-XL | • 750.2 | • 768 | • 790 | • DT-5.2 |
| • 690-XXL | • 751.2 | • 769 | • BTS-1 | • HTR-1B |



TS-2.3 Professional Wheel Truing Stand

*Profi-Zentrierständer
Centreur de Roue Professionnel
Nivelador de Rines Profesional*

The standard of the bike industry for over 50 years, the TS-2.3 is a durable, capable truing stand designed and built for daily use. Easy to adjust and operate, and compatible with most bike wheels. Made from heavy-gauge steel in St. Paul, MN and 100% rebuildable.

- Maximum wheel size: Up to 29"+ with or without tire
- Maximum hub width: 7.87" (200 mm)
- Maximum rim width: 4" (102 mm)
- Hub compatibility: Accommodates thru axle, quick release and solid axle hubs (thru axles require use of included adaptors)

A: TSB-2.2 Truing Stand Tilting Base
*Schwenksockel für Profi-Zentrierständer
Base Pour Centreur de Roue
Base para Nivelador*

A sturdy adjustable base for Park Tool Professional Wheel Truing Stands, with trays and compartments for tools and accessories. Compatible with TS-2, TS-2.2, TS-2.2P, and TS-2.3 stands.

TS-4.3 Professional Wheel Truing Stand

*Profi-Zentrierständer
Centreur de Roue Professionnel
Nivelador de Rines Profesional*

We took our classic truing stand design and made it bigger in every way, with additional features for the most versatile truing stand we've made so far. Compatible with virtually any bicycle wheel and tire combination.

- Maximum wheel size: Up to 29"+ with or without tire
- Hub width: 2.95–9.8" (75–250 mm)
- Maximum rim width: 5" (127 mm)
- Maximum tire width: 6" (152 mm)
- Hub compatibility: Accommodates thru axle, quick release and solid axle hubs

B: TSB-4.2 Truing Stand Tilting Base
*Schwenksockel für Profi-Zentrierständer
Base Pour Centreur de Roue
Base para Nivelador*

A sturdy adjustable base for the Park Tool TS-4.3 Professional Wheel Truing Stand, complete with trays and compartments for tools and accessories.



How Wheel Truing Works

*So funktioniert das Zentrieren von Laufrädern
Comment fonctionne le centrage des roues
Cómo funciona el centrado de ruedas*



TS-TA Thru Axle Adaptors

Hohlachs-Adapter

Adaptateurs Axes Creux

Adaptadores para Mazas con Ejes Sobredimensionados

This simple adaptor installs onto any 12 mm, 15 mm, or 20 mm thru axle hub so the wheel can be used in any Park Tool truing stand.



DT-3 Rotor Truing Gauge

Bremsscheiben-Lehre

Comparateur de Voile Pour Disque

Guía de Nivelación del Roto

Installs onto any Park Tool Professional Wheel Truing Stand and accurately gauges the straightness of any disc brake rotor of any diameter.



TS-2EXT.3 Truing Stand Extensions / Adaptors

Adapter für TS-2

Extensions pour Centreur de Roue TS-2

Extensión Vertical para Nivelador TS-2

Expands the capacity of any Park Tool TS-2, TS-2.2, and TS-2.3 Truing Stand to hold hubs up to 200 mm and tires up to 29"+. Features integrated thru axle adaptors and specially-sized slots for flat-sided axles found on some rear drive e-bike wheels.



TS-2TA.3 Thru Axle Adaptors

Hohlachs-Adapter

Adaptateurs Axes Creux

Adaptadores para Mazas con Ejes Sobredimensionados

Mounts quickly and easily to the uprights of Park Tool TS-2, TS-2.2, and TS-2.3 Truing Stands for full compatibility with thru axle hubs.



TS-4EB Hub-Drive Axle Adapter for TS-4, TS-4.2 & TS-4.3

Nabenantriebs-Achsadapter für TS-4.3

Adaptateur pour axe de moteur-moyeu pour le TS-4.3

Adaptador TS-4.3 para eje de buje motor

The TS-4EB installs into the Park Tool TS-4, TS-4.2, or TS-4.3 in seconds and features specially-sized slots to secure the flat-sided axles found on many hub drive e-bike wheels.



TS-2Di Dial Indicator Gauge Set

Messuhren-Set

Cadran d'Indications

Juego de Indicadores

Mounts directly to most Park Tool Professional Truing Stands and provides precise measurement of lateral and radial runout, measuring deviations as small as 0.01 mm.



DT-3i.2 Dial Indicator Kit for DT-3

Anzeige-Set für DT-3

Cadran Indicateur pour DT-3

Indicador Óptico para DT-3

Bolts directly to the DT-3, allowing for precise measurement of rotor deviations as small as 0.01 mm. Accommodates most disc brake rotor shapes.



A - F

SW-0 / SW-1 / SW-2 SW-3 / SW-5 / SW-6

Spoke Wrenches

Speichenschlüssel

Clé à Rayons

Llave para Niples

A: SW-0: (Black): 3.23 mm

B: SW-1: (Green): 3.30 mm

C: SW-2: (Red): 3.45 mm

D: SW-3: (Blue): 3.96 mm

E: SW-5: (Grey): DT Swiss® Tricon nipples

F: SW-6: (Orange): 3.70 mm

G / H

SW-40 / SW-42

Four-Sided Spoke Wrenches

Vierseitiger Speichenschlüssel

Clé à Rayons Quadruple

Llave para Niples de Rayos de Cuatro Lado

G: SW-40: (Black): 3.23 mm

H: SW-42: (Red): 3.45 mm

I - M

SW-9 / SW-11 / SW-12 SW-13 / SW-14.5

Double-Ended Spoke Wrenches

Doppel-Speichenschlüssel

Clé à Rayons Doubles

Llave de Dos Lados

I: SW-9: 3.23 mm & 3.45 mm

J: SW-11: 5.5 mm & 6.0 mm

K: SW-12: 7-spline/6.4 mm OD & 6-spline/9.6 mm OD

L: SW-13: 6-spline/5.5 mm OD & 6-spline/9.6 mm OD

M: SW-14.5: 4.4 mm and 3.75 mm

N

SW-7.2

Triple Spoke Wrench

Kombi-Speichenschlüssel

Clé à Rayons Triple

Llave para Niple

3.23 mm / 3.30 mm / 3.45 mm

O

SW-15

Three-Way Internal Nipple Wrench

Y-Schlüssel für Interne Speichennippel

Clé à Rayons Triple

Llave para Niple de 3 Lados

P - R

SW-16 / SW-17 / SW-18 / SW-19

Internal Nipple Spoke Wrenches

Speichenschlüssel für Innenliegende

Speichennippel

Clé à Rayon pour Jantes Profilée

Llave "Y" para Niples Internos

P: SW-16: 3.2 mm square

Q: SW-17: 5.0 mm hex

R: SW-18: 5.5 mm hex



A - D, F



E



P - Q



Spoke Wrench Selection Guide

Anleitung zur Auswahl von Nippelspannern

Guide de sélection de clés à Rayons

Guía de selección de llaves para radios



WAG-4 Wheel Alignment Gauge

Zentrierlehre

Comparteur d'Alignement de Roues

Calibrador para Alineación de Rines

Precisely measures the dishing of a wheel in order to determine if adjustment is necessary. Compatible with rims that fit 16" to 29" tires (ETRTO/ISO sizing of 305–630) and any hub width. Sliding spacer blocks allow for accurate measurement even when the tire is still mounted on the wheel.



WAG-5 Portable Wheel Dishing Gauge

Zentrierlehre

Comparteur d'Alignement de Roues

Escatillon Portátil para Alinear Rines

A portable dishing gauge that disassembles quickly for storage or travel. Compatible with rims that fit 24 x 1 3/8" to 29" tires (ETRTO/ISO sizing of 547–630).



BSH-4 Bladed Spoke Holder

Messerspeichen-Halterung

Clé pour Rayons Profilés

Llave para Sostener Rayos Planos

Securely holds bladed spokes in place to prevent twisting during wheel truing. Features four different sized slots to fit a wide variety of bladed spokes.



CSH-1 Clamping Spoke Holder

Speichengegenhalter

Pince de Maintien de Rayons

Pinza Sujetadora de Rayos

Securely holds round and bladed spokes in place during tension adjustment to prevent wind-up and twisting. Versatile head grips in two positions for optimal leverage and hand positioning.



SBC-1 Spoke, Bearing, & Cotter Gauge

Messlehre

Outil pour Mesurer les Billes, les Rayons et les Clavettes

Regla para Rayos Baleros y Alfileres

A shop staple for over 50 years. Measures spokes, ball bearings, and crank cotter pins, with metric and SAE length markings for general-purpose measuring.



TM-1 Spoke Tension Meter

Tensionmeter

Tension Metre

Tensiómetro de Rayos

Accurately and reliably measures relative or absolute tension of nearly any bicycle spoke regardless of material, diameter, or shape. An essential tool for anyone building or truing wheels, diagnosing wheel problems, or assembling new bikes.



ND-1 Nipple Driver

Nippelspanner

Clé pour Tête de Rayon

Desarmador para Niple para Rin de Perfil Alto

Designed to drive conventional slotted nipples onto spokes quickly and easily during wheel building. Compatible with rims up to 50 mm (1.97") deep.



WH-1 Wheel Holder

Laufadhalterung

Support de Roue

Soporte de Rueda

Clamps or bolts to any flat surface and holds wheels securely in place in three convenient positions to aid in any wheel, tire or hub work. Compatible with all axle styles.



PMP-3.2 Micro Pump

*Micropumpe
Micro Pompe
Micro Bomba*

- Maximum pressure: 100 psi (7 bar)
- Weight: 105 grams (3.7 oz)
- Length: 200 mm (7.875")

PMP-3.2 (Black)
PMP-3.2B (Blue)




PMP-4.2 Mini Pump

*Minipumpe
Mini Pompe
Mini Bomba*

- Maximum pressure: 90 psi (6 bar)
- Weight: 130 grams (4.6 oz)
- Length: 265 mm (10.5")

PMP-4.2 (Black)
PMP-4.2B (Blue)



PFP-10 Home Mechanic Floor Pump

*Einsteiger-Standpumpe
Pompe a Pied Amateur
Bomba de Piso para Mecánicos de Casa*

Features a large easy-to-read gauge, long hose and locking head that's compatible with Presta and Schrader valves.



TL-1.2 Tire Lever Set

*Reifenheber-Set
Jeu de Démonte-Pneus
Llave para Desmontar Neumatico*

Proven design with a narrow, thick tip for easy entry into just about any bicycle tire, including tubeless systems. Set of three.



TL-4.2 Tire Lever Set

*Reifenheber-Set
Jeu de Démonte-Pneus
Llave para Desmontar Neumatico*

Wide flat tip for easy engagement and fast removal of any bicycle tire including tubeless systems. Set of two.



TL-6.3 Steel Core Tire Levers

*Stahlkern-Reifenheber
Démonte-Pneus Corps Acier
Llaves de Acero para
Desmontar Neumatico*

Provides the strength and leverage needed for stubborn tire beads, with a composite coating for smooth non-marring operation. Set of two.



TL-5 Heavy Duty Steel Tire Lever Set

*Metallreifenheber-Set
Jeu de Demonte-Pneus Master
Juego de Llaves de Acero para
Desmontar Neumáticos "Heavy Duty"*

Designed for the toughest tire and rim combinations. 8" (203 mm) of forged steel for superior leverage. Set of two.



INF-2 Shop Inflator

*Füllpistole
Tête de Compresseur Professionnelle
Inflador con Manometro*

Pump up any bicycle tire in seconds. Features a durable Presta- and Schrader-compatible rotating head, ergonomic lightweight body, integrated hook, and easy-to-read built-in pressure gauge (0-160 psi/0-11 bar). Built for everyday shop use and 100% rebuildable.

GP-2 Pre-Glued Super Patch Kit
Selbstklebende Flicken
Kit de Super Rustines
Parches Autoadheribles con Lija

Set of six strong self-adhesive patches designed in collaboration with 3M® to easily repair punctured tubes in no time flat. Available individually carded (GP-2C) or in a handy 36 kit countertop display (GP-2—see page 46).



VP-1 Vulcanizing Patch Kit
Vulkanisierende Reifenflicken
Kit de Rustines a Vulcanisation
Parche Vulcanizado

These butyl rubber patches create a molecular bond with the inner tube, resulting in a durable permanent repair for any puncture. Includes five patches, one square of sandpaper, and a tube of vulcanizing fluid in a handy box. Available individually carded (GP-2C) or in a handy 36 kit countertop display (GP-2—see page 46).



TB-2 Emergency Tire Boot
Reifenwandflicken
Kit de Réparation pour Pneu
Parche de Emergencia

A temporary ride saver for patching most small to medium-sized tears and cuts that typically occur on bicycle tire casings. Pack of three.



TR-1 Tire & Tube Repair Kit
Reifenheber und Selbstklebende Flicken
Kit de Réparation pour Pneu et
Chambre à Air
Kit de Reparacion para Camaras
con Parches Y Llaves

Our popular GP-2 Super Patch Kit and TL-1.2 Tire Levers packaged together as a kit.



TSI-1 Tubeless Sealant Injector
Tubeless Dichtmittelinjektor
Injecteur pour Préventif Tubeless
Injector de sellador sin cámara

Injects or withdraws the perfect amount of sealant through Presta or Schrader valves without removing the bead from the rim for tidy installation and removal. 100 cc (3.5 fl. oz.) capacity.



VC-1 Valve Core Tool

Messlehre
Outil pour Mesurer les Billes, les
Rayons et les Clavettes
Regla para Rayos Baleros y Alfileres

Removes and installs Schrader and Presta valve cores as well as Presta valve extenders with 5mm wrench flats. Note: Not all Presta valve cores are removable.



TPT-1 Tubeless Tire Plug Tool

Tubeless-Reparatur-Kit
Outil pour Mèches de Pneu Tubeless
Herramienta para Taponos de
Neumáticos sin Cámara

All-in-one tool for repair of small punctures and cuts in tubeless bicycle tires without removing the tire, getting you back on the trail in no time. Plug Refill Kits available (part #2370K).



PTS-1 Tire Seater

Reifenabnehmer
Centreur de Pneus
Pinza para Acomodar la Llanta al Rin

Provides extra grip to easily seat stubborn tire beads. Adjustable to fit most tire widths.



BMT-1 Tire Bead Mover Tool

Reifenmontage-Werkzeug
Décolle-Talon de Pneu
Destalonador

Save your thumbs and retain your sanity — the BMT-1 makes quick work of any stubborn tire bead, particularly tight-fitting tubeless systems. With its long, strong locking handle and non-marring tips, the BMT-1 requires minimal effort to break virtually any bead away from the seat





SCW-SET.3 Shop Cone Wrench Set

Werkstatt-Konusschlüssel
Set de Clés à Cônes Professionnelles
Llaves para Conos de Maza

The standard of the bike industry, and essential for hub bearing adjustment. Available individually or as a complete set of 14 wrenches, covering any hub with wrench flats. Individual sizes available separately.

SCW-13: 13 mm	SCW-20: 20 mm
SCW-14: 14 mm	SCW-22: 21 mm
SCW-15: 15 mm	SCW-22: 22 mm
SCW-16: 16 mm	SCW-23: 23 mm
SCW-17: 17 mm	SCW-24: 24 mm
SCW-18: 18 mm	SCW-26: 26 mm
SCW-19: 19 mm	SCW-28: 28 mm



HBP-1 Hub Bearing Press Set

Einpress-Set für Nabenlager
Kit Pour Roulements de Moyeu
Prensa para Baleros Sellados de Maza

A complete installation kit to quickly and accurately press more than 20 different cartridge bearing sizes into most hubs. Includes press handle, pilots, spacers and bushings in a sturdy case.



DCW Double-Ended Cone Wrenches

Doppel-Konusschlüssel
Clés à Cônes Amateur
Llaves Dobles para Conos de Maza

Simple high-quality wrenches designed for the home mechanic or occasional user. Available in four popular size combinations from 13 mm to 18 mm.

- DCW-1:** 13 mm & 14 mm
- DCW-2:** 15 mm & 16 mm
- DCW-3:** 17 mm & 18 mm
- DCW-4:** 13 mm & 15 mm



AV-1 Axle Vise

Achshalter
Mors Doux d'Axe de Moyeu
Sujetador para Eje de Maza

Securely holds axles in place while doing hub work. Features 9 mm and 10 mm openings to fit front and rear quick-release axles.



AV-5 Axle & Spindle Vise Inserts

Achshalter Universal-Set
Mors Doux Pour Axes de Pédales et Moyeux
Sujetador para Ejes

Holds a wide variety of hubs, housing, and other round components securely in place. Precision aluminum construction with built-in magnets to attach to vise jaws.



A



B

BKD-1.2 / BKM-1.2

Hydraulic Brake Bleed Kits

Scheibenbremse-Entlüftungs-Kit
Kit de purge de frein hydraulique
Kit de sangrado de frenos hidráulicos

Everything needed to bleed most hydraulic brake systems in one convenient kit. Each kit includes syringes, hoses, bleed blocks, a unique syringe holder, and unique fittings for compatibility with most brands.

A: BKD-1.2: DOT fluid-based hydraulic brakes including SRAM®, Formula®, Hayes®, and Hope®

B: BKM-1.2: Mineral fluid-based hydraulic brakes including Shimano®, Magura®, TRP®, Tektro®, Trick Stuff®, SRAM® DB8, Campagnolo®, Promax®, and Clarks®

C: BK-UK: Hydraulic Brake Bleed Upgrade Kit
Additional fittings and accessories for compatibility with the latest brake models from popular manufacturers.

D: 2602A: Designed for bleeding SRAM® Maven® and any other SRAM® mineral oil brakes that use the Bleeding Edge™ bleed port.

E: 2605: Designed for bleeding brakes that use Luer fittings, including Magura® Gustav.



HBT-1 Hydraulic Barb Tool

Werkzeug für Hydraulikleitungen
Outil pour Durites et Inserts Hydrauliques
Herramienta de púa hidráulica

This two-in-one hydraulic brake tool quickly and accurately cuts hydraulic brake hose and precisely installs hose barbs.



DTD-8 / DTD-10

T8 & T10 Precision Torx®-Compatible Drivers
Präzisions-Torx®-Schraubendreher
Tournevis de précision compatible Torx®
Destornillador Torx®

Precision Torx®-compatible drivers designed for a perfect fit on hydraulic brake fittings.

DTD-8: T8

DTD-10: T10



MWF-3 Metric Flare Wrench

Metrischer Bremsleitungsschlüssel
Clé à Œil Ouverte
Llave para Purgado Milimétrica

A five-sided flare wrench designed for compression nuts, nipples and other fittings found on hydraulic brake systems. Features 7 mm and 8 mm wrench openings.



PS-1 Disc Brake Pad Spreader

Scheibenbrems-Belagspreizer
Épandeur de plaquettes de frein à disque
Separador de pastillas de freno

A dummy disc rotor on a handle, with a tapered edge to safely and easily drive apart and reset hydraulic disc brake pads.



DT-2.2 Rotor Truing Fork

Bremsscheiben-Richtwerkzeug
Dévoileur de Disque
Alineador de discos

Specially designed and precisely manufactured to adjust bent or damaged bicycle disc brake rotors. Features two slots laser-cut from high quality steel.



PP-1.2 Hydraulic Brake Piston Press

Bremskolben-Spreizer
Presse à piston pour freins à disque hydrauliques
Prensa para pistones de frenos hidráulicos

A purpose-built tool for spreading brake pads and compressing caliper pistons during hydraulic brake service.



DT-5.2 Disc Brake Mount Facing Set

Fräswerkzeug für Scheibenbremsaufnahmen
Kit de surfacage pour freins à disque
Refrentadores para frenos de disco

Engineered and built to accurately face front or rear disc brake mounts to be precisely aligned to the rotor.

- Faces any IS mount, post mount or flat mount including low clearance chainstay mounts
- Works with any configuration of open or thru axle dropouts and dropout widths (including Boost 110, Boost 148 and all fat bike) axles by using telescoping axle adaptors
- Includes two different cutters: one for IS mounts and one for post and flat mounts



2197 Diamond Abrasive Adapter

Diamant-Schleifmittel-Adapter
Adaptateur Abrasif Diamant
Adaptador Abrasivo de Diamante

Diamond grit surface faces carbon fiber disc brake mounts over 100 times more effectively than a traditional cutting blade. Used in conjunction with the Park Tool DT-5 / DT-5.2.



CBW-1 / CBW-4 Metric Wrenches

Gabelschlüssel metrisch

Clé métrique

Llave métrica

Small, handy double-ended wrenches for use on brakes, derailleurs, etc.

A: CBW-1: 8 mm & 10 mm

B: CBW-4: 9 mm & 11 mm



IR-1.3 Internal Cable Routing Kit

Montage-Set für interne Kabelführung

Kit de Guidage de Câblerie Interne

Juego de Imanes para Cableado

A simple-yet-comprehensive set of guide cables and magnets, with five unique fittings to route housing, cables, hose, and electronic shift wires. Compatible with carbon fiber, titanium, and aluminum frames. Contained in a handy case.



DHD Precision Drivers

Schaltwerk-Schraubendreher

Tournevis pour dérailleur

Destornillador para cambio

Precision component drivers machined to exact standards to ensure a perfect fit. Featuring an ergonomic CNC-machined hard-anodized 6061 aluminum handle.

A: DHD-2: 2 mm hex

B: DHD-2.5: 2.5 mm hex

C: DHD-3: 3 mm hex



CN-10 Professional Cable & Housing Cutter

Profi-Seilzug- und Zughüllenschneider

Pince coupe câble et gaine professionnelle

Cortacables profesional

A shop-quality cutting pliers designed specifically for use on bicycle cable and housing, including compressionless shift housing.



DAG-2.2

Derailler Hanger Alignment Gauge

Mess- und Richtwerkzeug Schaltaupe

Outils de Vérification d'Alignement de Patte

de Dérailleur

Calibrador para Patas Traseras de Cambio

An indispensable shop tool for measuring and straightening misaligned derailer hangers, a common cause of shifting problems. Compatible with most bicycle wheels.



OBW-3 Offset Brake Wrench

Offset-Bremsenschlüssel

Clé de centrage de freins

Llave para alinear frenos

Features an offset 14 mm open-end wrench and a unique tension spring holder tool to help with caliper centering.



OBW-4 Offset Brake Wrench

Offset-Bremsenschlüssel

Clé de centrage de freins

Llave para alinear frenos

Features offset 10, 11, 12 and 13 mm openings for adjustment of many side-pull and dual-pivot brakes.



BT-2 Cable Stretcher

Bowdenzugspannzange

Pince Tire-Cables

Pinza para Ajustar Cable de Freno

Singlehandedly grips and pulls taut any derailer or brake cable during installation, allowing you to set the perfect amount of tension. Ratcheting thumb lock securely holds the cable in place.



DAG-3

Derailler Hanger Alignment Gauge

Deluxe Ausrichtungslehre für Schaltaupe

Outil de Vérification de Pate de Dérailleur Deluxe

Medidor de Alineación de la Patilla de

Desviador de Lujo

A light, accurate and versatile tool to measure and adjust derailer hanger alignment. Features a sliding indicator that rotates out of the way to clear seat stays, racks, and other obstacles. The long, precision-extruded aluminum body provides ample leverage for making adjustments.



EP-1 End-Cap Crimping Pliers

Endkappen-Quetschzange

Pince à sertir

Prensa de terminales

Purpose-built to securely crimp end caps on bicycle brake, derailer, and dropper post cables. Ideal for tight spaces.



EWS-1 Electronic Shift Tool

Werkzeug für Elektronische Fahrradschaltungen

Outils dérailleur électronique de cycles

Herramienta para Cambios Electrónicos

de Bicicleta

Combines three tools for removal and installation of wires and button battery covers, in our classic ergonomic three-way shape.

A: EWS-1: Shimano® Di2® E-Tube® EW-SD50

B: EWS-1: Shimano® Di2® E-Tube® EW-SD300

**PW-3 Pedal Wrench**

*Pedalschlüssel
Clé à Pédales
Llave para Pedal*

Features precision-cut 15 mm and 9/16" openings for compatibility with virtually all pedals with wrench flats.

**PW-4 Professional Pedal Wrench**

*Werkstatt-Pedalschlüsse
Clé à Pédale Professionnelle
Llave Profesional para Pedal*

A versatile pedal wrench designed for daily shop use, with angled wrench openings and an oversized handle for maximum leverage.

**PW-5 Home Mechanic Pedal Wrench**

*Pedalschlüssel
Clé à Pédales Amateur
Llave Casera para Pedal*

Designed for the do-it-yourself mechanic, the PW-5 is perfect for the home or traveling workshop.

**TWB-15 15 mm Pedal Wrench Crow Foot**

*15 mm Krähenfuß-Pedalschlüssel
Embout de Clé pour Pédales
Llave de Pedal para Torquimetro*

Ensure pedals are tightened to exact torque specifications with this 3/8" drive-compatible 15 mm wrench.

**DP-2 Threaded Dummy Pedal**

*Dummy Pedal mit Rechtsgewinde
Pédale Factice à Visser
Adaptador para Pedal con Rosca*

A quick and easy way to make any adjustment during assembly or repair without installing a pedal. Threaded for positive drive side engagement.

**TAP-3 / TAP-6 Pedal Taps**

*Pedalgewindebohrer
Tarauds pour Pédales
Machuelos para Pedal*

Clean out or restore damaged pedal threads in most bicycle crank arms. Includes both right and left-hand threaded taps.

- A: TAP-3:** Set of 2, 1/2" x 20 TPI (one-piece cranks)
- B: TAP-6:** Set of 2, 9/16" x 20 TPI (most modern cranks)



Crank & Bottom Bracket

Crank Pullers

Kurbelabzieher

Extracteur de manivelle

Extractor de bielas

A bike shop staple for over 40 years—used to remove crank arms from three-piece crank systems. A long, comfortable handle and fine thread provide the leverage needed to remove even the tightest cranks. Features a rotating tip for smooth operation and long life.



CCP-22

Systems that use an M8 crank bolt, incl. square taper, SRAM® Power-Spline®, FSA® Power Drive, and BNI cranks on Bosch® e-bike systems.



CCP-44

Systems that use an M12 or M15 crank bolt, incl. Shimano® Octalink®, ISIS Drive, and ISIS Overdrive



CWP-7 Compact Crank Pullers

Kompakter Universal-Kurbelabzieher

Extracteur de manivelle universel compact

Extractor de bielas universal

Includes two rotating tips (11.3 mm and 16.3 mm) and built in wrench flats allowing the tool to remove cranks using a square taper, Octalink®, ISIS® Drive, Power Drive® or Power Spline® bottom bracket interface.



CNW-2 Chainring Nut Wrench

Kettenblatt-Schlüssel

Clé pour visserie de plateaux

Llave para tuercas de platos

Securely holds slotted chainring nuts in place to prevent slipping when tightening or loosening the bolt. Double-ended to fit most slotted-type nuts.



CCW-5 Crank Bolt Wrench

Kurbelschraubenschlüssel

Clé pour vis d'axe de pédalier

Llave para tornillos de bielas

14 mm socket and 8 mm hex wrench on a long, comfortable handle for removal and installation of most crank bolts on three-piece crank systems.



A



B



C



D



E



F

LRT-1 / LRT-2 / LRT-3 / LRT-4 / LRT-5

Lockring Tools

Verschlussring-Werkzeug

Outil pour bague de blocage

Llave de cierres

A: LRT-1: Fits chainring lockrings on Bosch® Gen 2 e-bike motors. 3/8" drive fitting

B: LRT-2: Fits chainring lockrings on Shimano® STEPS® e-bike motors. 36 mm hex fitting—see TWB-36

C: LRT-3: Fits direct-mount chainring lockrings on some Specialized®, Cannondale® and FSA® modular cranks. 36 mm hex fitting—see TWB-36

D: LRT-4: Fits direct-mount chainring lockrings on many Shimano® systems including XTR® 9120, XT® 8120 and MT900. CNC-machined aluminum to prevent marring components. 36 mm hex fitting—see TWB-36.

E: LRT-5: Fits direct-mount chainring lockrings on Fazua® Ride 60 e-bike motors. 36 mm hex fitting—see TWB-36.

F: TWB-36: Features a 3/8" drive, allowing use of select Park Tool locking tools with torque wrenches and ratchet handles.



BBP-1.2

Bottom Bracket Bearing Press Set

Innenlager-Einpress-Set

Kit pour roulements de boîtier de pédalier

Prensa para rodamientos de pedalier

Quickly and accurately install bottom bracket bearings into press fit-type bottom bracket shells.



SPA-1 Pin Spanner

Stiftschlüssel

Clé à Ergots

Llave de Pins

Purpose-built to fit pin holes on adjusting cups found on cup-and-cone bottom brackets.



SPA-2 Pin Spanner

Stiftschlüssel

Clé à Ergots

Llave de Pins

Purpose-built to fit pin holes on adjusting cups found on retaining rings found on self-extracting (or one-key release) cranksets, including models from Shimano®, Campagnolo®, SRAM®, and FSA®.



CBP-6

Campagnolo® Crank and Bearing Tool Set

Kurbel- und Lager-Montageset für Campagnolo®

Kit Pour Manivelles et Roulements Campagnolo®

Herramienta Para Instalar y Desinstalar Baleros Campagnolo®

A complete tool set for removal and installation of Campagnolo® and Fulcrum® Ultra-Torque™ and Power Torque™ crank and bottom bracket systems.



SPA-6 Adjustable Pin Spanner

Verstellbarer Stiftschlüssel

Clé à Ergot Réglable

Llave de Pins Ajustable

Designed for heavy-duty use with adjustable distance between pins for compatibility with virtually all retaining rings.

Replacement Pins: 1501



BBP-AOS

Bottom Bracket Bearing Extractor Add-On Set

Zusatz-Kit für Innenlager-Abzieher

Kit complémentaire pour extracteur de boîtier de pédalier

Extractores de rodamientos de pedalier adicionales

Add-on kit for the BBP-1.2—utilizes an expanding collet and extractor cup system to safely remove press fit bottom bracket bearings, cups and adapters without requiring impact. Includes eight extractor cups and five collets for most bottom bracket configurations.



HCW Crank & Bottom Bracket Wrenches

Kurbel-/Innenlagerschlüssel

Clé pour manivelles et boîtiers de pédalier

Llave para bielas y ejes de pedalier

A: HCW-4: 36mm box-end and bottom bracket pin spanner

B: HCW-5: Double-sided bottom bracket locking hook spanner

C: HCW-11: Fits slotted bottom bracket adjusting cups/ cups with raised 16 mm wrench flats

D: HCW-18: Fits slotted adjusting cones & three-notched fixed-cones on some one-piece cranks



BBT-9 Bottom Bracket Tool

Innenlagerschlüssel

Clé pour boîtier de pédalier

Llave para ejes de pedalier

An economical handle-driven tool for removal and installation of many 16-notch bottom brackets and disc brake rotor lockrings, as well as Hollowtech II® crank arm caps.



HCW-17 Fixed-Gear Lockring Tool

Fixed-Gear-Abziehschlüssel

Démonte pignon fixe

Llave para piñón fijo

Two hooks with different radii to fit a range of externally-notched lockrings, often found on singlespeed systems, cup-and-cone bottom brackets, and mid-drive e-bike motors.



BBT-29 Bottom Bracket Tool

Innenlagerschlüssel

Clé pour boîtier de pédalier

Llave para ejes de pedalier

Two different 16-notch bottom bracket tools at either end of a strong plated-steel handle. Tool fittings are equivalent to BBT-27.3 and BBT-47.3 (see page 36).



BBT-4 Bottom Bracket Tool

Innenlagerschlüssel

Clé pour boîtier de pédalier

Llave para ejes de pedalier

Fits 6-notch cups used on many Campagnolo® cartridge bottom brackets.



BBT-5 / FR-11 Bottom Bracket / Cassette Tool for Campagnolo®

Innenlager-/Kassetten-Verschlussring-Werkzeug—Campagnolo®

Boîtier de pédalier et outil de fixation de cassette—Campagnolo®

Llave para ejes de pedalier y cassette—Campagnolo®

Fits Campagnolo® cassette lockrings (incl. 11 speed), and splined 12-tooth Campagnolo® bottom bracket cups.



BBT-10.2 Adjusting Cap Tool

Spezialwerkzeug für Kurbeleinstellringe

Outil pour extraire les vis de réglages

Llave de cierre

Removes and installs the adjusting cap on Shimano® Hollowtech II® cranks. Features 8 mm hex fitting for removing seized caps.



BBT-30.4 Bottom Bracket Bearing Tool Set

Montageset für BB30 Lagerschalen

Clé pour Boîtier de Pédalier

Kit de herramientas para cojinetes de pedalier sellados

Remove and install bearings and bearing cups from most press fit bottom brackets that use a 30 mm spindle, including BB30 and PF30 systems. Includes removal tool to drive out bearings, and bushings for bearing installation (cup press such as HHP-2 or HHP-3 required for installation).



BBT-16 Self-Extracting Cap Tool

Spezialschlüssel für selbstabziehende Kurbelabdeckungen

Outil pour capot de manivelle auto-extractible

Llave para la tapa auto-extractora de bielas

Removes and installs the self-extracting/one-key release caps on SRAM® and RaceFace® cranks with a 16 mm hex hole. Features 8 mm hex fitting for removing seized caps.



BBT-18 Bottom Bracket Tool

Innenlagerschlüssel

Clé pour boîtier de pédalier

Llave para ejes de pedalier

Fits Shimano®, SRAM®, and ISIS Drive eight-notch bottom bracket cups. Also fits Bosch® Gen 3 & Gen 4 chainring lockrings. Features 36 mm wrench flats.



BBT-19.2 Bottom Bracket Tool

Innenlagerschlüssel

Clé pour boîtier de pédalier

Llave para ejes de pedalier

Fits 16-notch 44 mm diameter bottom bracket cups. Features 3/8" drive and 1" wrench flats. Made from high precision, hardened Cro-Moly steel.



BBT-90.3

Press Fit Bottom Bracket Bearing Tool Set

Montage-Set für Press Fit Lagerschalen

Extracteur de Roulements de Boîtier Interne

Extractor para Baleros Sellados para Caja de Centro

Remove and install bearings and bearing cups from most press fit bottom brackets that use a 22 or 24 mm spindle, including BB90 and BB92 systems. Includes removal tool to drive out bearings, and bushings for bearing installation (cup press such as HHP-2 or HHP-3 required for installation).



BBT-22 Bottom Bracket Tool

Innenlagerschlüssel

Clé pour boîtier de pédalier

Llave para ejes de pedalier

Fits bottom brackets with a 20-spline tool fitting, including many cartridge bottom brackets. Utilizes a flat tooth profile to ensure maximum engagement. Features a 3/8" drive fitting and 1" wrench flats.



BBT-32 Bottom Bracket Tool

Innenlagerschlüssel

Clé pour boîtier de pédalier

Llave para ejes de pedalier

Fits bottom brackets with a 20-spline tool fitting, including many cartridge bottom brackets. Features 32 mm wrench flats.

Bottom Bracket Tools
Innenlagerschlüssel
Clé pour boîtier de pédalier
Llave para ejes de pedalier



BBT-27.3
 Fits 16-notch components
 Inner Diameter: 46.4 mm
 Outer Diameter: 48-50 mm



BBT-35-12
 Fits 12-notch components
 Inner Diameter: 46.3 mm
 Outer Diameter: 48-50 mm



BBT-35-36
 Fits 36-notch components
 Inner Diameter: 50.7 mm
 Outer Diameter: 51-53 mm



BBT-47-12
 Fits 12-notch components
 Inner Diameter: 48.2 mm
 Outer Diameter: 50-53 mm



BBT-47-16
 Fits 16-notch components
 Inner Diameter: 48.8 mm
 Outer Diameter: 52-54 mm



BBT-49.3
 Fits 16-notch components
 Inner Diameter: 37.6 mm
 Outer Diameter: 39-40 mm



BBT-59.3
 Fits 16-notch components
 Inner Diameter: 39 mm
 Outer Diameter: 41-42 mm



BBT-69.4
 Fits 16-notch components
 Inner Diameter: 42.7 mm
 Outer Diameter: 44-45 mm



BBT-79.3
 Fits 12-notch components
 Inner Diameter: 44 mm
 Outer Diameter: 45-47 mm



BBT-118
 Fits Shimano®, SRAM®, and ISIS Drive eight-notch bottom bracket cups. Also fits Bosch® Gen 3 & Gen 4 chainring lockrings.



BBT-169
 Fits 16-notch components
 Inner Diameter: 42.7 mm
 Outer Diameter: 44-45 mm



BBT-179
 Fits 12-notch components
 Inner Diameter: 44 mm
 Outer Diameter: 45-47 mm



BBT-135-12
 Fits 12-notch components
 Inner Diameter: 46.3 mm
 Outer Diameter: 48-50 mm



BBT-147-12
 Fits 12-notch components
 Inner Diameter: 48.2 mm
 Outer Diameter: 50-53 mm



BBT Compatibility
Kompatible Marken
Marques Compatibles
Marcas Compatibles



BBT-RS
Bottom Bracket Tool Retaining System
Innenlagerschlüssel-Haltesystem
Système de retenue pour outil de boîtier de pédalier
Sistema para sujetar el eje de pedalier

Ensure optimal tool engagement on bottom brackets with shallow tool fittings, making removal and installation easier and safer. Compatible with all current Park Tool bottom bracket tools.



GPS-1 Guide Pin Set for BBTs

Adds stability and security to the bottom bracket removal and installation process. Sized for the most common thru axle hub and bottom bracket spindle standards. Compatible with every tool on this page.

- A: GPS-12:** 12 mm Guide Pin
- B: GPS-15:** 15 mm Guide Pin
- C: GPS-24:** 24 mm Guide Pin
- D: GPS-29:** 28.99 mm Guide Pin
- E: GPS-30:** 30 mm Guide Pin

Cassette & Freewheel



CP-1.2 Cassette Pliers

Kassettenzange
Pince à cassette
Alicates de casete

A great alternative to a traditional chain whip. Unique design allows for one-handed operation and provides ample leverage for the most stubborn lockrings. Compatible with all 7-speed to 12-speed cassettes including SRAM® AXS® and T-Type as well as single-speed cassettes with a 3/32" cog.



SR-2.3 Sprocket Remover / Chain Whip

Ritzelabnehmer / Kettenpeitsche
Démonte-cassettes / Fouet à chaîne
Extractor de piñones / Llave de cadena

A sturdy, professional chain whip built for daily use. Fits 7-to-12 speed cassettes (including SRAM AXS®) and single-speed cassettes with a 3/32" cog.



SR-12.2 / SR-18.2 Sprocket Remover / Chain Whip

Ritzelabnehmer / Kettenpeitsche
Démonte-cassettes / Fouet à chaîne
Extractor de piñones / Llave de cadena

Holds cassettes in place for easy lockring removal. Also features a 1" box-end wrench to drive Park Tool freewheel & cassette lockring tools. Heat-treated body with hardened pins. **12.2:** 7-to-12 speed cassettes (including SRAM® AXS® and T-Type), 3/32" single-speed cassettes. **SR-18.2:** 1/8" fixed-gear sprockets and single-speed cassettes.



HCW-16.3 Chain Whip / Pedal Wrench

Kettenpeitsche / Pedalschlüssel
Fouet à chaîne / Clé à pédale
Llave para pedales / Llave de cadena

Two essential tools in one—a 15 mm pedal wrench and a chain whip compatible with all 7-to-12 speed cassettes including SRAM® AXS® and T-Type.



FR Freewheel / Lockring Removers

Verschlussring-Werkzeug / Kassetten-Verschlussring-Werkzeug
Outil pour bague de blocage / Démonte roue-libre
Llave de cierres / Extractor de rueda libre

Heat-treated alloy steel with a 1" hexagonal base. Thin wall construction allows use without removal of cones and locknuts on most hubs.

- A: FR-1.3:** 12-spline/23 mm OD tool fitting. Fits most 5-to-10 speed freewheels—Shimano®, Sachs®, Aris®, SunRace®, etc.
- B: FR-2:** 2-notch/25 mm OD tool fitting. Fits SunTour® two notch freewheels.
- C: FR-3:** 4-notch/24 mm OD tool fitting. Fits all Suntour® four-notch freewheels since 1986.
- D: FR-4:** 20-spline/21.6mm OD tool fitting. Fits Atom®, Regina®, etc. freewheels.
- E: FR-5.2:** 12-spline/~23.4mm OD tool fitting. Fits cassette lockrings from Shimano®, SRAM®, etc.; Shimano® disc brake lockrings; some Rock Shox® suspension top caps.
- F: FR-6:** 4-notch/40mm OD tool fitting. Fits BMX / single-speed freewheels on hubs with 1.37 x 24 TPI threads.
- G: FR-7:** 12-spline/22.9 mm OD tool fitting. Fits Falcon® freewheels.
- H: FR-8:** 4-notch/32 mm OD tool fitting. Fits freewheels on "flip-flop" BMX hubs with M30 x 1" threads.
- I: BBT-5/FR-11:** Fits 12 spline/22.8 mm OD tool fittings (Campagnolo® cassette lockrings and cartridge bottom brackets)
- J: FR-5.2G:** Same pattern as FR-5.2. Features 5 mm guide pin to stabilize tool on quick-release hubs.
- K: FR-5.2GT:** Same pattern as FR-5.2. Features 12 mm guide pin to stabilize tool on thru-axle hubs
- L: FR-5.2H:** Same pattern as FR-5.2. Features integrated handle and 20 mm passthrough hole for use without removing most quick release skewer nuts.



CC-2 Chain Checker

Kettenprüfer
Contrôleur d'usure de chaîne
Calibre de cadena

Accurately measures chain wear from 0 to 1% on single-speed and most 5-to-12 speed chains (see CC-4 for SRAM® eTap® AXS®).



CC-4.2 Chain Checker

Kettenprüfer
Contrôleur d'usure de chaîne
Calibre de cadena

A super-accurate go/no-go gauge that accurately measures 0.5%, 0.75%, and 1.0% chain wear. Compatible with all 5-to-13 speed chains including SRAM® FlatTop™ and T-Type.



CC-3.2 Chain Checker

Kettenprüfer
Contrôleur d'usure de chaîne
Calibre de cadena

A go/no-go gauge that accurately measures 0.5% and 0.75% chain wear. Compatible with most 5-to-12 speed chains (see CC-4 for SRAM® eTap® AXS®).



MLP-1.2 Master Link Pliers

Kettenschloss-Zange
Pince pour Master Link
Alicates para cierres de cadena

Remove and install chain master links quickly and effortlessly with this tool. Compatible with most 5-to-12-speed derailleur chains that use a master link including SRAM® eTap® AXS®.



CT-3.3 Chain Tool

Kettennwerkzeug
Dérive-Chaine
Herramienta de Cadena

A professional shop-quality tool for removal and installation of single-speed and multi-speed bicycle chain rivets, including SRAM® eTap® AXS® 12-speed.



CT-5 Mini Chain Tool

Mini-Kettennwerkzeug
Dérive-Chaine Mini
Herramienta de Cadena Mini

This compact tool goes anywhere and performs like a shop tool. Removes and installs of single speed and multi-speed bicycle chain rivets, including SRAM® eTap® AXS® 12-speed.

985-1 Replacement Chain Tool Pin

Ersatz-Nietstifte für Kettenniet
Goupilles de rechange pour outils de chaîne
Pins de recambio para tronchacadenas

Replacement pin for:

- CT-6, CT-6.2, and CT-6.3 chain tools
- MT-40, MTC-40, and MTB-1 multi-tools

CTP Replacement Chain Tool Pins

Ersatz-Nietstifte für Kettenniet
Goupilles de rechange pour outils de chaîne
Pins de recambio para tronchacadenas

Replacement pins for Park Tool CT-1, CT-2, CT-3, CT-3.2, CT-3.3, CT-5 and CT-7 Chain Tools.

CTP-C: Packaged carded in pairs

CTP: Bulk

CTP-4K Replacement Chain Tool Kit

Ersatz-Nietstifte für Kettenniet
Kit de goupilles de rechange pour outils de chaîne
Pins de recambio para tronchacadenas

Replacement pins for Park Tool CT-4, CT-4.2, CT-4.3, and CT-11 Master Chain Tools.



CT-15 Professional Chain Tool

Professionelles Kettennwerkzeug
Dérive-Chaine Professionnel
Herramienta de Cadena Profesional

A professional-grade tool designed to quickly and accurately remove and install rivets on virtually any bike chain. Compatible with single-speed chains and all 5 to 13-speed derailleur chains, including SRAM® FlatTop™ and T-Type. Includes removable anvil for peening Campagnolo® connecting rivets.



BTS-1 Bottom Bracket Tapping & Facing Set

Tretlagergewinde-Schneider-Set
Kit de Taraudage et de Surfaçage de Boîte de Péda lier
Maneral para Roscar y Frensar Taza de Centro

A precision system for tapping and threaded bottom bracket shells. Includes two handles, facing cutter, and one pair of left- and right-hand threaded English taps.

Replacement / options available:

- #647R: M47 x 1.0 right-hand threaded tap (T47)
- #647L: M47 x 1.0 left-hand threaded tap (T47)
- #691: 1.370"x24 TPI Right Hand Tap (English)
- #692: 1.370"x24 TPI Left Hand Tap (English)
- #693: 36 mm x 24 TPI Right Hand Tap (Italian—two required)
- #648L: Left Hand Threaded T47 Guide (47 mm x 1.0)
- #648R: Right Hand Threaded T47 Guide (47 mm x 1.0)
- #684S: English Facing Guide Set (1.370 x 24)
- #688: Right Hand Italian Bushing (36 mm x 24)
- #690: 45 mm Facing Cutter



HTR-1B Head Tube Reaming & Facing Set

Fräsen und Planschneiden Set für Steuerkopffrohren
Porte Fraises pour Alésage et Surfaçage de Fourche
Fresa y Ensanchadora para Tubo Superior Del Cuadro

A professional tool set for reaming and facing head tubes and press fit bottom bracket shells. 20 additional reamers and facers available for most headset and bottom bracket standards.

Options available:

- HTR-1B:** Includes 33.9 mm reamer for 1-1/8" headset standard, 45 mm facer and four pilots (29.75, 29.95, 33.75, and 36.75 mm)
- HTR-HS:** Includes full handle assembly. Build your own tool by adding reamers and facers.

Note: The headset and bottom bracket standards listed in the tables on this page use head tubes and bottom bracket shells that can be machined using Park Tool products. This is not an exhaustive list of headset and bottom bracket standards used in the bicycle industry. Head tubes, headset parts, bottom bracket shells and bottom bracket parts should always be accurately measured to ensure the correct tools are used.

TH-1 / TH-2 Tap Handles

Schneideisen-Halter
Porte Tarauds
Mango para Machuelos

Adjustable to fit most common bicycle taps, including all Park Tool frame and pedal taps.

TH-1:

- Fits most metric taps from M1.6 to M8
- Fits most standard taps from #0 to 5/16"

TH-2:

- Fits most metric taps from M4 to M12
- Fits most standard taps from #8-9/16"



TH-3 Tap & Bit Driver

Halter für Gewindebohrer und Steck-Bits
Tournevis pour tarauds et embouts
Destornillador para llaves de vaso y puntas

A low-profile driver for both hex drive bits and small frame taps. With its small size and convenient round shape, the TH-3 makes quick work of jobs in tight places.



TAP Frame & Fork Taps

Gewindebohrer für Rahmen und Gabel
Tarauds pour cadre et fourche
Machos de roscar para cuadro y horquilla

Precision-ground high-carbon steel taps for a wide variety of frame applications.

- A: TAP-7:** M3 x 0.5, rear wheel dropout alignment screws
- B: TAP-8:** M5 x 0.8, water bottle, toe clip, fender, and rack bosses
- C: TAP-9:** M6 x 1.0, cantilever brakes and large fender bosses
- D: TAP-10:** M10 x 1.0, derailleur hanger



SHX-1 Slide Hammer Extractor

Gleithammer-Auszieher
Extracteur à marteau coulissant
Extractor de rodamientos embutidos

A professional solution for removing most press fit cartridge bearings from components including hubs, suspension, and bottom brackets. Includes slide hammer and five expanding collets. Compatible with cartridge bearings with IDs from 6 to 32 mm.

Head Tube and Bottom Bracket Shell Cutters, Bushings and Pilots for HTR-1, HTR-1B, BTS-1, and BFS-1



647L: Left Hand T47 Tap (47 mm x 1.0)
647R: Right Hand T47 Tap (47 mm x 1.0)
648L: Left Hand Threaded T47 Guide (47 mm x 1.0)
648R: Right Hand Threaded T47 Guide (47 mm x 1.0)
684S: English Facing Guide Set (1.370 x 24)
687: 57 mm Reamer Stop
688: Right Hand Italian Bushing (36 mm x 24)
690: 45 mm Facer^{1, 2, 3, 4}
690-XL: 57 mm Facer
690-XXL: 65 mm Facer
691: Right Hand English Tap (1.370 x 24)²
692: Left Hand English Tap (1.370 x 24)²
693: Right Hand Italian Tap (36 mm x 24)

738: 52.1 mm Reamer
744: 40.98 mm Reamer
750.2: Oversized Centering Cone Adaptor (38-60 mm head tube & BB shells)
751.2: 30.1 mm Reamer³
752: 41.94 mm Reamer & Spacer Set
754.2: 33.9 mm Reamer⁴
756S.2: 41.15 mm Reamer & Spacer Set
758.2: 49.57 mm Reamer / Facer
761S.2: 42 mm Reamer & Spacer Set
762: 29.8 mm Pilot^{3, 4}
763: 30.0 mm Pilot^{3, 4}
764: 40.98 mm Pilot

765: 33.8 mm Pilot^{3, 4}
766: 36.8 mm Pilot^{3, 4}
767: 49.5 mm Pilot
768: 43.8 mm Pilot
769: Reamer Extension
788: 43.95 mm Reamer & Spacer Set
789: 55.95 mm Reamer
790: 55.9 mm Pilot
791: 45.94 mm Reamer & Pilot Set
791P: 45.94 mm Pilot
799: 47 mm Reamer

² Included with BTS-1
⁴ Included with HTR-1B

Tools Required for Machining Bottom Bracket Shells

Bottom Bracket Standard	Bottom Bracket Shell Dimension	Required for Tapping and Facing	Required for Reaming and Facing	Required for Reaming Only	Required for Facing Only
Threaded T47	46 mm I.D.	BTS-1, 647L, 647R, 690-XL	—	—	BTS-1, 648L, 648R, 690-XL
Threaded English	33.7 mm I.D.	BTS-1, 691, 692, 690	—	—	BTS-1, 690, 684S
Threaded Italian	35 mm I.D.	BTS-1, 693 (2 required), 690	—	—	BTS-1, 688 (2 required), 690
BB30	42 mm I.D.	—	HTR-1B, 752, 690-XL, 750.2	HTR-1B, 752, 750.2	—
PF30	46 mm I.D.	—	HTR-1B, 690-XL, 750.2, 791	—	HTR-1B, 690-XL, 791P, 750.2
BBright Direct Fit	42 mm I.D.	—	HTR-1B, 752, 690-XL, 750.2	HTR-1B, 752, 750.2	—
BBright Press Fit	46 mm I.D.	—	HTR-1B, 690-XL, 750.2, 791	—	HTR-1B, 690-XL, 791P, 750.2
386 EVO	46 mm I.D.	—	HTR-1B, 690-XL, 750.2, 791	—	HTR-1B, 690-XL, 791P, 750.2
BB86/92, PF41, PF24	41 mm I.D.	—	HTR-1B, 744, 690-XL, 750.2	—	HTR-1B, 764, 690-XL, 750.2


Tools Required for Machining Head Tubes

Headset Standard	Headset Cup Dimension	Frame Head Tube Dimensions	Required for Reaming and Facing	Required for Facing Only
1" External Cup—JIS	30.00 - 30.10 mm O.D.	29.85 - 29.90 mm I.D.	—	HTR-1B, 762, 690
1" External Cup—Professional	30.20 - 30.30 mm O.D.	30.05 - 30.10 mm I.D.	HTR-1B, 751.2, 690	HTR-1B, 763, 690
1-1/8" External Cup	34.05 - 34.15 mm O.D.	33.90 - 33.95 mm I.D.	HTR-1B, 754.2, 690	HTR-1B, 765, 690
1-1/4" External Cup	37.05 - 37.15 mm O.D.	36.90 - 36.95 mm I.D.	—	HTR-1B, 766, 690
1-1/2" External Cup	49.70 - 49.75 mm O.D.	49.57 - 49.61 mm I.D.	HTR-1B, 758.2, 750.2	HTR-1B, 767, 690-XL, 750.2
1-1/8" Internal Cup—ZS	44.05 - 44.10 mm O.D.	43.95 - 44.00 mm I.D.	HTR-1B, 788, 690-XL, 750.2	HTR-1B, 768, 690-XL, 750.2
1-1/2" Internal Cup—ZS	55.99 - 56.04 mm O.D.	55.90 - 55.95 mm I.D.	HTR-1B, 789, 690-XXL, 750.2	HTR-1B, 790, 690-XXL, 750.2
1-1/8" Integrated—IS Top	no cup	41.10 - 41.2 mm I.D., 3.10 - 3.20 mm Depth	HTR-1B, 756S, 750.2	—
1-1/8" Integrated—IS Bottom	no cup	41.10 - 41.2 mm I.D., 6.90 - 7.0 mm Depth	HTR-1B, 756S, 750.2	—
1-1/8" Integrated—Italian Top	no cup	41.95 - 42.05 mm I.D., 2.8-3.0 mm Depth	HTR-1B, 761S, 750.2	—
1-1/8" Integrated—Italian Bottom	no cup	41.95 - 42.05 mm I.D., 6.60 - 6.80 mm Depth	HTR-1B, 761S, 750.2	—
1-1/4" Integrated	no cup	47.05-47.1 mm ID	HTR-1B, 799, 690-XL, 750.2	—
1-1/2" Integrated	no cup	52 mm	HTR-1B, 738, 690-XL, 750.2	—



SG-7.2 Oversized Adjustable Saw Guide
Oversized-Gabelschneidföhrung (einstellbar)
Guide de scie ajustable surdimensionné
Guía de corte sobredimensionada y ajustable

A versatile guide for accurately cutting aero-shaped (up to 70 mm wide) or round (22 to 45 mm diameter) tubing, including seatposts, steering columns, and handlebars. Features two different cutting slots for standard and carbon cutting blade widths.



SG-6 / SG-8 Threadless Saw Guides
Gabelschneidföhrung für Gewindelose Ahead-Gabeln
Guide de Sciage Pour Pivots
Guíapara Cortar Tubode tijera sin Rosca

Ensures a straight, clean cut on steering columns, handlebars, seatposts, or any other round tube from 22 mm to 33 mm in diameter. Non-scratching composite body with steel threads and steel reinforcing plate to withstand the rigors of heavy shop use.

- A: SG-6:** Narrow slot for steel hacksaw blades
- B: SG-8:** 2.5 mm wide slot for carbon-specific hacksaw blades



SAW-1
Hacksaw
Büfelsäge
Scie à métaux
Sierra

An essential tool for resizing handlebars, steering columns, etc. Includes 32 TPI blade and compatible with any standard 12" (300 mm) hacksaw blade.



CSB-1
Carbon Cutting Saw Blade
Sägeblatt für Carbonkomponenten
Lame de Scie pour Carbone
Sequeta Cortadora para Elementos de Carbono

Carbide grit hacksaw blade uniquely designed to make clean cuts in carbon fiber components such as handlebars and seat posts. Fits Park Tool SAW-1* and most 12" hacksaws.



FFG-2 Frame & Fork End Alignment Gauge Set
Mess- und Richtwerkzeug für Ausfallenden
Outil pour Vérifier L'alignement des Pattes de Cadre
Calibrador de Alineacion de Patas y Puntas

Measures and corrects the alignment and parallelism of frame and fork dropouts. Compatible with open dropouts from 100 to 160 mm wide.



FAI-2 Frame Alignment Indicator
Rahmenkontroll-Lehre
Outil pour Mesurer l'Alignement du Cadre
Calibrador para Alineacion del Cuadro

Measures three points of contact—head tube, seat tube, and rear dropouts—to ensure the frame is perfectly straight. Useful in determining cause of bike tracking and shifting problems.



DF-1 Dummy Fork
Dummy-Gabel
Fourche Factice
Adaptador Horquilla

Installs into the headset while the fork is removed for service to keep stem, bars, housing, spacers, and brake caliper safe and organized.



CRS-1 Crown Race Setting System

Aufschlaggerät für Gabelkonus

Outil pour Monter les Cônes de Fourche

Barra con Guía para Montar Cono Inferior a la Tijera

Quickly, safely, and precisely install crown races onto steering columns with a 1" or 1¼" (25.4 to 28.6 mm) diameter.

Includes six different-shaped drifts.

FCT-1 Fork Cap Tool

Stecknuss für Federgabel-Top Caps

Outil pour embouts de fourche à suspension

Herramienta para tapas superiores de

horquillas de suspensión

A versatile tool for easy and damage-free removal of suspension fork caps. The six sides of the FCT-1 correspond to the most popular fork cap designs for a snug and secure fit.



CRS-15.2 Crown Race Setting System for 1.5" & 1¼"

Gabelkonus-Aufschlagset für 1.5" und 1 1/4"

Outil pour Monter Cône de Fourche avec Pivot de 1.5" et 1 1/4"

Barra con Guía para Montar Cono Inferior a la Tijera de 1.5" y 1 1/4"

Quickly, safely, and precisely install crown races onto steering columns with a 1¼" or 1.5" (31.7 to 38.1 mm) diameter. Includes two drifts and an optional extension for steering columns up to 425 mm in length.



SBK-1 Suspension Bearing Kit

Hinterbaulager-Montage-Kit

Kit de roulements de suspension

Kit para rodamientos de suspensión

A professional-level kit for installing and removing cartridge bearings in suspension pivots. Includes 27 precision-machined hard-anodized guides for compatibility with a wide range of suspension bearings.





TNS-1 Threadless Nut Setter

Aheadset-Montagegerät

Outils pour AheadSet

Punzón para Instalar Tuerca de Setter

A straightforward tool for star-fangled nut installation on 1" and 1½" headset systems.



TNS-4 Deluxe Threadless Nut Setter

Deluxe-Montagegerät für Aheadset-Krallen

Outil de Positionnement d'étoile de Jeu de

Direction Setter

Punzón de Luxe para Instalar Tuerca de Setter

Perfectly aligns star-fangled nuts and sets them to the proper depth every time. For 1" and 1½" headset systems.



CRP-2 Adjustable Crown Race Puller

Verstellbarer Gabelkonus-Abzieher

Démonte Cône Ajustable

Extractor Ajustable de Cono de Telescopio

A precision tool for quickly, easily and safely removing headset crown races. Features independently-positionable blades to work around potential interferences with fork top caps or crown protrusions.

Compatibility:

- 1", 1⅛", 1¼" and 1.5" steering columns (suspension or rigid)
- Crown races with outside diameters up to 64 mm
- Steering columns from 140 to 430 mm (5.5" to 17") in length

Replacement blades available: **Part #1155-3**



HCW Headset Wrenches

Steuersatzschlüssel

Clé pour jeu de direction

Llaves de dirección

Purpose-built wrenches for threaded headset adjustment. Heat treated and plated for years of heavy shop use.

A: HCW-7: 30 mm & 32 mm head wrench

B: HCW-15: 32 mm & 36 mm head wrench



HHP-3 Home Mechanic Head Cup Press

Steuersatz-Montagegerät für Hobbymechaniker

Outil de Montage des Cuvettes Fixes

(Modèle Amateur)

Prensa para Taza de Dirección para el Mecánico Casero

Simple and economical, the HHP-3 is designed to install all sizes of head cups and most press-fit bottom bracket cups.



HHP-2 Bearing Cup Press

Steuersatz-Montagegerät

Outil Pour Monter des Cuvettes Fixes

Prensa para Taza de Dirección y Multiplicación

A heavy-duty press for accurate alignment and pressing of 1", 1⅛", 1¼", and 1.5" headset cups into threadless bicycle headsets.



RT-1 / RT-2 Head Cup Remover

Steuersatz- & Innenlager-Austreiber

Démonte cuvettes de jeux de direction

Extractor de cazoletas de dirección y pedaler

Quickly and accurately remove headset cups and some press fit bottom brackets.

A: RT-1: Removes 1", 1⅛", and 1¼" headset cups, as well as some press fit bottom bracket cups including SRAM® DUB®, Campagnolo® Power Torque™, and Campagnolo® Ultra Torque®

B: RT-2: Removes 1¼" and 1½" headset cups, as well as cups on one-piece crank systems



MUG-7
Coffee Mug



STL-1.2
Shop Stool



MS-3
Mechanic's Shirt



PZT-2
Pizza Tool



STL-2
Rolling Shop Stool



SA-1
Shop Apron



SPK-1
Spork



STL-3K
Shop Stool Backrest Kit



SA-3
Heavy Duty Shop Apron



BO-2
Bottle Opener



SOX-5
Socks (Argyle)



HAT-10
6-Panel Cap



BO-3
Keychain Bottle Opener



SOX-6
Socks (Stripe)



HAT-11
Black Logo Hat



BO-6
Bottle Opener



SPG-1
Stainless Steel Pint Glass



TSTD-1
Tie Dye T-Shirt



HAT-12
Trust Me Hat



MLS-3

Metal Logo Sign
Metallplatte
Panneau Ma  tallique
Panel de Metal

21" x 11.625"



SDS-1 / SDS-2

Service Dept. Sign
Metallplatte
Panneau Ma  tallique
Panel de Metal


Large Sign 18" x 14.5" (46cm x 37cm)
Small Sign 18" x 3.5" (46cm x 9cm)



DL-15 / DL-16 / DL-36B / DL-36W

Logo Vinyl Decals
Vinyl-Aufkleber
Autocollant en Vinyle
Pegatina de Vinilo

Large Sign 18" x 14.5" (46cm x 37cm)
Small Sign 18" x 3.5" (46cm x 9cm)



BBB-4

Big Blue Book of Bicycle Repair—4th Edition

Up-to-date with the latest information, procedures, and techniques, covering everything from minor adjustments to complete overhauls. The BBB-4 features clear, step-by-step instructions, high-quality photos and useful charts and graphs to thoroughly explain and demonstrate hundreds of repairs. Written by Calvin Jones, Park Tool's Director of Education and one of the world's leading authorities on bicycle repair and maintenance, the Big Blue Book is the perfect reference guide for mechanics of any experience level.

Also available as an e-book!



In addition to individually-carded options, our patch kits and composite tire levers are available as convenient countertop display boxes.



A: TL-1.2 Tire Lever Set
Reifenheber–Theken-Box
Démonte-pneus–Boîte
de présentation
Desmontables–Caja expositor

Proven design with a narrow, thick tip for easy entry into just about any bicycle tire, including tubeless systems. Also available individually carded (TL-1.2C).

TL-1.2C: Packaged carded (see page 27)
TL-1.2: Display box (25 qty)

B: TL-4.2 Tire Lever Set
Reifenheber–Theken-Box
Démonte-pneus–Boîte
de présentation
Desmontables–Caja expositor

Wide flat tip for easy engagement and fast removal of any bicycle tire including tubeless systems. Also available individually carded (TL-4.2C).

TL-4.2C: Packaged carded (see page 27)
TL-4.2: Display box (25 qty)

C: GP-2 Pre-Glued Super Patch Kit
Super Patch-Flicker-Kit–Theken-Box
Kit de super rustines pré-collées–
Boîte de présentation
Parches auto adhesivos Super
Patch–Caja expositor

Set of six strong self-adhesive patches designed in collaboration with 3M® to easily repair punctured tubes in no time flat. Also available individually carded (GP-2C).

GP-2C: Packaged carded (see page 28)
GP-2: Display box (48 qty)

D: VP-1 Vulcanizing Patch Kit
Vulkanisier-Flicker-Kit–Theken-Box
Kit de rustines vulcanisées–Boîte
de présentation
Conjunto de parches vulcanizantes–
Caja expositor

These butyl rubber patches create a molecular bond with the inner tube, resulting in a durable permanent repair for any puncture. Each kit includes five patches, one square of sandpaper, and a tube of vulcanizing fluid. Also available individually carded (VP-1C).

VP-1C: Packaged carded (see page 28)
VP-1: Display box (36 qty)



For the latest from Park Tool, visit parktool.com



PARK TOOL COMPANY
5115 HADLEY AVE N
SAINT PAUL, MN 55128
651.777.6868

PARKTOOL.COM

© 2025 Park Tool Company. All rights reserved. Specifications subject to change without notice.

PARK TOOL® and the color BLUE are registered trademarks of Park Tool Co.

Loctite® is a registered trademark of Henkel Corp. All other product names and marks in the Park Tool catalog whether trademarks, service marks, or other intellectual property, and whether registered or unregistered, are the property of their respective owners. Other products and marks are used for informational purposes only and Park Tool Co. claims no right or interest in such marks.