Continental
The Future in Motion



Bicycle Tire Range 2019

It's your time!

conti-bicycletires.com

E-Bike Highlights

« next page



E-50

Gentle on your battery!

Highlights for your S-Pedelec up to 50 km/h!

Top CONTACT-Family

Vectran™ BREAKER

Safety-Level 1 2 3 4 5 **6** 7



Top CONTACT | Top CONTACT Winter II Premium

CONTACT Plus-Family

Safety+

Safety-Level 1 2 3 4 5 6 **7**



CONTACT Plus | CONTACT Plus City



E-25

Highest Performance guaranteed!

Recommendations for your E-MTB up to 25 km/h!

Make it big!

PROTECTION



Trail King 2.6 | Der Baron 2.6 Projekt

KING-Series Technology*

*excluding RaceSport



Trail King | Mountain King | Cross King | Race King

*Not every tire model is shown in the catalog.

RACE / ROAD

Competition	05 34	Gatorskin	08 35	Grand Prix GT	10 35
Set Attack Comp & Force Comp	05 34	Gator Hardshell	08 35	Ultra Sport	10 35
Sprinter	05 34	Grand Prix 4-Season Black Edition	08 34	Grand Prix Classic	11 35
Grand Prix 5000	06 34	Grand Prix 4-Season	08 35	Grand Prix Urban	11 35
Grand Prix 5000 TL	07 34	Grand Prix	10 35	Technologien	12-13

MOUNTAINBIKE

Kaiser	15 36	Der Baron 2.6 Projekt	18 36		
Baron	15 36	Trail King B+	18 36		
Mud King	15 36	Mountain King B+	19 37	Race King	21 37
Der Kaiser 2.4 Projekt	16 36	Cross King B+	19 37	Speed King	21 37
Der Baron 2.4 Projekt	16 36	Mountain King	20 37	Double Fighter III	21 37-38
Trail King	16 36	Cross King	20 37	Technologien + Accessories	22-25

URBAN / TOUR

Top CONTACT II	27 38	CONTACT	30 39	RIDE Tour	31 39
Top CONTACT Winter II Premium	27 38	CONTACT Speed	30 39	RIDE City	32 39-40
CONTACT Plus	29 38	CONTACT Travel	30 38-39	AT RIDE	32 40
CONTACT Plus City	29 38	CONTACT Cruiser	31 39	RIDE Cruiser	33 40
CONTACT Plus Travel	29 38	CONTACT Spike 120 + 240	31 39	RIDE Classic	33 40

CONTENT 2019*

Listings Bicycle Tires 34-40

Tubes Bicycle Tires 41

Overwiew sizes and tires 42-43

Accessories 44-45

Tech Support 46-47

Made in Germany 48-49

article information | technical information

Race / Road

IT'S YOUR TIME!



Competition

It's time to race

- robust all-rounder appearing at the sharp end in all the major cycling races around the world
- a high-performance tread compound coupled with reliable puncture protection
- agile and fast, adapts to the competition in all road conditions

BLACKCHILI COMPOUND · Vectran™ BREAKER

i 34



Set Attack Comp & Force Comp

The aerodynamic racing tubular set

- light and fast: developed especially for the demanding requirements of hard, fast racing action
- outstanding puncture protection through Vectran™, excellent handling characteristics thanks to BlackChili Compound
- perfection with its high performance, combining low rolling resistance, high agility and comfort

BLACKCHILI COMPOUND · Vectran™ BREAKER · TPS TirePositioning System

i 34



Sprinter

If the aim is winning points

- efficient tires for criteriums or triathlon where the tires winning characteristics will shine through
- proven puncture protection through the SafetySystem Breaker
- neutral slick profile for a direct feel with the road. Full speed ahead!

BLACKCHILI COMPOUND · Safety System

i 34



Grand Prix 5000
It's your time!

handmade in Germany

The new era in cycling – the best allrounder in the field, brought to a whole new performance level!

BlackChili, the legendary compound – for the Grand Prix 5000 on a whole new level. Made for excellent grip, higher mileage and efficient rolling.

Vectran™ A synthetically produced high tech fibre, extremely tear-resistant for minimal weight. The pinnacle in puncture protection, stronger and more protective than ever.

Active Comfort Technology The revolutionary approach in cycling. Embedded in the tire construction the Active Comfort Technology absorbs vibrations and smoothens your ride.

Lazer Grip, to make you one with the road. The lazered micro profile structure expands over the tire's shoulder and provides out-standing cornering.

Grand Prix 5000 TL
Tubeless-Version

handmade in Germany

Tubeless-enthusiasts are offered a special Grand Prix 5000 TL version now.

Inner liner
The additional inner liner seals the tire.


Tubeless Ready Bead
Specifically developed the Tubeless bead seals through its unique shape and provides stable fitting on the rim.

We recommend using Conti Sealant:

Dimension	recomm. filling
> 25 mm	30-60 ml
> 28 mm	60-90 ml

Article	Version	PU
0140050	1000 ml	6
0140044	240 ml	20
0140089	60 ml	12





NEW
Grand Prix 5000
[Clincher]

i 34

NEW
Grand Prix 5000 TL
[Tubeless]

i 34

Grand Prix 5000 vs. Grand Prix 4000 S II

+12% better rolling resistance

+20% more puncture protection

-10 g lighter [25-622]

improved comfort

DESIGN AWARD 2019

DESIGN & INNOVATION AWARD 2019

BIKE RUMOR! 2018 EDITOR'S CHOICE

Range 2019 >
Road



Gatorskin

Ride how you want

- the number one for Fixed, Messenger and Urban Biker
- the obvious choice when it comes to tough conditions

PolyX Breaker™ DuraSkin®

i 35



Gator Hardshell

Asphalt fever

- the tire choice for rough surfaces and rugged tarmac
- ideal when it comes to extremely long service life, for the next tour or the commute

HARDSHELL PROTECTION

i 35



Grand Prix 4-Season

The all-year-round tire

- reliable companion for training rides and in competition, come rain or shine
- the tire with a superior durability ready for any season
- with DuraSkin® sidewall reinforcement **(comes in black with our Black Edition)**

Vectran™ BREAKER DuraSkin®

i 34-35

Continental
The Future in Motion

deutsche technik
seit 1871

IT'S YOUR TIME
NEW TUBELESS
GP5000



Protection, comfort, control and speed in perfect balance so you can make the most of what's really important, your ride.

GRAND PRIX 5000

conti-bicycletires.com



Grand Prix

A comfortable all-rounder

- an all-rounder designed to be tough, made for sporty trips across demanding terrain
- offers high puncture protection, comfort and good grip
- with high mileage and a wide range of size offerings

BLACKCHILI COMPOUND · Poly X Breaker™

i 35



Grand Prix GT

Long lasting training partner

- reliable tour and training partner for gran fondos and grand tours, even on the roughest roads
- high puncture protection, high milage due to the 3 ply casing and Poly X breaker
- solid handling in every situation

BLACKCHILI COMPOUND · Poly X Breaker™

i 35



Ultra Sport

Modern tire for those new to bicycle racing

- entry level competition tire with outstanding value for the money
- PureGrip Compound provides lots of grip, very high mileage and efficient rolling characteristics
- extensive options enable you to get the right tire for your desired style of riding

PURE GRIP COMPOUND

i 35

Grand Prix Classic

Technology of today combined with an old classic

- a perfect match for your retro styled racing bike
- state of the art with BlackChili Compound and a strong anti-puncture breaker
- features with brown sidewalls and the original Conti Sport profile from 1982

Eroica® *Official tire of the Eroica® series 2019*

BLACKCHILI COMPOUND · Poly X Breaker™

i 35



Grand Prix Urban

The choice for Fixies, Single-speeds and Urban Bikes

Combines a modern profile design with the latest technology. Built with a tuned race construction while damping for comfort – a matching mix for the urban ride. Its black reflective stripe blends perfectly with the sidewall.*

BLACKCHILI COMPOUND · Poly X Breaker™

i 35





* Does not meet the law regulations on correct lighting for the participation in road traffic

BlackChili Compound

It's all about how you mix it

The rolling properties of the rubber compound of a tire are primarily determined by three interacting factors – stiction [grip], rolling resistance and mileage [longevity] . The dilemma: If you improve any of these factors it can have a detrimental effect on at least one of the others. A tire with maximum grip wears quicker and rolls more slowly. If you then make a tire roll faster and more durable, grip, in turn, is reduced.

With our BlackChili Compound, a tread compound which is always based on the latest knowledge of polymers and raw material research, we have supplied the cycling industry with an enduring solution. Depending on the application of a tire, we adjust the compound formulation for the specific discipline – for road or mountain biking, time trialling or downhill racing.
How does that work? For BlackChili, we refine special synthetic rubbers with proven natural rubber to high-performance tread mixtures. To these mixtures we then add soot particles, which in turn are optimised in shape and surface properties. The complex compound technology is so sensitive that tires with BlackChili Compound are produced exclusively in our German Korbach plant.



PureGrip Compound


Pure grip for everyone

PureGrip Compound is derived from an activated Silica compound and is a good example of how we integrate customer feedback continuously into our research and development. This mixture technology fits in perfectly alongside the BlackChili Compound. The name PureGrip does exactly what it says; exceptionally good grip and durability are the distinguishing features of this compound. Engineered with PureGrip in our Performance products in our road and mountain bike ranges.

Vectran™Breaker

Puncture protection at it's best


Vectran™ is spun from liquid crystal-polymer. This way a thermoplastic, multiple-thread yarn is created. As a comparison: This partially crystalline fabric is more cut-resistant than aramide and its tensile strength is five times higher than that of steel. A Vectran™ Breaker is lighter, more flexible and effective against cuts than a comparable nylon breaker. Without effecting rolling resistance.



PolyX Breaker™

Cut and puncture proof


With PolyX Breaker™ car expertise comes to the bicycle tire sector. Polyester has been used successfully for years in car tires and has proved extremely effective. The extremely resistant polyester fibre is woven tightly crosswise. A very high fabric density is achieved which makes the breaker resistant not only to foreign bodies, but especially to punctures. The rolling resistance is not affected by this breaker.



NyTech Breaker

Light and sleek

The Nytech Breaker is based on the technology of our SafetySystem puncture protection. Made of nylon fibre and similar to Kevlar, it reliably protects against punctures and cuts. It also has particularly low rolling resistance and reduced weight, perfect for our performance range of road tires.



DuraSkin®

For hard cases

Tires with DuraSkin® sidewall protection can take a beating as they are designed for the most adverse conditions. In rough terrain on a cyclocross or a gravel bike, on commuter bikes where tires scrape along curbs, on touring bikes as they cross continents encountering many different road qualities and on the race circuit where they prove themselves in endurance events such as the Paris-Roubaix. The high-quality polyamide fabric reliably protects the wall of the tire. Tires with DuraSkin® can be identified by the characteristic brown mesh sidewall*.


**DuraSkin® comes in restrained black with our Black Edition*



SafetySystem Breaker

Puncture protection as a system


The SafetySystem Breaker consists of a Kevlar-reinforced, high-strength nylon fabric. Puncture and cut resistant, whilst also being light and flexible, allowing the tire to adapt more effectively to the terrain. The breaker protects the carcass against foreign objects and contributes to a longer lifespan of the tire without significantly increasing weight or rolling resistance. Additionally, tires with SafetySystem have particularly comfortable handling characteristics.



Hardshell ProTection

MORE is what you get


Puncture protection and mileage are the strengths of Hardshell-ProTection. A wider PolyX Breaker™, the specialist against punctures, under the tread centre and shoulders provides for great reliability. The three-ply – each layer with 60 TPI – carcass covers the entire tire and makes it a real bastion against urban detritus. The outer sidewalls of the tire are reinforced with DuraSkin® fabric providing even more reliablility due to the casing being so well protected. Hardshell tires are the puncture-resistant flagship amongst racing tires – produced exclusively in Germany.




Supersonic

Acceleration the easy way

Low weight and maximum acceleration distinguishes this technology. Time trial specialists and track racers alike profit from its first-rate rolling characteristics.





Mountainbike

BORN FOR CHAMPIONS

Kaiser 2.5

The King of downhill tires

- only your fastest times from now on: whether on rocky ground, over roots, steps or stone strewn tracks
- outstanding puncture protection, outstanding grip and a durable tread design with defined central and outer lugs
- leaves nothing to be desired for even the most demanding downhill courses

BLACKCHILI COMPOUND · APEX

i 36



Baron 2.5

Reliable all-rounder with durability for the bike park

- durable and trustworthy bike park companion even in bad weather
- uniform tread design with substantial lugs for the best contact with any type of terrain
- where other tires start slipping this one just keeps rolling

BLACKCHILI COMPOUND · APEX

i 36



Mud King 1.8 / 2.3

Born in the mud, at home in the mud

- the right choice for fast Race Hardtails [1.8] and Downhill Bikes [2.3]
- the narrow carcass ensures a sufficient gap between tire and the frame so that mud does not accumulate
- with the best braking and handling characteristics, it is sure footed even under the most difficult conditions

BLACKCHILI COMPOUND · PROTECTION TECHNOLOGY · APEX

i 36





Der Kaiser 2.4 Projekt

Sometimes a king also wants to put his racing hat on

- an uncompromising racing tyre which we have developed together with the best athletes world wide
- low rolling resistance, high puncture protection, grip in every turn
- runs: train on the Kaiser 2.5 then race with the Kaiser 2.4 Projekt
- light weight race day only tire

BLACKCHILI COMPOUND · PROTECTION APEX · APEX

i 36

GERMAN DESIGN AWARD WINNER 2019

Mountain biking EDITORS CHOICE 2018



Der Baron 2.4 Projekt

The undisputed master in Enduro

- technical, versatile, fastidious and developed together with the best athletes world wide
- highly durable, puncture protected and good rolling resistance combined with a favourable weight
- family ties: With its widely spaced tread lugs it shares its genetic uitability for mud. The Mud King sends its respects

BLACKCHILI COMPOUND · PROTECTION APEX

i 36



Trail King

Strong performer on the most difficult trails

- endless biking on Enduro and All Mountain Bikes
- many small lugs guarantee superior traction, the carcass offers superior resistance against punctures
- the rider receives constant feedback from the tires enabling them to adapt to the conditions and maintain a good flow

BLACKCHILI COMPOUND · PROTECTION APEX

PURE GRIP COMPOUND · SHIELD WALL SYSTEM

i 36

Continental
The Future in Motion

deutsche technik seit 1871

Pioneering Technology
Handmade For You

#getthegrip

Continental Premium tubeless ready tires:
the ultimate tires developed and handmade exclusively in Germany and trusted by the world's best.

conti-bicycletires.com

B+ tires
Make it BIG!

B+ tires offer an especially comfortable riding experience.

Due to the larger diameter, the B+ tire rolls more easily over obstacles on the trail, offers more traction and nestles to the trail instead of just rolling over it. The weight of these tires remains relatively low. Due to their specially optimized carcass it is possible to run B+ tires with lower air pressure than usual. Thus, B+ tires offer a special grip experience. The special dynamics of B+ tires in combination with a lower air pressure lead to a different footprint on the ground. Because of this, the tread patterns were modified to fit this application. This enables the highest degree of acceleration and braking traction as well as best self-cleaning abilities and puncture protection. The new B+ series offers the highest versatility on the trails for both conventional and e-MTBs.

Der Baron 2.6 Projekt
The undisputed master in Enduro

- technical, versatile, fastidious and developed together with the best athletes world wide
- highly durable, puncture protected and good rolling resistance combined with a favourable weight
- family ties: With its widely spaced tread lugs it shares its genetic uitability for mud. The Mud King sends its respects

BLACKCHILI COMPOUND · PROTECTION APEX · i 36

Trail King 2.6 / 2.8
Strong performer on the most difficult trails

- endless biking on Enduro and All Mountain Bikes
- many small lugs guarantee superior traction, the carcass offers superior resistance against punctures
- the rider receives constant feedback from the tires enabling them to adapt to the conditions and maintain a good flow

BLACKCHILI COMPOUND · PROTECTION APEX · PURE GRIP COMPOUND · SHIELD WALL SYSTEM · i 36

Mountain King 2.6 / 2.8
Hero on the mountain: The perfect trail companion

- safe riding in hilly terrain and also optimal for the touring mountain bike
- superior grip from its continous central tread and its grippy outer lugs the perfect companion for exploring the trails

BLACKCHILI COMPOUND · PROTECTION TECHNOLOGY · PURE GRIP COMPOUND · SHIELD WALL SYSTEM · i 37

Cross King 2.6 / 2.8
First class all-rounder for competitions as well

- versatile competition and trail tire, sure footed in turns and comfortable
- good grip and available with various technologies
- smoothly rolling tire that adapts to any terrain with its special tread

BLACKCHILI COMPOUND · PROTECTION TECHNOLOGY · PURE GRIP COMPOUND · SHIELD WALL SYSTEM · i 37





Mountain King

Hero on the mountain: The perfect trail companion

- safe riding in hilly terrain and also optimal for the touring mountain bike
- superior grip from its continous central tread and its grippy outer lugs the perfect companion for exploring the trails

BLACK CHILI COMPOUND · PROTECTION TECHNOLOGY · PURE GRIP COMPOUND · SHIELD WALL SYSTEM

i 37



Cross King

First class all-rounder for competitions as well

- versatile competition and trail tire, sure footed in turns and comfortable
- good grip and available with various technologies
- smoothly rolling tire that adapts to any terrain with its special tread

BLACK CHILI COMPOUND · PROTECTION TECHNOLOGY · RS+ RACE SPORT · PURE GRIP COMPOUND · SHIELD WALL SYSTEM

i 37



Race King

A hearty tire that wants to be raced

- impressive in cross-country races and marathons, for hardtails and full suspension race bikes
- low rolling resistance, a voluminous carcass and exemplary self-dampening qualities
- minimal tread: for dedicated cyclists, for those who have the hunger for speed

BLACK CHILI COMPOUND · PROTECTION TECHNOLOGY · RS+ RACE SPORT · PURE GRIP COMPOUND · SHIELD WALL SYSTEM

i 37



Speed King

High performance tire, where light-weight is the key

- for uncompromising use on racing bikes and carbon hardtails
- with a tread design optimised for speed it has the lowest rolling resistance of all of our MTB tires
- light weight race day only tire

BLACK CHILI COMPOUND · RS+ RACE SPORT

i 37



Double Fighter III

An urban adventurer with real versatility

- the 'double': light rolling and quiet on tarmac, yet grips on tracks and gravel roads
- robust rubber sidewalls make it impervious to damage even over rough ground
- ideal for transforming an off road bike to a nippy city racer

i 37-38





Apex

From the car to the bike

Successfully used in car tires for years, its transition for use in our bicycle tires was only a matter of time. Apex stabilises the tire in turns and is a technology that also makes sense for high-volume bicycle tires. A natural rubber profile, set between the carcass layers at the base of the tire. Stiffens the sidewalls, there by minimizing the twisting of the tire by the high transverse loads. Stiffer sidewalls that in turn, reduce the risk of punctures and impede the tire from slipping off the rim. Destined for Downhill, Gravity Enduro and Freeride. Low pressure, enhanced grip is made possible without becoming too slack in corners. The risk of punctures decreases significantly.



ProTection Apex

Challenges need to be mastered

The ProTection layer prevents cuts and punctures without any significant increase in weight. An extra Apex sidewall protects the tire from impact punctures even at low pressures. BlackChili Compound gives added grip.



ProTection

The rough way

The extra all-round puncture protection layer renders the casings extremely durable and resistant to damage or penetration from foreign elements. Treads and sidewalls are equally protected, and are 25 % lighter and offer 30 % more puncture protection than their predecessors protected by DuraSkin®. Rolling resistance and absorption has also significantly improved. The new Revolution Tubeless Ready Bead improves the installation of Tubeless Ready Tires. For tubeless sealing we recommend the use of Continental RevoSealant.

RaceSport

Light, fast, safe

Developed together with professional mountain bikers, the RaceSport carcass unites light-weight construction with noticeably improved puncture protection for the perfect competition choice. Light: contains a particularly fine, flexible nylon fabric with an elaborately produced protective rubber coating. Fast and reliable: World Cup quality, low rolling resistance and puncture protection. Combined with our legendary BlackChili Compound, the right combination for XC and Marathon racing.



ShieldWall System

Tubeless ready and puncture protection for riders on a budget

The ShieldWall system combines the optimum combination of high puncture protection and the low rolling resistance with low weight. This is made possible by an additional, all-round puncture protection layer, which consists of a finely woven cross fabric. This gives the tire a high resistance to punctures and damage. Despite its additional ply, the tire has a very good damping property and a high degree of flexibility to adapt perfectly to the ground. The revolutionary tubeless ready bead allows easy and uncomplicated mounting of the tire. For best results in sealing and in use, we recommend the use of the new Continental RevoSealant sealant.



Wire

Reliable quality

The durable and adhesive rubber compound promises long riding pleasure. A sturdy 60 TPI nylon carcass ensures best durability. A strong wire core ensures firm hold on the rim. For ambitious amateur athletes an affordable alternative to our BlackChili and PureGrip tires.




BlackChili Compound

It's all about how you mix it

The rolling properties of the rubber compound of a tire are primarily determined by three interacting factors – stiction [grip], rolling resistance and mileage [longevity] . The dilemma: If you improve any of these factors it can have a detrimental effect on at least one of the others. A tire with maximum grip wears quicker and rolls more slowly. If you then make a tire roll faster and more durable, grip, in turn, is reduced.

With our BlackChili Compound, a tread compound which is always based on the latest knowledge of polymers and raw material research, we have supplied the cycling industry with an perfect solution. Depending on the application of a tire, we adjust the compound formulation for the specific discipline – for road or mountain biking, time trialling or downhill racing.

How does that work? For BlackChili, we refine special synthetic rubbers with proven natural rubber to high-performance tread mixtures. To these mixtures we then add soot particles, which in turn are optimised in shape and surface properties. The complex compound technology is so complex that tires with BlackChili Compound are produced exclusively in our German Korbach plant.



PureGrip Compound is derived from an activated Silica compound and is a good example of how we integrate customer feedback continuously into our research and development. This mixtures technology compliments the BlackChili Compound. The name PureGrip does exactly what it says; exceptionally good grip and durability are the distinguishing features of this compound. Tires engineered with PureGrip can be found in our Performance products in our roadv and mountain bike ranges.

Tubeless Ready Developed especially for the mountain bike sector, this additional puncture protection layer which completely encircles both tire beads makes our carcasses robust and impervious against damage and penetration from foreign objects. For maximum effect we combine ProTection with BlackChili Compound. The result: versatile, low weight and an attractive design. In addition, tires made using this technology can also be used as Tubeless Ready.

Suitable for E-Bikes: For our E-Bike tire we fall back on over 100 years' experience with moped and motorcycle tires. All of our city/trekking tires are rated to a standard speed of at least 25 km/h. Those tires marked e50 are also certified for S-Pedelecs. With their high quality structure, puncture protection is high and the rolling resistance is low offering protection from premature wear brought about by the additional driving force.

Tubeless Ready Set

Tubeless Ready? No Problem!

Tubeless Ready tires can be used with or without tubes because the tire and rim are designed to seal directly to each other.

Specially designed for the mountain bike sector, an additional all-round puncture protection layer makes our carcasses particularly resistant and insensitive to damage and the penetration of foreign bodies. For maximum effect, we combine ProTection with BlackChili Compound. The result: Versatile, lightweight and attractive tires. All tires with this technology can all be run Tubeless Ready.

We recommend Continental Tubeless Ready for all MTB tires with ProTection, ProTection Apex and ShieldWall Technology.



Tubeless Ready Set	
Set contains*:	
1x Conti RevoSealant 240 ml	
1x Tubeless rim tape	
2x Tubeless S42 valves	
3x Tire levers	
3x Mounting pads	
1x Mounting instruction	
Article	**Sizes**
0140092	25 mm
0140093	27 mm
0140094	29 mm



*all set articles are available separate

ALLROUND	CITY / URBAN	TOUR	BALLOON	WINTER
Top CONTACT Family Premium line for the highest quality standards — Vectran™ BREAKER				
Safety-Level				1 2 3 4 5 **6** 7
Top CONTACT II				Top CONTACT Winter II
CONTACT Plus Family Maximum puncture protection for all demands — Safety+				
Safety-Level				1 2 3 4 5 6 **7**
CONTACT Plus	CONTACT Plus City	CONTACT Plus Travel		
CONTACT Family Performance tires for the ambitious cyclist — Safety System				
Safety-Level				1 2 3 **4** 5 6 7
CONTACT	CONTACT Speed	CONTACT Travel	CONTACT Cruiser	CONTACT Spike
RIDE Family Quality for daily use — EXTRA Puncture BELT				
Safety-Level				1 2 3 4 **5** 6 7
RIDE Tour	RIDE City / RIDE Classic		RIDE Cruiser	



Urban / Tour

NONSTOP MOBILITY!

Top CONTACT II

The proven fast trekking all-rounder

- all-rounder: fast and safe riding on the road, on gravel and forest trails
- high puncture protection and outstanding rolling characteristics thanks to the pronounced central tread
- also fast in twists and turns
- ECE-R75 certified

Vectran™ BREAKER · E-50

i 38



Top CONTACT Winter II Premium

Premium all-rounder for cold seasons

- complete control on slippery snow-covered roads and cold wet surfaces
- high puncture protection, lamella tread profile for added traction, comfortable design
- riders who use this tire can be confident in our know-how as one of the leading manufacturers of winter truck tires
- ECE-R75 certified

Vectran™ BREAKER · E-50

i 38




Vectran™Breaker

Puncture protection at it‘s best

Vectran™ is spun from liquid crystal-polymer. This way a thermo-plastic, multiple-thread yarn is created. As a comparison: This partially crystalline fabric is more cut-resistant than aramide and its tensile strength is fivetimes higher than that of steel. A Vectran™ Breaker is lighter, more flexible and effective against cuts than a comparable nylon breaker. There is no detrimental effect on rolling resistance.

Vectran™ BREAKER




Safety-Level 1 2 3 4 5 **6** 7

SafetyPlus Breaker

The anti-puncture specialist

+30% Puncture protection

Specially designed for e-bikes up to 50 km/h, we have combined our SafetySystem Breaker with a highly flexible natural rubber. The result is an extremely cut and puncture resistant breaker ply which has a low rolling resistance thanks to its high elasticity. This helps saving battery life and the environment. High acceleration torques and fast speeds in turns are easily absorbed by the breaker. The specialist for fast e-bikes and rental bikes.



Safety
E-50

Up to **30% higher puncture protection*** against glass and sharp flints!

* Benchmark test: Piercing (blade) test measuring force required, Zedler Institute, 2016 – further details of the test: www.continental-tires.com/bicycle/technology

Safety-Level 1 2 3 4 5 6 **7**

CONTACT Plus

All that you would expect from a comfortable touring tire

- an all-rounder for every path and road that your tour might take you
- with its extra puncture protection nobody will be left behind at the side of the road
- updated version of the most popular tread design of all our touring tires
- ECE-R75 certified

Safety
E-50
i 38



CONTACT Plus City

Built for speed when out and about in town

- on e-bikes and rental bikes, exactly the right type of tire to comfortably explore the city without mishap
- highest puncture protection and efficient rolling characteristics
- economical and energy conserving tire
- ECE-R75 certified

Safety
E-50
i 38



CONTACT Pus Travel

For racking up the kilometers on trekking tours

- the optimal companion for your next adventure: with its universal tread for tarmac, the countryside, forest trails and meadow paths
- maximum puncture protection through a highly elastic special natural rubber inlay that successfully protects against all types of foreign bodies
- reliable riding experience on any terrain, even then when the going gets more difficult

Safety
E-25
i 38





CONTACT
When things get tough

- the versatile all-rounder for the trekking bike: reliable on any type of terrain
- highly reliable: the lamella tread structure gives sure footed grip
- features the most popular tread design from the urban/tour range

Safety System E-25

i 39



CONTACT Speed
Unites speed and comfort in one tire

- the perfect choice for the city speedsters, single-speed bikes and fitness bikes
- double puncture protection, good grip and light-weight design
- the roughened slick tread speeds along on tarmac

Safety System E-25

i 39



CONTACT Travel
One round the world ticket, please: the globetrotter

- specially suitable for endurance rides on touring and all terrain bikes
- durable: the tough and supportive carcass as well as the special DuraSkin® sidewall protection make it exceptionally robust
- the perfect tour companion, whether far from home, far from the crowds or far from the hustle and bustle of every day life

Safety System DuraSkin® E-25

i 38-39

CONTACT Cruiser
Chic Cruiser

- high-volume lifestyle tires with high comfort for maximum pleasure on tarmac
- safe and sporty, lightweight puncture protection from additional fabric breakers
- available in various trendy colors and sizes

Safety System E-25

i 39



CONTACT Spike 120 and 240
Our recommendation for snow and icy roads

- optimal safety during cold and dark seasons: The spikes guarantee traction, the reflective stripes ensure visibility
- maintain full control of your bicycle even in turns and hard stops
- the integrated nylon breaker offers reliable puncture protection even against road grit
- choose between 120 or 240 spikes

Safety System E-25

i 39



DuraSkin®
For demanding conditions

Tires with DuraSkin® sidewall protection can take a beating as they are designed for the most adverse conditions. Whether it is the curbs of the urban jungle, sharp rocks on your gravel bike, or the unforgiving pavement of race courses around the world – DuraSkin delivers added protection. The high-quality polyamide fabric reliably protects the wall of the tire. Tires with DuraSkin® can be identified by the characteristic brown mesh sidewall*.

**DuraSkin® comes in restrained black with our Black Edition*

DuraSkin®



SafetySystem Breaker
Puncture protection as a system

The SafetySystem Breaker consists of a Kevlar-reinforced, high-strength nylon fabric. Puncture and cut resistant, whilst also being light and flexible, allowing the tire to adapt more effectively to the terrain. The breaker protects the carcass against foreign objects and contributes to a longer lifespan of the tire without significantly increasing weight or rolling resistance. Additionally, tires with SafetySystem have particularly comfortable handling characteristics.

Safety System



Safety-Level 1 2 3 **4** 5 6 7



RIDE Tour

A trusted companion on your regular rides

- tarmac, unsurfaced park paths, urban surroundings – the right choice for the city cyclist on their daily ride
- features a puncture resistant carcass and an extra layer of rubber for enduring mileage
- available in a large range of colors and sizes

EXTRA Puncture BELT · E-25

i 39



RIDE City

A robust tire with a modern look

- solid tires for town and city bikes also suitable for tarmac and gravel paths
- good traction from its large contact patch with the terrain
- High quality and extreme reliability – get you where you're going on time!

EXTRA Puncture BELT · E-25

i 39-40



AT RIDE

All Terrain: the trekking all-rounder

- this slender trekking tire has no fear of loose or slippery surfaces
- profile design inspired by mountain bike tire design, though it retains good rolling properties
- reliable puncture protection thanks to Puncture ProTection rubber belt
- durable casing and long-lasting tread impress on all rides

Puncture ProTection · E-25

i 40

RIDE Cruiser

RIDE Retro!

- comfortable retro style tire, developed for stylish cruisers and city bikes
- reliable puncture protection, with the tread profile of the legendary Conti KKS 10
- available in various trendy colors and sizes

EXTRA Puncture BELT · E-25

i 40



RIDE Classic

The chic partner for the Dutch style bike

- with its classic tread design this is the right tire for the Dutch or city bike
- a pleasant ride feel over tarmac due to the closed tread profile
- available in various trendy colors and sizes

EXTRA Puncture BELT · E-25


i 40



EXTRA PunctureBelt

Carefree on a daily basis

Anyone looking for a reliable everyday companion will go for a tire with EXTRA PunctureBelt. This rugged rubber breaker, combined with the rubber-reinforced sidewalls of the tire, ensures a high level of puncture protection and sidewall abrasion. Where durability is the main focus, there is also a solid tire version.



EXTRA Puncture BELT

Puncture ProTection

The name speaks for itself

An impeccable rubber Breaker, created for the daily ride on your Urban/ Tour bike. The breaker ensures a high level of puncture protection and sidewall abrasion.



Puncture ProTection

Safety-Level 1 2 3 4 **5** 6 7

URBAN / TOUR

LISTINGS
BICYCLE TIRES

Available from quarter... | Phase-out model | Safety Level | Handmade in Germany | E25 E-Bike up to 25 km/h | E50 E-Bike up to 50 km/h | TL Tubeless | dynamo compatible | Color/sidewall

Set Attack & Force Comp
BlackChili Compound - Vectran™Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100748		28x22/24	●	500	115-170

Attack Comp
BlackChili Compound - Vectran™Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196231		28x22	●	240	115-170

Force Comp
BlackChili Compound - Vectran™Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196232		28x24	●	260	115-170

Competition
BlackChili Compound - Vectran Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196142		26x19	●	215	145-170
0196141		26x22	●	250	115-170
0196140		28x19	●	230	145-170
0196138		28x22	●	260	115-170
0196189		28x25	●	280	115-170

Grand Prix 4000 S II Tubular
BlackChili Compound - Vectran Breaker - 4/240 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196241		28x22	●	270	115-170

Podium TT
BlackChili Compound - Vectran Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196181		28x19	●	195	160-220
0196180		28x22	●	225	160-170
0196243		28x25	●	245	115-170

Sprinter
BlackChili Compound - SafetySystem Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196150		26x22	●	260	145-170
0196135		28x22	●	275	115-170
0196244		28x25	●	295	115-170

Sprinter Gatorskin
SafetySystem Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196136		28x22	●	280	115-170
0196187		28x25	●	300	115-170

Giro
Performance - 2/160 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196017		28x22	◐	300	115-145

Olympic II
BlackChili Compound - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196186		28x19	●	185	170-220

Sonderklasse II
BlackChili Compound - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196188		28x23	●	220	160-170

Tempo II
BlackChili Compound - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0196185		28x19	●	180	160-220
0196184		28x22	●	200	160-170

Set Grand Prix Attack & Force III
BlackChili Compound - Vectran™Breaker - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101440	23/25-622	700 x 23/25C	● foldable	390	110-120

Grand Prix Attack III
BlackChili Compound - Vectran™Breaker - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101303	23-622	700 x 23C	● foldable	175	110-120

Grand Prix Force III
BlackChili Compound - Vectran™Breaker - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101304	25-622	700 x 25C	● foldable	215	95-120

Grand Prix 5000
BlackChili - Vectran™Breaker - Active Comfort - Lazer Grip - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0101620	25-584	650 x 25B	● foldable	205	95-123
Q1 0101622	28-584	650 x 28B	● foldable	235	95-116
Q1 0101623	23-622	700 x 23C	● foldable	200	110-123
Q1 0101624	25-622	700 x 25C	● foldable	215	95-123
Q1 0101625	28-622	700 x 28C	● foldable	235	95-116
Q1 0101626	32-622	700 x 32C	● foldable	290	85-102

Grand Prix 5000 TL
BlackChili - Vectran™Breaker - Active Comfort - Lazer Grip - 3/180 TPI TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0101627	28-584	650 x 28B	● foldable	330	65-94
Q1 0101628	25-622	700 x 25C	● foldable	300	80-109
Q1 0101629	28-622	700 x 28C	● foldable	345	65-94
Q1 0101630	32-622	700 x 32C	● foldable	370	65-87

Grand Prix TT
BlackChili Compound - Vectran™Breaker - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100487	23-622	700 x 23C	● foldable	170	110-120
0101077	25-622	700 x 25C	● foldable	190	95-120

Grand Prix Supersonic
BlackChili Compound - Supersonic - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101079	20-622	700 x 20C	● foldable	140	145-170
0101080	23-622	700 x 23C	● foldable	155	115-145

Grand Prix 4-Season Black Edition
2x Vectran™Breaker - DuraSkin® - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0101441	23-622	700 x 23C	● foldable	220	110-120

Grand Prix 4-Season Black Edition
2x Vectran™Breaker - DuraSkin® - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0101442	25-622	700 x 25C	● foldable	230	95-120
Q1 0101443	28-622	700 x 28C	● foldable	295	95-115
Q1 0101444	32-622	700 x 32C	● foldable	340	85-102

Grand Prix 4-Season
2x Vectran™Breaker - DuraSkin® - 3/330 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100173	23-622	700 x 23C	● foldable	220	110-120
0100175	25-622	700 x 25C	● foldable	230	95-120
0101105	28-622	700 x 28C	● foldable	295	95-115
0101095	32-622	700 x 32C	● foldable	340	85-102

Grand Prix GT
BlackChili Compound - PolyX Breaker™ - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101097	28-559	26 x 1 ⅛	● foldable	280	95-115
0100464	25-622	700 x 25C	● foldable	270	110-120
0101096	28-622	700 x 28C	● foldable	315	95-115

Grand Prix
BlackChili Compound - PolyX Breaker™ - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100149	28-559	26 x 1 ⅛	● foldable	245	95-115
0100148	28-559	26 x 1 ⅛	●	310	95-115
0100502	23-571	650 x 23C	●	280	110-120
0100506	23-622	700 x 23C	● foldable	225	110-120
0100505	23-622	700 x 23C	●	295	110-120
0100637	25-622	700 x 25C	● foldable	230	110-120
0100636	25-622	700 x 25C	●	305	110-120
0101109	28-622	700 x 28C	● foldable	270	95-115
0100157	28-622	700 x 28C	●	340	95-115

Grand Prix Classic
BlackChili Compound - PolyX Breaker™ - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100456	25-622	700 x 25C	◐ foldable	225	95-120

Grand Prix Urban
BlackChili Compound - PolyX Breaker™ - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101575	35-622	700 x 35C	● foldable	345	65-85
0101673	35-622	700 x 35C	◐ foldable	335	65-85

Gator Hardshell
Hardshell - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100311	23-622	700 x 23C	● foldable	260	110-120
0100310	23-622	700 x 23C	●	340	110-120
0100313	25-622	700 x 25C	● foldable	270	95-120
0100312	25-622	700 x 25C	●	340	95-120
0100639	28-622	700 x 28C	● foldable	330	95-116
0100314	28-622	700 x 28C	●	400	95-116
0100640	32-622	700 x 32C	● foldable	375	85-102
0100435	32-622	700 x 32C	●	445	85-102
0100315	32-630	27 x 1 ¼	●	450	85-102

Gatorskin
PolyX Breaker™ - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0118365	28-559	26 x 1 ⅛	●	320	95-120
0118364	23-571	650 x 23C	●	270	110-120
0118538	23-622	700 x 23C	● foldable	220	110-120
0118537	23-622	700 x 23C	●	290	110-120

Gatorskin
PolyX Breaker™ - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100084	25-622	700 x 25C	● foldable	240	95-120
0118539	25-622	700 x 25C	●	310	95-120
0100641	28-622	700 x 28C	● foldable	280	95-116
0121228	28-622	700 x 28C	●	360	95-116
0100642	32-622	700 x 32C	● foldable	350	85-102
0100437	32-622	700 x 32C	●	420	85-102
0122300	32-630	27 x 1 ¼	●	430	85-102

Grand Sport Race
PureGrip Compound - NyTech Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150001	23-622	700 x 23C	● foldable	230	110-120
0150005	23-622	700 x 23C	●	315	110-120
0150027	25-622	700 x 25C	● foldable	270	95-120
0150025	25-622	700 x 25C	●	340	95-120
0150118	28-622	700 x 28C	● foldable	330	80-115
0150116	28-622	700 x 28C	●	405	80-115
0150141	32-622	700 x 32C	● foldable	370	65-102
0150164	32-622	700 x 32C	●	450	65-102
0150144	32-630	27 x 1 1/4	●	460	65-102

Grand Sport Extra
PureGrip Compound - Double NyTech Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150021	23-622	700 x 23C	● foldable	280	110-120
0150024	25-622	700 x 25C	● foldable	315	95-120
0150165	32-622	700 x 32C	●	530	65-102

Ultra Sport II
PureGrip Compound - Performance - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150003	23-622	700 x 23C	● foldable	240	110-120
0150006	23-622	700 x 23C	●	310	110-120
0150129	23-622	700 x 23C	◐ foldable	250	110-120
0150122	23-622	700 x 23C	◐	320	110-120
0150130	23-622	700 x 23C	◐ foldable	250	110-120
0150123	23-622	700 x 23C	◐	320	110-120
0150128	23-622	700 x 23C	◐ foldable	250	110-120
0150121	23-622	700 x 23C	◐	320	110-120
0150131	23-622	700 x 23C	◐ foldable	250	110-120
0150124	23-622	700 x 23C	◐	320	110-120
0150126	23-622	700 x 23C	◐ foldable	250	110-120
0150119	23-622	700 x 23C	◐	320	110-120
0150132	23-622	700 x 23C	◐ foldable	250	110-120
0150125	23-622	700 x 23C	◐	320	110-120
0150127	23-622	700 x 23C	◐ foldable	250	110-120
0150120	23-622	700 x 23C	◐	320	110-120
0150011	25-622	700 x 25C	● foldable	270	95-120
0150009	25-622	700 x 25C	●	340	95-120
0150173	25-622	700 x 25C	◐ foldable	280	95-120
0150172	25-622	700 x 25C	◐	340	95-120
0150170	25-622	700 x 25C	◐ foldable	290	95-120
0150175	25-622	700 x 25C	◐	350	95-120
0150170	25-622	700 x 25C	◐ foldable	290	95-120
0150171	25-622	700 x 25C	◐	350	95-120
0150177	25-622	700 x 25C	◐ foldable	290	95-120
0150176	25-622	700 x 25C	◐	350	95-120
0150166	25-622	700 x 25C	◐ foldable	290	95-120
0150167	25-622	700 x 25C	◐	350	95-120
0150178	25-622	700 x 25C	◐ foldable	290	95-120
0150179	25-622	700 x 25C	◐	350	95-120
0150169	25-622	700 x 25C	◐ foldable	290	95-120
0150168	25-622	700 x 25C	◐	350	95-120

Ultra Sport II
PureGrip Compound - Performance - 3/180 TPI

0150014	28-622	700 x 28C	● foldable	340	80-115
0150012	28-622	700 x 28C	●	410	80-115
0150142	32-622	700 x 32C	● foldable	350	65-102
0150180	32-622	700 x 32C	●	420	65-102
0150183	28-630	27 x 1 ⅛	●	405	80-115
0150182	32-630	27 x 1 ¼	●	430	65-102

Super Sport Plus
Plus Breaker - 3/84 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100341	23-622	700 x 23C	● foldable	455	110-120
0100344	23-622	700 x 23C	●	440	110-120
0100343	25-622	700 x 25C	● foldable	480	95-120
0100342	25-622	700 x 25C	●	465	95-120
0100349	28-622	700 x 28C	●	575	80-116
0100347	28-630	27 x 1 ⅛	●	600	80-116
0100348	32-630	27 x 1 ¼	●	645	70-102

Hometrainer
3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100648	47-559	26 x 1.75	● foldable	380	45-65
0101275	50-584	27.5 x 2.00	● foldable	385	45-65
0100647	23-622	700 x 23C	● foldable	205	110-120
0100649	32-622	700 x 32C	● foldable	270	85-102

Cross King CX
BlackChili Compound - RaceSport - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100451	32-622	700 x 32C	● foldable	300	45-85

PureGrip Compound - NyTech Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150281	35-622	700 x 35C	● foldable	440	36-85

Mountain King CX
BlackChili Compound - RaceSport - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100472	32-622	700 x 32C	● foldable	320	45-85

PureGrip Compound - NyTech Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150282	35-622	700 x 35C	● foldable	460	36-85

Speed King CX
BlackChili Compound - RaceSport - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101256	32-622	700 x 32C	● foldable	290	45-85

PureGrip Compound - NyTech Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150279	35-622	700 x 35C	● foldable	400	36-85

Race King CX
PureGrip Compound - NyTech Breaker - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150280	35-622	700 x 35C	● foldable	420	36-85

Available from quarter...
Phase-out model
Safety Level
Handmade in Germany
E25 E-Bike up to 25 km/h
E50 E-Bike up to 50 km/h
TL Tubeless
dynamo compatible
◐ Color/sidewall

Der Kaiser
BlackChili Compound - Apex - 6/360 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100226	62-559	26 x 2.50	●	1205	45-58

Der Baron
BlackChili Compound - Apex - 6/360 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100227	62-559	26 x 2.50	●	1235	45-58

Der Kaiser Projekt
BlackChili Compound - Apex - 6/360 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q2 0101723	60-559	26 x 2.40	● foldable	1220	36-51
Q2 0101722	60-584	27.5 x 2.40	● foldable	1290	36-51
Q2 0101721	60-622	29 x 2.40	● foldable	1395	36-51

BlackChili Compound - Apex - 6/360 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100619	60-559	26 x 2.40	●	1210	45-58
0100902	60-584	27.5 x 2.40	●	1325	45-58

BlackChili Compound - ProTection Apex - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101566	60-559	26 x 2.40	● foldable	950	36-51
0101567	60-584	27.5 x 2.40	● foldable	995	36-51
0101569	60-622	29 x 2.40	● foldable	1060	36-51

Der Baron Projekt
BlackChili Compound - ProTection Apex - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101570	60-559	26 x 2.40	● foldable	925	36-51
0101572	60-584	27.5 x 2.40	● foldable	945	36-51
0101381	65-584	27.5 x 2.60	● foldable	970	29-44
0101573	60-622	29 x 2.40	● foldable	995	36-51

Mud King
BlackChili Compound - Apex - 6/360 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100414	57-559	26 x 2.30	●	1090	45-65
0100901	57-584	27.5 x 2.30	●	1140	45-65
0101083	57-622	29 x 2.30	●	1215	45-65

BlackChili Compound - ProTection - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100547	47-559	26 x 1.80	● foldable	505	45-65
0101084	47-584	27.5 x 1.80	● foldable	530	45-65
0100918	47-622	29 x 1.80	● foldable	565	45-65

Trail King
BlackChili Compound - ProTection Apex - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101487	55-559	26 x 2.20	● foldable	755	44-58
0101478	60-559	26 x 2.40	● foldable	865	36-51
0101468	55-584	27.5 x 2.20	● foldable	795	44-58
0101460	60-584	27.5 x 2.40	● foldable	905	36-51
0101382	65-584	27.5 x 2.60	● foldable	975	29-44
Q1 0101383	70-584	27.5 x 2.80	● foldable	1085	25-40
0101476	55-622	29 x 2.20	● foldable	845	44-58
0101477	60-622	29 x 2.40	● foldable	955	36-51

PureGrip Compound - ShieldWall System - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0150305	55-559	26 x 2.20	● foldable	715	44-58
Q1 0150300	60-559	26 x 2.40	● foldable	835	36-51
Q1 0150293	55-584	27.5 x 2.20	● foldable	760	44-58
Q1 0150288	60-584	27.5 x 2.40	● foldable	880	36-51
Q2 0150332	65-584	27.5 x 2.60	● foldable	935	29-44
Q3 0150331	70-584	27.5 x 2.80	● foldable	990	25-40

Trail King
PureGrip Compound - ShieldWall System - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0150298	55-622	29 x 2.20	● foldable	810	44-58
Q1 0150299	60-622	29 x 2.40	● foldable	940	36-51

Wire - 3/180 TPI E25

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q3 0150414	60-559	26 x 2.40	●	840	36-51
Q2 0150416	60-584	27.5 x 2.40	●	900	36-51
Q3 0150419	60-622	29 x 2.40	●	950	36-51

PureGrip Compound - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150284	55-559	26 x 2.20	●	820	45-58
0150283	60-559	26 x 2.40	●	900	45-58
0150239	55-584	27.5 x 2.20	●	855	45-58
0150106	60-584	27.5 x 2.40	●	945	45-58
0150241	55-622	29 x 2.20	●	905	45-58
0150238	60-622	29 x 2.40	●	995	45-58

Mountain King
BlackChili Compound - ProTection - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101479	58-559	26 x 2.30	● foldable	690	40-54
0101461	58-584	27.5 x 2.30	● foldable	720	40-54
0101583	65-584	27.5 x 2.60	● foldable	805	29-44
Q1 0101582	70-584	27.5 x 2.80	● foldable	855	25-40
0101469	58-622	29 x 2.30	● foldable	765	40-54

PureGrip Compound - ShieldWall System - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q2 0150301	58-559	26 x 2.30	● foldable	725	40-54
Q1 0150289	58-584	27.5 x 2.30	● foldable	770	40-54
Q2 0150335	65-584	27.5 x 2.60	● foldable	935	29-44
Q3 0150334	70-584	27.5 x 2.80	● foldable	990	25-40
Q1 0150294	58-622	29 x 2.30	● foldable	815	40-54

Wire - 3/180 TPI E25

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q3 0150424	58-559	26 x 2.30	●	790	40-54
Q3 0150425	58-584	27.5 x 2.30	●	830	40-54
Q3 0150427	58-622	29 x 2.30	●	885	40-54

PureGrip Compound - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150285	55-559	26 x 2.20	●	745	50-65
0150286	60-559	26 x 2.40	●	790	50-65
0150246	55-584	27.5 x 2.20	●	790	50-65
0150242	60-584	27.5 x 2.40	●	835	50-65
0150248	55-622	29 x 2.20	●	840	50-65
0150244	60-622	29 x 2.40	●	885	50-65

Cross King
BlackChili Compound - ProTection - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101483	55-559	26 x 2.20	● foldable	585	44-58
0101481	58-559	26 x 2.30	● foldable	690	40-54
0101465	55-584	27.5 x 2.20	● foldable	615	44-58
0101463	58-584	27.5 x 2.30	● foldable	725	40-54
0101384	65-584	27.5 x 2.60	● foldable	805	29-44
Q1 0101385	70-584	27.5 x 2.80	● foldable	855	25-40
0101471	55-622	29 x 2.20	● foldable	655	44-58
0101475	58-622	29 x 2.30	● foldable	770	40-54

BlackChili Compound - RaceSport - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101482	55-559	26 x 2.20	● foldable	505	44-58
0101480	58-559	26 x 2.30	● foldable	605	40-54
0101464	55-584	27.5 x 2.20	● foldable	530	44-58
0101462	58-584	27.5 x 2.30	● foldable	635	40-54
0101470	55-622	29 x 2.20	● foldable	565	44-58

Cross King
BlackChili Compound - RaceSport - 3/180 TPI

0101474	58-622	29 x 2.30	● foldable	675	40-54

PureGrip Compound - ShieldWall System - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0150310	50-559	26 x 2.00	● foldable	625	51-65
Q1 0150303	55-559	26 x 2.20	● foldable	695	44-58
Q1 0150302	58-559	26 x 2.30	● foldable	725	40-54
Q1 0150308	50-584	27.5 x 2.00	● foldable	665	51-65
Q1 0150291	55-584	27.5 x 2.20	● foldable	740	44-58
Q1 0150290	58-584	27.5 x 2.30	● foldable	780	40-54
Q2 0150337	65-584	27.5 x 2.60	● foldable	935	29-44
Q3 0150336	70-584	27.5 x 2.80	● foldable	990	25-40
Q1 0150306	50-622	29 x 2.00	● foldable	705	51-65
Q1 0150295	55-622	29 x 2.20	● foldable	785	44-58
Q1 0150297	58-622	29 x 2.30	● foldable	825	40-54

Wire - 3/180 TPI E25

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q2 0150399	50-559	26 x 2.00	●	640	51-65
Q2 0150404	55-559	26 x 2.20	●	700	44-58
Q2 0150407	58-559	26 x 2.30	●	780	40-54
Q2 0150402	50-584	27.5 x 2.00	●	650	51-65
Q2 0150405	55-584	27.5 x 2.20	●	740	44-58
Q2 0150408	58-584	27.5 x 2.30	●	800	40-54
Q2 0150403	50-622	29 x 2.00	●	690	51-65
Q2 0150406	55-622	29 x 2.20	●	785	44-58
Q2 0150410	58-622	29 x 2.30	●	825	40-54

Race King
BlackChili Compound - ProTection - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101486	55-559	26 x 2.20	● foldable	555	44-58
0101467	55-584	27.5 x 2.20	● foldable	580	44-58
0101473	55-622	29 x 2.20	● foldable	615	44-58

BlackChili Compound - RaceSport - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101485	55-559	26 x 2.20	● foldable	465	44-58
0101466	55-584	27.5 x 2.20	● foldable	495	44-58
0101472	55-622	29 x 2.20	● foldable	525	44-58

PureGrip Compound - ShieldWall System - 3/180 TPI E25 TL

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0150311	50-559	26 x 2.00	● foldable	585	51-65
Q1 0150304	55-559	26 x 2.20	● foldable	660	44-58
Q1 0150309	50-584	27.5 x 2.00	● foldable	625	51-65
Q1 0150292	55-584	27.5 x 2.20	● foldable	695	44-58
Q1 0150307	50-622	29 x 2.00	● foldable	660	51-65
Q1 0150296	55-622	29 x 2.20	● foldable	740	44-58

Wire - 3/180 TPI E25

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q3 0150429	50-559	26 x 2.00	●	625	51-65
Q3 0150432	55-559	26 x 2.20	●	675	44-58
Q3 0150430	50-584	27.5 x 2.00	●	650	51-65
Q3 0150433	55-584	27.5 x 2.20	●	705	44-58
Q3 0150431	50-622	29 x 2.00	●	685	51-65
Q3 0150435	55-622	29 x 2.20	●	735	44-58

PureGrip Compound - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150138	50-559	26 x 2.00	●	625	50-65
0150152	55-559	26 x 2.20	●	675	50-65
0150158	50-584	27.5 x 2.00	●	655	50-65
0150154	55-584	27.5 x 2.20	●	705	50-65
0150160	50-622	29 x 2.00	●	685	50-65
0150156	55-622	29 x 2.20	●	735	50-65

LISTINGS BICYCLE TIRES

Speed King

BlackChili Compound - RaceSport - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100728	55-559	26 x 2.20	● foldable	425	50-65
0101110	55-584	27.5 x 2.20	● foldable	445	50-65
0100933	55-622	29 x 2.20	● foldable	465	50-65

DoubleFighter III

Sport - 3/180 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101282	47-305	16 x 1.75	● Reflex	380	50-65
0101232	47-305	16 x 1.75	●	380	50-65
0101283	47-406	20 x 1.75	● Reflex	520	50-65
0101233	47-406	20 x 1.75	●	520	50-65
0101284	47-507	24 x 1.75	● Reflex	620	50-65
0101234	47-507	24 x 1.75	●	620	50-65
0101285	50-507	24 x 2.0	● Reflex	640	50-65
0101251	50-507	24 x 2.0	●	640	50-65
0101235	50-559	26 x 1.90	●	790	50-65
0101286	50-559	26 x 1.90	● Reflex	790	50-65
0101237	50-584	27.5 x 2.00	●	845	50-65
0101287	50-584	27.5 x 2.00	● Reflex	845	50-65
0101289	37-622	700 x 35C	● Reflex	640	58-85
0100795	37-622	700 x 35C	●	640	58-84
0101239	50-622	29 x 2.00	●	915	50-65
0101292	50-622	29 x 2.00	● Reflex	915	50-65

Gravity

Sport - 3/84 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0116017	57-559	26 x 2.30	●	770	50-65

Vapor

Sport - 3/84 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0115854	54-559	26 x 2.10	●	715	50-65

Vertical

Sport - 3/84 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0116008	57-559	26 x 2.30	●	730	50-65

Explorer

Sport - 3/84 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0102501	47-305	16 x 1.75	●	425	50-65
0105501	47-406	20 x 1.75	●	560	50-65
0109002	47-507	24 x 1.75	●	680	50-65
0115715	54-559	26 x 2.10	●	620	50-65

Traffic II

Sport - 3/84 TPI

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100352	47-507	24 x 1.75	● Reflex	735	44-58
0100205	50-559	26 x 1.90	●	830	50-65
0100206	50-559	26 x 1.90	● Reflex	830	50-65
0100207	54-559	26 x 2.10	●	915	50-65
0100208	54-559	26 x 2.10	● Reflex	915	50-65

Available from quarter...
Phase-out model
Safety Level
Handmade in Germany

E25 E-Bike up to 25 km/h
E50 E-Bike up to 50 km/h
TL Tubeless
dynamo compatible

◐ Color/sidewall

Top CONTACT II

Safety Level 6 · E50

Vectran Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
Q1 0101735	50-559	26 x 2.00	● fold. Reflex	735	45-65
0101279	50-584	27.5 x 2.00	● fold. Reflex	765	45-65
0100615	28-622	28 x 1 ⅝ x 1 ⅛	● fold. Reflex	470	80-102
0100573	32-622	28 x 1 ¼ x 1 ¾	● fold. Reflex	525	70-85
0100441	37-622	28 x 1 ⅜ x 1 ⅝	● fold. Reflex	610	58-85
0100358	42-622	28 x 1.60	● fold. Reflex	765	50-85
0100439	47-622	28 x 1.75	● fold. Reflex	795	45-65

Top CONTACT Winter II Premium

Safety Level 6 · E50

Vectran Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100715	55-559	26 x 2.20	● fold. Reflex	745	45-58
0101734	55-559	26 x 2.20	● fold. Reflex	745	45-58
0101281	50-584	27.5 x 2.00	● fold. Reflex	640	45-65
0100713	37-622	28 x 1 ⅜ x 1 ⅝	● fold. Reflex	470	58-85
0100714	42-622	28 x 1.60	● fold. Reflex	680	50-87

CONTACT Plus

Safety Level 7 · E50

SafetyPlus Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101001	47-507	24 x 1.75	● Reflex	940	45-58
0101002	47-559	26 x 1.75	● Reflex	1040	45-58
0101221	42-584	27.5 x 1 ½	● Reflex	990	50-65
0101003	28-622	28 x 1 ⅝ x 1 ⅛	● Reflex	645	80-102
0101004	32-622	28 x 1 ¼ x 1 ¾	● Reflex	775	70-85
0101005	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	980	56-85
0101006	42-622	28 x 1.60	● Reflex	1050	50-73
0101007	47-622	28 x 1.75	● Reflex	1150	45-58
0101008	42-635	28 x 1 ½	● Reflex	1070	50-65

CONTACT Plus City

Safety Level 7 · E50

SafetyPlus Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101331	47-559	26 x 1.75	● Reflex	1000	45-58
0101334	55-559	26 x 2.20	● Reflex	1230	45-58
0101335	55-584	27.5 x 2.20	● Reflex	1270	45-58
0101336	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	900	56-87
0101340	42-622	28 x 1.60	● Reflex	990	50-73
0101343	47-622	28 x 1.75	● Reflex	1130	45-58

CONTACT Plus Travel

Safety Level 7 · E25

SafetyPlus Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101346	47-559	26 x 1.75	● Reflex	925	45-58
0101347	50-559	26 x 2.00	● Reflex	1100	45-58
0101348	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	820	58-87
0101349	42-622	28 x 1.60	● Reflex	930	50-73
0101350	47-622	28 x 1.75	● Reflex	1020	45-58

CONTACT

Safety Level 4 · E25

SafetySystem Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101311	37-406	20 x 1.40	● Reflex	420	56-73
0101310	37-406	20 x 1.40	●	420	56-73
0101313	47-406	20 x 1.75	● Reflex	505	45-58
0101312	47-406	20 x 1.75	●	505	45-58
0101315	47-559	26 x 1.75	● Reflex	670	45-58
0101314	47-559	26 x 1.75	●	670	45-58
0101317	28-622	28 x 1 ⅜ x 1 ⅛	● Reflex	480	80-102
0101316	28-622	28 x 1 ⅜ x 1 ⅛	●	480	80-102
0101319	32-622	28 x 1 ¼ x 1 ¾	● Reflex	495	70-85
0101318	32-622	28 x 1 ¼ x 1 ¾	●	495	70-85

URBAN / TOUR

CONTACT

Safety Level 4 · E25

SafetySystem Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101320	37-622	28 x 1 ⅜ x 1 ⅜	● Reflex	610	56-85
0101321	37-622	28 x 1 ⅜ x 1 ⅜	●	610	56-85
0101324	42-622	28 x 1.60	● Reflex	645	50-85
0101325	42-622	28 x 1.60	●	645	50-85
0101328	47-622	28 x 1.75	● Reflex	770	45-58
0101327	47-622	28 x 1.75	●	770	45-58

CONTACT Travel

Safety Level 4 · E25

SafetySystem Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101497	47-559	26 x 1.75	● foldable	610	50-80
0101496	47-559	26 x 1.75	● Reflex	670	50-80
0101494	47-559	26 x 1.75	●	670	50-80
0101498	50-559	26 x 2.00	●	760	45-58
0101499	50-559	26 x 2.00	● Reflex	760	45-58
0101502	37-622	28 x 1 ⅜ x 1 ⅜	● foldable	510	56-85
0101501	37-622	28 x 1 ⅜ x 1 ⅜	● Reflex	575	65-85
0101500	37-622	28 x 1 ⅜ x 1 ⅜	●	575	56-85
0101504	42-622	28 x 1.60	● Reflex	620	50-85
0101503	42-622	28 x 1.60	●	620	50-85
0101505	50-622	28 x 2.00	●	845	45-58
0101506	50-622	28 x 2.00	● Reflex	845	45-58

CONTACT Speed

Safety Level 4 · E25

SafetySystem Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101388	28-406	20 x 1.10	● Reflex	265	70-87
0101387	28-406	20 x 1.10	●	265	70-87
0101391	32-559	26 x 1.30	● Reflex	430	70-87
0101389	32-559	26 x 1.30	●	430	70-87
0101392	42-559	26 x 1.60	● Reflex	540	65-87
0101396	50-559	26 x 2.00	● Reflex	665	45-58
0101395	50-559	26 x 2.00	●	665	45-58
0101637	32-584	27.5 x 1.25	● foldable	410	70-87
0101398	32-584	27.5 x 1.25	● Reflex	470	70-87
0101397	32-584	27.5 x 1.25	●	470	70-87
0101399	50-584	27.5 x 2.00	● Reflex	700	50-65
0101401	50-584	27.5 x 2.00	●	700	50-65
0101632	28-622	28 x 1 ⅝ x 1 ⅛	● foldable	360	80-102
0101403	28-622	28 x 1 ⅝ x 1 ⅛	● Reflex	425	80-102
0101402	28-622	28 x 1 ⅝ x 1 ⅛	●	425	80-102
0101633	32-622	28 x 1 ¼ x 1 ¾	● foldable	420	70-87
0101408	32-622	28 x 1 ¼ x 1 ¾	● Reflex	485	70-87
0101406	32-622	28 x 1 ¼ x 1 ¾	●	485	70-87
0101634	35-622	28 x 1 ⅜ x 1 ⅜	● foldable	445	70-87
0101635	37-622	28 x 1 ⅜ x 1 ⅜	● foldable	430	70-87
0101414	37-622	28 x 1 ⅜ x 1 ⅜	● Reflex	495	70-87
0101412	37-622	28 x 1 ⅜ x 1 ⅜	●	495	70-87
0101636	42-622	28 x 1.60	● foldable	525	50-87
0101418	42-622	28 x 1.60	● Reflex	590	50-87
0101416	42-622	28 x 1.60	●	590	50-87

CONTACT Cruiser

Safety Level 4 · E25

SafetySystem Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101507	50-559	26 x 2.00	● Reflex	850	45-65
0101509	50-559	26 x 2.00	● Reflex	850	45-65
0101508	50-559	26 x 2.00	● Reflex	850	45-65
0101510	50-559	26 x 2.00	● Reflex	850	45-65
0101511	55-559	26 x 2.20	● Reflex	905	45-65
0101513	55-559	26 x 2.20	● Reflex	905	45-65
0101512	55-559	26 x 2.20	● Reflex	905	45-65
0101514	55-559	26 x 2.20	● Reflex	905	45-65

CONTACT Cruiser

Safety Level 4 · E25

SafetySystem Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101515	50-622	28 x 2.00	● Reflex	960	45-65
0101517	50-622	28 x 2.00	● Reflex	960	45-65
0101516	50-622	28 x 2.00	● Reflex	960	45-65
0101518	50-622	28 x 2.00	● Reflex	960	45-65
0101519	55-622	28 x 2.20	● Reflex	1025	45-65
0101521	55-622	28 x 2.20	● Reflex	1025	45-65
0101520	55-622	28 x 2.20	● Reflex	1025	45-65
0101522	55-622	28 x 2.20	● Reflex	1025	45-65

CONTACT Spike 120

Safety Level 4 · E25

SafetySystem Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150269	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	715	56-73
0150268	42-622	28 x 1.60	● Reflex	870	50-87

CONTACT Spike 240

Safety Level 4 · E25

SafetySystem Breaker - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0150091	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	715	56-73
0150191	42-622	28 x 1.60	● Reflex	870	50-87

RIDE Tour

Safety Level 5 · E25

ExtraPuncture Belt - 3/180 TPI - dynamo compatible

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101137	62-203	12 ½ x 2 ¼	●	405	45-58
0101139	47-305	16 x 1.75	● Reflex	490	45-58
0101138	47-305	16 x 1.75	●	490	45-58
0101142	47-406	20 x 1.75	● Reflex	600	45-58
0101140	47-406	20 x 1.75	●	600	45-58
0101184	47-406	20 x 1.75	◐	630	45-58
0101144	47-507	24 x 1.75	● Reflex	720	45-58
0101143	47-507	24 x 1.75	●	720	45-58
0101186	47-507	24 x 1.75	◐	810	45-58
0101149	47-559	26 x 1.75	● Reflex	780	45-58
0101148	47-559	26 x 1.75	●	780	45-58
0101181	47-559	26 x 1.75	◐	870	45-58
0101189	47-559	26 x 1.75	◐	870	45-58
0101187	37-584	26/27.5 x 1 ⅜	◐	690	56-70
0101147	42-584	26/27.5 x 1 ½	● Reflex	720	50-65
0101146	42-584	26/27.5 x 1 ½	●	720	50-65
0101168	54-584	26/27.5 x 1 ½ x 2	● Reflex	950	45-58
0101150	54-584	26/27.5 x 1 ½ x 2	●	950	45-58
0101433	37-609	27 x 1 ⅜ x 1 ½	●	685	56-70
0101152	28-622	28 x 1 ⅝ x 1 ⅛	● Reflex	540	70-80
0101151	28-622	28 x 1 ⅝ x 1 ⅛	●	540	70-80
0101154	32-622	28 x 1 ¼ x 1 ¾	● Reflex	640	70-80
0101153	32-622	28 x 1 ¼ x 1 ¾	●	640	70-80
0101188	32-622	28 x 1 ¼ x 1 ¾	◐	600	70-80
0101156	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	690	56-70
0101155	37-622	28 x 1 ⅜ x 1 ⅝	●	690	56-70
0101180	37-622	28 x 1 ⅜ x 1 ⅝	◐	725	56-70
0101193	37-622	28 x 1 ⅜ x 1 ⅝	◐	725	56-70
0101182	37-622	28 x 1 ⅜ x 1 ⅝	◐ Reflex	725	56-70
0101177	37-622	28 x 1 ⅜ x 1 ⅝	◐	725	56-70
0101167	42-622	28 x 1.60	● Reflex	790	50-65
0101157	42-622	28 x 1.60	●	790	50-65
0101176	42-622	28 x 1.60	◐ Reflex	790	50-65
0101160	47-622	28 x 1.75	● Reflex	900	45-58
0101159	47-622	28 x 1.75	●	900	45-58
0101179	47-622	28 x 1.75	◐	960	45-58
0101194	47-622	28 x 1.75	◐	960	45-58
Q1 0101656	47-622	28 x 1.75	◐ Reflex	960	45-58
0101185	47-622	28 x 1.75	◐	960	45-58

RIDE Tour

5 | E25

ExtraPuncture Belt - 3/180 TPI -

0101162	32-630	27 x 1 ¼	● Reflex	660	70-80
0101161	32-630	27 x 1 ¼	●	660	70-80
0101183	32-630	27 x 1 ¼	◐	610	70-80
0101164	37-635	28 x 1 ⅜	● Reflex	710	56-70
0101163	37-635	28 x 1 ⅜	●	710	56-70
0101166	42-635	28 x 1 ½	● Reflex	820	50-65
0101165	42-635	28 x 1 ½	●	820	50-65

RIDE City

5 | E25

ExtraPuncture Belt - 3/180 TPI -

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101552	47-559	26 x 1.75	● Reflex	940	45-58
0101553	32-622	28 x 1 ¼ x 1 ¾	● Reflex	700	70-80
0101554	37-622	28 x 1 ⅜ x 1 ⅜	● Reflex	850	51-65
Q1 0101649	37-622	28 x 1 ⅜ x 1 ⅜	● Reflex	820	51-65
0101555	42-622	28 x 1.60	● Reflex	950	50-65
Q1 0101647	42-622	28 x 1.60	● Reflex	910	50-65
0101556	47-622	28 x 1.75	● Reflex	1100	45-58

RIDE Cruiser

5 | E25

ExtraPuncture Belt - 3/180 TPI -

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101523	50-559	26 x 2.00	● Reflex	1000	45-58
0101524	50-559	26 x 2.00	● Reflex	1000	45-58
0101525	50-559	26 x 2.00	● Reflex	1000	45-58
0101526	50-559	26 x 2.00	● Reflex	1000	45-58
0101527	55-559	26 x 2.20	● Reflex	1020	45-58
0101528	55-559	26 x 2.20	● Reflex	1020	45-58
0101529	55-559	26 x 2.20	● Reflex	1020	45-58
0101530	55-559	26 x 2.20	● Reflex	1020	45-58
0101531	50-622	28 x 2.00	● Reflex	1130	45-58
0101532	50-622	28 x 2.00	● Reflex	1130	45-58
0101533	50-622	28 x 2.00	● Reflex	1130	45-58
0101534	50-622	28 x 2.00	● Reflex	1130	45-58
0101535	55-622	28 x 2.20	● Reflex	1120	45-58
0101536	55-622	28 x 2.20	● Reflex	1120	45-58
0101537	55-622	28 x 2.20	● Reflex	1120	45-58
0101538	55-622	28 x 2.20	● Reflex	1120	45-58

RIDE Classic

5 | E25

ExtraPuncture Belt - 3/180 TPI -

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101539	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	820	70-85
0101541	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	820	70-85
0101540	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	820	70-85
0101542	37-622	28 x 1 ⅜ x 1 ⅝	● Reflex	820	70-85
0101543	42-622	28 x 1.60	● Reflex	900	50-65
0101545	42-622	28 x 1.60	● Reflex	900	50-65
0101544	42-622	28 x 1.60	● Reflex	900	50-65
0101546	42-622	28 x 1.60	● Reflex	900	50-65
0101547	40-635	28 x 1 ½ [1 ¾]	● Reflex	820	50-65
0101549	40-635	28 x 1 ½ [1 ¾]	● Reflex	820	50-65
0101548	40-635	28 x 1 ½ [1 ¾]	● Reflex	820	50-65
0101550	40-635	28 x 1 ½ [1 ¾]	● Reflex	820	50-65

Speed RIDE

5 | E25

Puncture ProTection - 3/84 TPI -

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0100717	42-622	28 x 1.60	● foldable	440	50-85
0100716	42-622	28 x 1.60	● Reflex	505	50-85

AT RIDE

5 | E25

Puncture ProTection - 3/84 TPI -

Article	ETRTO	Dimension	Color/sidewall	g	PSI
0101429	42-622	28 x 1.60	● foldable	435	50-85
0101428	42-622	28 x 1.60	● Reflex	520	50-85

Available from quarter...
Phase-out model
Safety Level
Handmade in Germany

E25 E-Bike up to 25 km/h
E50 E-Bike up to 50 km/h
TL Tubeless
dynamo compatible

◐ Color/sidewall



TUBES BICYCLE TIRES

Auto Schrader | Blitz Dunlop | Sclaverand Presta | Sclaverand Presta | Sclaverand Presta

		A34	A34 45°	A40	D26	D40	S42	S60	S80	
Compact 8"										
ETRTO	**Version**	**Article**	**Article**	**Article**	**Article**	**Article**	**Article**	**Article**	**Article**	**g**
54-110					**0180991**					130
Compact 10" /11" / 12"										
44-194->62-222		**0181051**	**0182211**		**0181071**					90
Compact 14"										
32-279->47-298					**0181081**					85
Compact 16"										
32-305->47-349		**0181091**			**0181111**		**0181121**			105
50-305->62-305	Wide	**0181131**			**0181171**					125
Compact 18"										
32-355->47-400				**0180026**	**0181181**					120
Compact 20"										
28-406->32-451	Slim						**0181191**			105
32-406->47-451		**0181211**				**0181221**	**0181231**			135
50-406->62-406	Wide	**0181271**				**0181281**				150
Compact 24"										
32-507->47-544				**0181291**		**0181311**	**0180027**			160
	Hermetic Plus			**0182231**		**0182241**				235
50-507->60-507	Wide			**0181321**		**0181331**				190
Race 26"										
20-559->25-571							**0181371**	**0181381**		95
	Light						**0181391**	**0181411**		65
	Supersonic						**0181421**	**0181431**		45
Race 28"										
18-622->25-630							**0181781**	**0181791**	**0180000**	105
	Light						**0181821**	**0181831**	**0181871**	65
	Supersonic						**0181881**	**0181891**		50
25-622->32-630	Wide						**0181921**	**0181931**		125
Cross 28"										
32-622->47-622							**0181941**	**0181951**		155
MTB 26"										
47-559->62-559			**0181611**		**0181621**		**0181631**	**0181671**		205
47-559->55-559	Supersonic						**0181691**			150
47-559->60-559	Light						**0181681**			175
57-559->70-559	Downhill		**0181771**							535
	Freeride		**0181721**				**0181731**			285
MTB 27.5"										
47-584->62-584			**0182331**				**0182311**			235
47-584->60-584	Light						**0182341**			195
65-584->70-584							**0180019**			170
	Light		**0180017**				**0180015**			345
MTB 29"										
47-622->60-622	Light						**0182321**	**0182201**		190
47-622->62-622			**0182171**				**0182181**	**0182191**		230
Tour 26"										
47-559->62-559	Wide		**0181531**		**0181571**		**0181591**			205
	Hermetic Plus Wide				**0181581**					290
28-559->32-597	Slim				**0181471**		**0181481**			140
37-559->47-590			**0181491**		**0181511**		**0181521**			175
	Hermetic Plus		**0182251**		**0182261**		**0182271**			245
Tour 28"										
28-622->37-622/32-630	Slim		**0181971**		**0181981**		**0181991**			140
32-622->47-622/42-635			**0182001**		**0182021**		**0182031**	**0182041**		160
	Light		**0182051**		**0182061**		**0182071**			200
	Hermetic Plus		**0182101**		**0182081**		**0182091**			225
47-622->62-622	Wide		**0182121**		**0182131**		**0182161**			230
	Hermetic Plus Wide				**0182151**					335
Workshop										
37-559->47-597	Tour 26					**0180621**				170
	Tour 26 Hermetic Plus					**0180751**				245
47-559->62-559	MTB 26		**0180581**		**0180521**		**0180551**			205
47-584->62-584	MTB 27.5						**0182351**			235
18-622->25/630	Race 28						**0180591**	**0180611**	**0180024**	100
32-622->47-642	Tour 28		**0180691**		**0180651**		**0180681**			160
	Tour 28 Hermetic Plus		**0180721**		**0180711**					225
47-622->62-622	MTB 29						**0182361**			230

OVERVIEW SIZES AND TIRES

12"

62 - 203
- RIDE Tour

16"

47 - 305
- DoubleFighter III
- Explorer
- RIDE Tour

20"

28 - 406
- CONTACT Speed

37 - 406
- CONTACT

47 - 406
- CONTACT
- DoubleFighter III
- Explorer
- RIDE Tour

24"

47 - 507
- CONTACT Plus
- DoubleFighter III
- Explorer
- RIDE Tour
- Traffic II

50 - 507
- DoubleFighter III

26"

23 - 571
- Gatorskin
- Grand Prix

26 X 19
- Competition

26 X 22
- Competition
- Sprinter

28 - 559
- Gatorskin
- Grand Prix
- Grand Prix GT

32 - 559
- CONTACT Speed

42 - 559
- CONTACT Speed

47 - 559
- CONTACT
- CONTACT Plus
- CONTACT Plus City
- CONTACT Plus Travel
- CONTACT Travel
- Hometrainer II
- Mud King ProTection
- RIDE City
- RIDE Tour

50 - 559
- CONTACT Cruiser
- CONTACT Plus Travel
- CONTACT Speed
- CONTACT Travel
- Cross King ShieldWall
- DoubleFighter III
- Race King ShieldWall
- RIDE Cruiser
- Top CONTACT II
- Traffic II
- Cross King
- Race King
- Race King Performance

54 - 559
- Explorer
- Traffic II
- Vapor

55 - 559
- CONTACT Cruiser
- CONTACT Plus City
- Cross King ProTection
- Cross King RaceSport
- Cross King ShieldWall
- Race King ProTection
- Race King RaceSport
- Race King ShieldWall
- RIDE Cruiser
- Top CONTACT Winter II Premium
- Trail King ProTection Apex
- Trail King ShieldWall
- Trail King Performance
- Mountain King Performance
- Cross King
- Race King
- Race King Performance
- Speed King RaceSport

57 - 559
- Gravity
- Mud King Apex
- Vertical

58 - 559
- Cross King ProTection
- Cross King RaceSport
- Cross King ShieldWall
- Mountain King ProTection
- Mountain King ShieldWall
- Mountain King
- Cross King

60 - 559
- Der Baron Projekt ProTection Apex
- Der Kaiser Projekt ProTection Apex
- Trail King ProTection Apex
- Trail King ShieldWall
- Der Kaiser Projekt Apex
- Trail King
- Trail King Performance
- Mountain King Performance

62 - 559
- Der Baron Apex
- Der Kaiser Apex

27"

28 - 630
- Super Sport Plus
- Ultra Sport II

32 - 630
- Gator Hardshell
- Gatorskin
- Grand Sport Race
- RIDE Tour
- Super Sport Plus
- Ultra Sport II

37 - 609
- RIDE Tour

27.5"

25 - 584
- Grand Prix 5000

28 - 584
- Grand Prix 5000
- Grand Prix 5000 Tubeless

32 - 584
- CONTACT Speed

37 - 584
- RIDE Tour

42 - 584
- CONTACT Plus
- RIDE Tour

47 - 584
- Mud King ProTection

50 - 584
- CONTACT Speed
- Cross King ShieldWall
- DoubleFighter III
- Hometrainer II
- Race King ShieldWall
- Top CONTACT II
- Top CONTACT Winter II Premium
- Cross King
- Race King
- Race King Performance

54 - 584
- RIDE Tour

55 - 584
- CONTACT Plus City
- Cross King ProTection
- Cross King RaceSport
- Cross King ShieldWall
- Race King ProTection
- Race King RaceSport
- Race King ShieldWall
- Trail King ProTection Apex
- Trail King ShieldWall
- Trail King Performance
- Mountain King Performance

55 - 584
- Cross King
- Race King
- Race King Performance
- Speed King RaceSport

57 - 584
- Mud King Apex

58 - 584
- Cross King ProTection
- Cross King RaceSport
- Cross King ShieldWall
- Mountain King ProTection
- Mountain King ShieldWall
- Mountain King
- Cross King

60 - 584
- Der Baron Projekt ProTection Apex
- Der Kaiser Projekt ProTection Apex
- Trail King ProTection Apex
- Trail King ShieldWall
- Der Kaiser Projekt Apex
- Trail King
- Mountain King Performance

65 - 584
- Cross King ProTection
- Cross King ShieldWall
- Der Baron Projekt ProTection Apex
- Mountain King ProTection
- Mountain King ShieldWall
- Trail King ProTection Apex
- Trail King ShieldWall

70 - 584
- Cross King ProTection
- Cross King ShieldWall
- Mountain King ProTection
- Mountain King ShieldWall
- Trail King ProTection Apex
- Trail King ShieldWall

28 / 29"

20 - 622
- Grand Prix Supersonic

23 - 622
- Gator Hardshell
- Gatorskin
- Grand Prix
- Grand Prix 4-Season
- Grand Prix 4-Season Black Edition
- Grand Prix 5000
- Grand Prix Attack III
- Grand Prix Supersonic
- Grand Prix TT
- Grand Sport Extra
- Grand Sport Race
- Hometrainer II
- Set Grand Prix Attack & Force III
- Super Sport Plus
- Ultra Sport II

25 - 622
- Gator Hardshell
- Gatorskin
- Grand Prix
- Grand Prix 4-Season
- Grand Prix 4-Season Black Edition
- Grand Prix 5000
- Grand Prix 5000 Tubeless
- Grand Prix Classic
- Grand Prix Force III
- Grand Prix GT
- Grand Prix TT
- Grand Sport Extra
- Grand Sport Race
- Super Sport Plus
- Ultra Sport II

28 - 622
- CONTACT
- CONTACT Plus
- CONTACT Speed
- Gator Hardshell
- Gatorskin
- Grand Prix
- Grand Prix 4-Season
- Grand Prix 4-Season Black Edition
- Grand Prix 5000
- Grand Prix 5000 Tubeless
- Grand Prix GT
- Grand Sport Race
- RIDE Tour
- Super Sport Plus
- Top CONTACT II
- Ultra Sport II

32 - 622
- CONTACT
- CONTACT Plus
- CONTACT Speed
- Cross King CX RaceSport
- Gator Hardshell
- Gatorskin
- Grand Prix 4-Season
- Grand Prix 4-Season Black Edition
- Grand Prix 5000
- Grand Prix 5000 Tubeless
- Grand Sport Extra
- Grand Sport Race

32 - 622
- Hometrainer II
- Mountain King CX RaceSport
- RIDE City
- RIDE Tour
- Speed King CX RaceSport
- Top CONTACT II
- Ultra Sport II

35 - 622
- CONTACT Speed
- Cross King CX Performance
- Grand Prix Urban
- Mountain King CX Performance
- Race King CX Performance
- Speed King CX Performance

37 - 622
- CONTACT
- CONTACT Plus
- CONTACT Plus City
- CONTACT Plus Travel
- CONTACT Speed
- CONTACT Spike 120
- CONTACT Spike 240
- CONTACT Travel
- DoubleFighter III
- RIDE City
- RIDE Classic
- RIDE Tour
- Top CONTACT II
- Top CONTACT Winter II Premium

42 - 622
- AT RIDE
- CONTACT
- CONTACT Plus
- CONTACT Plus City
- CONTACT Plus Travel
- CONTACT Speed
- CONTACT Spike 120
- CONTACT Spike 240
- CONTACT Travel
- RIDE City
- RIDE Classic
- RIDE Tour
- Speed RIDE
- Top CONTACT II
- Top CONTACT Winter II Premium

47 - 622
- CONTACT
- CONTACT Plus
- CONTACT Plus City
- CONTACT Plus Travel
- Mud King ProTection
- RIDE City
- RIDE Tour
- Top CONTACT II

50 - 622
- CONTACT Cruiser
- CONTACT Travel
- Cross King ShieldWall
- DoubleFighter III
- Race King ShieldWall
- RIDE Cruiser
- Cross King
- Race King
- Race King Performance

55 - 622
- CONTACT Cruiser
- Cross King ProTection
- Cross King RaceSport
- Cross King ShieldWall
- Race King ProTection
- Race King RaceSport
- Race King ShieldWall
- RIDE Cruiser
- Trail King ProTection Apex
- Trail King ShieldWall
- Trail King Performance
- Mountain King Performance
- Cross King
- Race King
- Race King Performance
- Speed King RaceSport

57 - 622
- Mud King Apex

58 - 622
- Cross King ProTection
- Cross King RaceSport
- Cross King ShieldWall
- Mountain King ProTection
- Mountain King ShieldWall
- Mountain King
- Cross King

60 - 622
- Der Baron Projekt ProTection Apex
- Der Kaiser Projekt ProTection Apex
- Trail King ProTection Apex
- Trail King ShieldWall
- Der Kaiser Projekt Apex
- Trail King
- Trail King Performance
- Mountain King Performance

28"

28 X 19
- Competition
- Olympic II
- Podium TT
- Tempo II

28 X 22
- Attack Comp
- Competition
- Giro
- Grand Prix 4000 S II Tubular
- Podium TT
- Set Attack Comp & Force Comp
- Sprinter
- Sprinter Gatorskin
- Tempo II

28 X 23
- Sonderklasse II

28 X 24
- Force Comp

28 X 25
- Competition
- Podium TT
- Sprinter
- Sprinter Gatorskin

37 - 635
- RIDE Tour

40 - 635
- RIDE Classic

42 - 635
- CONTACT Plus
- RIDE Tour



ACCESSORIES



RIM STRIP

The non visible component, but with a huge effect. A missing or badly chosen rim tape is the cause of many punctures. For rims with spoke holes it is particularly important to use a tape that remains stable under pressure and one which covers the entire rim base. The fabric-reinforced Continental EasyTape was specially developed for use under high pressure conditions. Various widths allow a perfect fit to be achieved in all common rim types. The high pressure version for racing bikes can withstand pressures up to 220 PSI without deformation. Its wafer-thin profile also allows the tire to be mounted much easier.

Easy Tape Rim Strip < 116 PSI

Article	ETRTO	Version	PU
0195031	18-559	Set Box | 2 pcs	1
0195000	20-559	Set Box | 2 pcs	1
0195002	22-559	Set Box | 2 pcs	1
0195006	24-559	Set Box | 2 pcs	1
0195009	26-559	Set Box | 2 pcs	1
0195035	18-584	Set Box | 2 pcs	1
0195038	20-584	Set Box | 2 pcs	1
0195043	22-584	Set Box | 2 pcs	1
0195048	24-584	Set Box | 2 pcs	1
0195049	26-584	Set Box | 2 pcs	1
0195027	14-622	Set Box | 2 pcs	1
0195013	18-622	Set Box | 2 pcs	1
0195015	20-622	Set Box | 2 pcs	1
0195018	22-622	Set Box | 2 pcs	1
0195022	24-622	Set Box | 2 pcs	1
0195025	26-622	Set Box | 2 pcs	1
0195034	18-559	Bundle | 100 pcs	1
0195093	20-559	Bundle | 100 pcs	1
0195094	22-559	Bundle | 100 pcs	1
0195095	24-559	Bundle | 100 pcs	1



Easy Tape Rim Strip < 116 PSI

Article	ETRTO	Version	PU
0195096	26-559	Bundle | 100 pcs	1
0195037	18-584	Bundle | 100 pcs	1
0195039	20-584	Bundle | 100 pcs	1
0195047	22-584	Bundle | 100 pcs	1
0195098	24-584	Bundle | 100 pcs	1
0195099	26-584	Bundle | 100 pcs	1
0195030	14-622	Bundle | 100 pcs	1
0195083	18-622	Bundle | 100 pcs	1
0195086	20-622	Bundle | 100 pcs	1
0195089	22-622	Bundle | 100 pcs	1
0195100	24-622	Bundle | 100 pcs	1
0195101	26-622	Bundle | 100 pcs	1

Easy Tape Tubeless

Article	Breite	Version	PU
0195109	23 mm	33 m	1
0195103	23 mm	5 m	1
0195110	25 mm	33 m	1
0195104	25 mm	5 m	1
0195112	27 mm	33 m	1
0195105	27 mm	5 m	1
0195113	29 mm	33 m	1
0195107	29 mm	5 m	1

Easy Tape Rim Strip High Pressure < 220 PSI

Article	ETRTO	Version	PU
0195074	16-571	Set | 2 pcs	1
0195076	18-571	Set | 2 pcs	1
0195066	16-622	Set | 2 pcs	1
0195068	16-622	Bundle | 40 pcs	1
0195070	18-622	Set | 2 pcs	1
0195072	18-622	Bundle | 40 pcs	1

Rubber Rim Strip < 70 PSI

Article	Version	PU
0194000	12 1/2" [203 mm] 20 mm	50
0195004	16" [305 mm] 16 mm	50
0195012	20" [406 mm] 16 mm	50
0195016	20" [406 mm] 20 mm	50
0195024	22-24" [489-540 mm] 14 mm	50
0195045	26-28" [559-635 mm] 20 mm	50


See also page 25

Tubeless Ready Set | Tape | Valves | Sealant

Article	Version	PU
0140092	25 mm	5
0140093	27 mm	5
0140094	29 mm	5

Tubeless Ready Set

contains:
1x Conti RevoSealant 240 ml
1x Tubeless rim tape
2x Tubeless S42 valves
3x Tire levers
3x Mounting pads
1x Mounting instruction



VALVE EXTENSIONS

We offer a valve extension for every type of rim. What is required is a tube with a Presta valve which has an interchangeable insert. With the enclosed tool you can easily fit the valve extension yourself.

Valve extension Alumium for presta valve

Article	Version	PU
0140029	20 mm | Pack | 10 pcs	10
0140028	20 mm | Set | 2 pcs	2
0140031	30 mm | Pack | 10 pcs	10
0140030	30 mm | Set | 2 pcs	2
0140033	40 mm | Pack | 10 pcs	10
0140032	40 mm | Set | 2 pcs	2
0140035	60 mm | Pack | 10 pcs	10
0140034	60 mm | Set | 2 pcs	2



Valves & Co

Article	Version	PU
0149690	Exchangable inserts SV	10
0140090	Tubeless Valves | Set S40	10



Bag with tube and 2 tire levers

Article	Version	PU
0101025	MTB 27.5" S42	1
0101026	MTB 29" S42	1
0100385	MTB 26" S42	1
0100388	Race 28" S42	1
0100384	Race 28" S60	1
0100448	Tour 28" D40	1

Mounting

Article	Product	Version	PU
0140095	Mounting pads	3 pcs	3

Tire fitting/removing lever

Article	Version	PU
0149090	MTB/Tour	50
0149093	Road	50



Rim Cement

Article	Produkt	Version	PU
0140017	Carbon	200 g can	1
0140016	Carbon	12 tubes with 25 g each	12
0149092	Aluminium	350 g can	1
0149091	Aluminium	12 tubes with 25 g each	12



CONTI REVOSEALANT

Punctures and small cuts? The ammonia and protein-free RevoSealant reliably seals holes without attacking the tire or tube chemically.

RevoSealant was developed specifically for our MTB TR and Road TL systems. In addition it effectively prevents punctures and repairs tubulars and tubes.


Continental RevoSealant


Article	Version	PU
0140050	1000 ml	6
0140044	240 ml	20
0140089	60 ml	12

ACCESSORIES

Some figures

For determining the exact tire size, all Continental bicycle tires are specified according to ETRTO [European Tire and Rim Technical Organization]. Tire width and tire base diameter are defined in millimeters, for example 23-622. Information on size can always be found on the tire sidewall. Alternative specifications such as 23 x 26 x 2.4 or 700C unfortunately give no clear information about the required rim size. Therefore, when in doubt you should always refer to the international ETRTO standard. In general, we recommend mounting bicycle tires on hook-bead rims only. They provide a significantly more secure fit, especially when tire pressures are above 44 PSI. A rim, for example in the size 13C-622; the rim width is given in mm [also "Measure A"], a "C" for crotchet [English: hook] and the rim mounting diameter in mm ["Measure D"]. If the sizes specified on older rims are no longer legible, their rim width can be easily measured with a caliper from hook to hook. An overview as to which rim width is suitable for which tire size is also indicated by ETRTO.






Talking about weight

Occasionally actual weights of tires can differ from the weight information given in the catalog or website. Why is that? Due to the deliberate high proportion of manual labor in our manufacturing process, slight variances in the thickness of the treads and the rubber coating of the fabric can occur. The weights given in the catalog are based on the targeted weights that we determine in our pilot production series and are repeatedly checked during the main production runs. Deviations of up to 10% are possible, depending on the design.

The right tire pressure

Tire pressure influences the rolling resistance and the durability of your tire significantly and also the handling behavior in general. Only with the correct pressure a tire can perform at its full potential. In addition to tire volume and the weight of the cyclist, its intended use is another important aspect. Thus, each Continental tire has a pressure recommendation as well as an indication of the maximum inflation pressure on its sidewall. Tire pressure too low? Wear in the risk of incurring punctures and the possibility of the tire slipping off the rim. Ageing cracks can also occur. Excessive air pressure? The tire becomes inflexible. Traction, grip and perhaps rolling resistance deteriorate. All bicycle tire systems gradually lose air. Please check the pressure of your bicycle tires regularly. Rule of thumb: Touring and mountain bikes should be checked at least once a month, road racing bikes once a week. The pressure of Light and Supersonic tubes should be checked before each ride.



Wider rolls faster!

"For riding I only use the fastest tire of course. 20 mm inflated nicely to 160 PSI, I won't go for anything less. Nothing else gets put on my bike." For a long time, a narrow tire was considered the lastest version, inflated to a high pressure. The lack of comfort with riding such a tire on the bike goes undisputed!


The tests are impressive: a 23 mm tire, for example at 123 PSI or 25 mm at 94 PSI or 28 mm tire at 80 PSI all give the SAME rolling resistance as the 20 mm tire at 160 PSI.


Further advantages:
- broad application range: less air for bad roads, maximum pressure for fast time trials
- wet roads: tire pressure can be lowered by 15 PSI without any problems in order to increase grip

Warning – Hotspot

In the racing bike field, more and more aluminium or carbon closed rim profiles are being offered to use with tubeless or tubeless ready tires. They no longer exhibit holes in the rim base. The manufacturer therefore does not use the rim band. The problem with that is that the resulting heat from the rim brakes reaches the tire system unabatedly. Using carbon as the rim material has the disadvantage of low heat conductivity. During braking, heat builds up and can thermally strain tubes and tires. Without the rim band, it can lead to sudden tube failures during longer braking [e. g. during downhill descents]. Latex tubes and lightweight design tubes below 70 grams can fail particularly quickly. Continental urgently recommends using an easy tape rim band even on aluminium and carbon rim closed rim profiles to protect from direct heat exposure and to reduce the risk of a tube failure. Moreover, we recommend using principally standard race tubes, especially in mountainous areas. We hereby advise against the use of latex or lightweight design tubes ["Light", "Supersonic"]. Continental also advises optimizing riding technique.
We recommend you always decelerate with both brakes in order to distribute the brake heat. Furthermore, long braking should be avoided. Pulsating braking allows the rim to cool down – a simple, but effective trick to get around the heat problem and to enjoy a safe descent.







PASSION AND TECHNOLOGY

Made in Germany.

**Producing the best tires is just ok for us.
That's why our designers and engineers are always working continuously to make our products even more efficient, developing new or improved formulations for our rubber compounds for example.
These changes are not always visible at first glance, but they are definitely noticeable.**

**Ride the difference,
ride "handmade in Germany".**

Continental is the only German bicycle tire manufacturer to produce its tires in Germany. Knowing this serves as a mighty incentive to our engineers and everyone else involved in the manufacturing process to constantly strive for further innovations.

"Handmade in Germany" denotes that the tires are produced in our technology and development center in Korbach, mostly by hand and with a high proportion of manual labor from tire design to the final quality control. For you this means offering your customers tires with German technology – a tradition since 1871.

We are constantly developing new revolutionary technologies such as the unbeatable BlackChili Compound and the ultimate Vectran™ breaker anti-puncture technology, both used at the top end of race sport. These technologies demand sophisticated processes to ensure our legendary end-product quality, and these innovations as well as the ProTection and RaceSport technology for MTB tires, can only be manufactured in our factory in Germany – "Handmade in Germany".

In order to offer the best tire for any application, we rely equally on dialogue with our professional racers, hobby cyclists and everyday bike riders.

As a global player, Continental also maintains high-tech production facilities outside of Germany, where Continental tires are produced for you with an equal degree of care and dedication. Our heart and soul is behind the phrase "Handmade in Germany", with all of its products and technologies.

Continental on Social Media

www.facebook.com/ContiBicycleTires

www.instagram.com/conti_road

www.instagram.com/conti_mtb

www.instagram.com/conti_urban

2018 © Credit: James Cheadle

Continental Reifen Deutschland GmbH

Bicycle Tire Division
Continentalstraße 3-5
D-34497 Korbach

www.conti-bicycletires.com

Subject to technical changes. No reliability for printer's error.:
03/19 Barthelmay & Habedank Design GmbH.

Vectran™ is the registered trademark of Kuraray Co., Ltd.; Kevlar® is the registered trademark of E. I. du Pont de Nemours and Company.

© Copyright 2019 by
Continental Reifen Deutschland GmbH,
30165 Hannover, Germany.

Continental
The Future in Motion